

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

ESTD 1824

Bridgeman

SEED
WAREHOUSE
1907

WARDS ROAD

1907



Established 1824.

Bridgeman's Catalogue

of

High-Grade Seeds, Bulbs and Plants

for 1907

RICKARDS BROS., Proprietors

37 East 19th Street

NEW YORK CITY



OR eighty-three years the Bridgeman seed business has been conducted with an eye single to efficiency and the preservation of a reputation early established for reliability and careful discrimination.

In no business do experience and reputation count for more than in that of supplying to the cultivator the seeds upon which he depends for the success of his season's efforts. No fear need be felt that the honorable estimation in which "Bridgeman's High-grade Seeds" is held will be lowered in the least.

Great care is taken to select seeds of only such species and varieties as are really worthy of cultivation, to the exclusion of all sorts too frequently recommended and sold, to the serious loss and disappointment of planters. The purity and germinating qualities of all seeds are tested each year. The observance of such a system may be considered a guarantee that no seeds will be offered except such as are known to possess the most essential good qualities for general purposes.

To aid the amateur and others in making selections, some of the leading and most desirable kinds are marked with an asterisk, thus (*).

We can here enumerate only the leading articles in our collection; and, from a conviction that the seedsman's fair reputation is often unjustly defamed through failure of seeds, we would with brevity state some of the causes.

FIRST—That some cultivators, through ignorance or forgetfulness of the fact that the products of a garden are natives of various soils and climates, and require peculiar

management, sow their seeds at an improper season. To aid such, the most tender species, which should not be placed in the open ground until settled warm weather, are marked thus (‡). The half-hardy, which are subject to risk if sown when frost prevails, are marked thus (§). The early and most hardy species and varieties should not be planted until the ground can be brought into good condition, as some species of plants that in an advanced state of growth will stand a hard winter are often cut off by a very slight frost while young, especially if exposed to the heat of the sun after a frosty night. To guard against disappointment, reserve some of the seed for a later sowing.

SECOND—That some species of seeds, such as **Beans, Beets, Cabbage, Lettuce, Radishes, Salsify, Turnips**, etc., being, from their nature, apt to vegetate quickly, are often liable to be devoured by insects within forty-eight hours after they are sown, and before a plant is seen above ground, unless a suitable remedy is applied in time to destroy them.

THIRD—That some species, such as **Carrots, Celery, Leeks, Onions, Parsley, Parsnips, Spinach**, etc., being naturally of tardy growth—taking (in unfavorable seasons) from two to four weeks to vegetate—are apt to perish through incrustation of the soil, or other circumstances which cannot always be controlled.

FOURTH—That failures often occur through seeds being deposited too deep in the ground, or left too near the surface; sometimes, for want of sufficient seed in a given spot, solitary plants perish, lacking strength to open the pores of the earth; and very often injudicious management in manuring and preparing the soil will cause failures. To insure a fair chance, plant your seeds moderately thick, and thin out the surplus plants while young. In planting seeds in drills (which is the most desirable plan), the size of the seed and strength of its germ should be considered; large seeds, producing vigorous roots, require deeper planting than diminutive seeds, producing delicate roots and slender stalks; the smallest seeds should not be covered more than a quarter of an inch. For instructions on these and other subjects of gardening, the reader is referred to **Bridgeman's Book on Gardening**, and other works by celebrated authors, of which a list will be found in this Catalogue.

Notwithstanding the great care used to supply every article true to name and of good quality, **nothing is warranted**.

It is requested that explicit directions for marking and forwarding packages accompany each order. All goods will be legibly marked as directed and delivered to vessels in port, and railroad and express offices in the city of New York, free of expense. After shipment, they will be at the risk of the purchaser.

Address all orders plainly to

BRIDGEMAN'S SEED WAREHOUSE

RICKARDS BROS., Proprietors

37 East Nineteenth Street, near Broadway

Borough of Manhattan

Telephone. 4235 Gramercy

NEW YORK CITY

NOVELTIES AND SPECIALTIES IN FLOWER SEEDS

Chrysanthemum inodorum, Bridal Robe (Benary)

Of very compact and upright habit, and not exceeding 10 inches in height, the sturdy plants throw out their finely feathered foliage from the base and deck themselves with a mantle of extra-double, pure white flowers. This Chrysanthemum, coming almost true from seed, will certainly prove a bedding-plant of the very first rank, while also useful for pot culture, and, considering the long time the flowers last when cut, we may safely predict for this novelty an uncommonly successful career. Pkt. 25 cts.

Petunia, King Alphonso (Benary)

This fine new Petunia of the Grandiflora superbissima class, bears very large dark crimson flowers like those of the variety Prince of Württemberg, but the petals of this novelty are boldly waved and frilled to such an extent that the widely opened brilliant black throat of the flower is often almost entirely concealed. Pkt. 50 cts.

Alyssum compactum, Little Dorrit

A grand improvement on the already much-grown variety Little Gem, being much more compact. This new variety forms a perfect little bush with miniature white rocket flowers. A perfect gem for borders or beds. Pkt. 25 cts.

Wallflower, Annual Blood-Red

This is a much improved and selected stock of the Annual Wallflower, brought out some years since, which, although so wonderfully early, was a very poor yellow. We have ever since been carefully selecting this, and each year getting nearer to a good blood-red, and at last we have succeeded. It is also a larger flower than the old variety and a good blood-red color, and if sown in March can be had in bloom in following July. Pkt. 10 cts.

FOUR GRAND SWEET PEA NOVELTIES

Nora Unwin. This charming variety easily takes its place in the front rank of pure whites, being larger, purer and of finer form. It has the same bold wavy standard as Gladys Unwin, and, like all the progeny of same, it is true to name and does not sport. Pkt. 25 cts.

Mrs. Alfred Watkins. A superb pale pink of Gladys Unwin type, very large blossoms, and one of the best for cut-blooms. Pkt. 25 cts.

Frank Dolby. A lovely pale blue, the same shade as Lady Grizel Hamilton, but very much larger, and being also bred from Gladys Unwin, it has the same bold wavy standard and large size of its parent. It is today the largest and finest pale blue Sweet Pea. Pkt. 25 cts.

E. J. Castle. A magnificent addition to the Gladys Unwin class, with the same large flowers and bold wavy standard of its parent. The color is a very rich carmine-rose with salmon shading in the standard, and this, over and above its other merits, has a rich striking effect, especially in artificial light. Pkt. 25 cts.

NOVELTIES AND SPECIALTIES IN VEGETABLE SEEDS

Rickards Bros.' New Head Lettuce


This is a fine variety for either outdoors or forcing under glass, producing fine, large, solid heads. Crisp and very tender. Pkt. 10 cts., $\frac{1}{2}$ oz. 20 cts., oz. 35 cts.

Glass House Lettuce

An excellent Lettuce for forcing. Pkt. 5 cts., oz. 20 cts., lb. \$2.50.

New Cabbage Lettuce, May King

This grand new Lettuce is of great value owing to its rapid development, fine tender quality and size, the heads weighing, on an average, about $\frac{3}{4}$ pound. The color is a light green, with yellow heart, suitable either for growing under glass or in the open ground.



Rickards Bros.' Extra-Early Tomato

Quite hardy; a splendid market variety. Pkt. 10 cts., oz. 25 cts., lb. \$3.

Rickards Bros.' Extra-Early Tomato

This is a very fine, large, solid, smooth, bright red variety, almost 10 days earlier than Earliana. Pkt. 15 cts., $\frac{1}{2}$ oz. 30 cts., oz. 50 cts.

✓ Ailsa Craig Onion


Very large, globe-shaped yellow variety; excellent keeper. Pkt. 10 cts., oz. 50 cts.

Burrell Gem Musk- melon

A new melon of the Rocky Ford type, but with golden meat. Very productive. Pkt. 10 cts., oz. 35 cts.

Sutton's Excelsior Pea

An extra-early dwarf wrinkled Pea, fully as early as the American Wonder, with much broader pods filled with large peas of the finest flavor, and produced in greater abundance. Pt. 30 cts., qt. 50 cts.



Burrell Gem Muskmelons

COLLECTIONS OF Select Vegetable Garden Seeds

STANDARD SORTS		No. 1	No. 2	No. 3	No. 4	No. 5
For Family Use, in quantities to suit Small or Large Gardens, as follows:		\$5	\$9	\$12	\$16	\$20
		Contains	Contains	Contains	Contains	Contains
Beans	Early Valentine Bush . . .	½ pt.	1 pt.	1 qt.	1 qt.	2 qts.
"	Black Wax Bush . . .	½ pt.	1 pt.	1 qt.	2 qts.	2 qts.
"	Refugee Bush . . .	½ pt.	1 pt.	1 qt.	1 qt.	2 qts.
"	Large White Lima Pole . . .	1 pt.	1 pt.	1 qt.	3 qts.	2 qts.
Beet	Crimson Globe . . .	1 oz.	2 oz.	4 oz.	4 oz.	8 oz.
"	Early Blood Turnip . . .	1 oz.	2 oz.	4 oz.	8 oz.	8 oz.
Cabbage	Early Jersey Wakefield . . .	pkt.	½ oz.	½ oz.	½ oz.	1 oz.
"	Surehead . . .	pkt.	½ oz.	½ oz.	1 oz.	1 oz.
"	Large Late Drumhead . . .	pkt.	½ oz.	1 oz.	1 oz.	1 oz.
"	Drumhead Savoy . . .	pkt.	½ oz.	½ oz.	½ oz.	1 oz.
"	Red, or Pickling . . .	pkt.	½ oz.	½ oz.	½ oz.	1 oz.
Cauliflower	Early Snowball . . .	pkt.	¼ oz.	½ oz.	½ oz.	1 oz.
Carrot	Early Orange, or Horn . . .	1 oz.	2 oz.	2 oz.	4 oz.	8 oz.
"	Half Long Danvers . . .	1 oz.	2 oz.	4 oz.	8 oz.	8 oz.
Cress	Curled, or Pepper Grass . . .	1 oz.	2 oz.	2 oz.	2 oz.	4 oz.
Corn	Extra-Early Cory . . .	½ pt.	1 pt.	1 qt.	1 qt.	2 qts.
"	Metropolitan . . .	½ pt.	1 pt.	1 qt.	2 qts.	2 qts.
"	Stowell's Evergreen . . .	½ pt.	1 pt.	1 qt.	2 qts.	2 qts.
Celery	Early White Plume . . .	pkt.	½ oz.	1 oz.	1 oz.	1 oz.
Cucumber	Improved White Spine . . .	pkt.	1 oz.	1 oz.	2 oz.	4 oz.
"	Long Green . . .	1 oz.	1 oz.	2 oz.	2 oz.	4 oz.
Eggplant	Improved New York Purple . . .	pkt.	¼ oz.	¼ oz.	½ oz.	½ oz.
Endive	Green Curled . . .	pkt.	½ oz.	½ oz.	1 oz.	1 oz.
Kohlrabi	Early White Vienna . . .	pkt.	¼ oz.	½ oz.	1 oz.	1 oz.
Kale	Green Curled . . .	pkt.	1 oz.	1 oz.	1 oz.	1 oz.
Lettuce	Early Curled Silesia . . .	pkt.	½ oz.	½ oz.	1 oz.	1 oz.
"	Early Curled Simpson . . .	pkt.	½ oz.	1 oz.	1 oz.	1 oz.
"	Big Boston . . .	pkt.	½ oz.	1 oz.	1 oz.	2 oz.
"	Mam. Black-seeded Butter . . .	pkt.	½ oz.	1 oz.	1 oz.	2 oz.
Leek	Large Flag . . .	pkt.	½ oz.	1 oz.	1 oz.	2 oz.
Melon	Emerald Gem . . .	pkt.	½ oz.	1 oz.	2 oz.	4 oz.
"	Rocky Ford (green flesh) . . .	pkt.	1 oz.	1 oz.	2 oz.	4 oz.
"	Mountain Sweet, Water . . .	1 oz.	1 oz.	2 oz.	4 oz.	4 oz.
Onion	Large Red Wethersfield . . .	pkt.	1 oz.	2 oz.	2 oz.	4 oz.
"	Yellow Danvers . . .	pkt.	1 oz.	2 oz.	2 oz.	4 oz.
"	White Portugal . . .	½ pt.	1 oz.	2 oz.	2 oz.	4 oz.
Peas	Bridgeman's Extra-Early . . .	1 pt.	1 qt.	2 qts.	2 qts.	2 qts.
"	Gradus . . .	1 pt.	1 qt.	1 qt.	2 qts.	2 qts.
"	McLean's Little Gem . . .	1 pt.	1 qt.	1 qt.	1 qt.	2 qts.
"	McLean's Advancer . . .	1 pt.	1 qt.	1 qt.	1 qt.	2 qts.
"	Champion of England . . .	1 pt.	1 qt.	2 qts.	2 qts.	2 qts.
Parsley	Extra Curled . . .	pkt.	1 oz.	1 oz.	2 oz.	2 oz.
Pepper	Sweet Mountain . . .	pkt.	¼ oz.	½ oz.	1 oz.	1 oz.
Parsnip	Improved Hollow Crown . . .	1 oz.	1 oz.	2 oz.	4 oz.	8 oz.
Radish	Early Scarlet Turnip . . .	pkt.	2 oz.	2 oz.	4 oz.	4 oz.
"	French Breakfast . . .	pkt.	2 oz.	4 oz.	4 oz.	8 oz.
"	Chinese Winter . . .	pkt.	1 oz.	2 oz.	2 oz.	2 oz.
Salsify	Mammoth Sandwich Island . . .	½ oz.	½ oz.	1 oz.	2 oz.	4 oz.
Squash	Early Bush . . .	1 oz.	1 oz.	2 oz.	2 oz.	4 oz.
"	Hubbard Winter . . .	1 oz.	1 oz.	2 oz.	4 oz.	4 oz.
Spinach	Round-leaved . . .	4 oz.	6 oz.	8 oz.	8 oz.	1 lb.
"	Round-leaf Viroflay . . .	4 oz.	6 oz.	8 oz.	8 oz.	1 lb.
Tomato	New Stone . . .	pkt.	½ oz.	½ oz.	1 oz.	1 oz.
"	The Trophy . . .	pkt.	½ oz.	½ oz.	1 oz.	1 oz.
Turnip	White Dutch . . .	1 oz.	2 oz.	4 oz.	8 oz.	8 oz.
"	Yellow Stone . . .	1 oz.	2 oz.	4 oz.	8 oz.	8 oz.



VEGETABLE SEEDS

Explanation of Terms


A * denotes leading and most desirable kinds.

A † denotes tender species, which should not be placed in the open ground until settled warm weather.

A ‡ denotes half-hardy sorts, which are subject to risk when frost prevails.

The names printed in smaller Roman type are identically the same, or similar varieties to those immediately preceding, printed in heavy-faced type.

For price-list by the pound, bushel or barrel, see pages 25 to 27. For new vegetable seeds, see page 4.



Conover's Colossal Asparagus

‡ Artichoke

Artichaut, *Fr.* Artischocke, *Ger.* Alcachofa, *Sp.*

Sow early in spring, in deep, rich soil, and when large enough transplant into rows 4 feet apart and 2 feet between the rows. Should be protected in winter by a covering of litter.

	Per oz.	Qt.
French, or Green Globe	\$0 40	
Jerusalem. Roots pk., \$1.50 .		\$0 30

Asparagus

Asperge, *Fr.* Espargel, *Ger.* Esparrago, *Sp.*

Seeds should be sown in the spring, or roots planted in the spring or autumn.

	Oz.	4 ozs.
Palmetto	\$0 10	\$0 25

Conover's Colossal. Produces very large, thick, tender, luscious stalks in great quantities lb. 50 cts. 10 20

ASPARGUS ROOTS

A saving of one or two years is effected by planting roots. Those offered below are strong 2-year-old roots. For private use, the beds should be formed 5 feet wide, with three rows planted in each, one in the middle and one on each side a foot from the edge; distance between the plants in the rows, 9 inches.

	Per 100	1,000
Palmetto. 2 years old	\$0 75	\$6 00
Conover's Colossal. 2 years old	75	6 00

BEANS

Haricot, *Fr.* Bohnen, *Ger.* Frijole nano, *Sp.*

†DWARF GREEN-PODDED

Plant from the middle of April to August for successional crops, in drills 2 inches deep and from 2 to 3 feet apart.

One quart will plant 100 feet of drill

	Per qt.	Pk.
*Extra-Early Valentine	\$0 30	\$1 75
*Long Yellow Six Weeks	30	1 75
*Early Mohawk	30	1 75
Early Longfellow	35	2 00
*Extra-Early Refugee	30	1 75
*Refugee, or 1000-to-1	30	1 75
Stringless Green Pod	35	2 00
*Wonder of France	40	2 50
Flageolet Improved Green.	Per qt.	Pk.
Dwarf Horticultural	\$0 30	\$1 75
Bountiful	30	1 75
Black Valentine	35	2 00
Ne Plus Ultra	35	2 00
*Burpee's Bush Lima	35	2 00
Dreer's Bush Lima	35	2 00
Henderson's Bush Lima	35	2 00

WAX-PODDED VARIETIES

	Per qt.	Pk.
*Valentine Wax	\$0 35	\$2 00
*Yosemite Mammoth Wax	50	2 50
*Black Wax	35	2 00
*Golden Wax Improved	35	2 00
Wardwell's Kidney Wax	35	2 00
Flageolet Wax	35	2 00
Refugee Wax	35	2 00
Crystal White Wax	30	1 75

For prices per bushel, see page 25.

ENGLISH DWARF BEANS

Fève de Marais, *Fr.* Garten Bohnen, *Ger.*
Haba Commun, *Sp.*

Plant as early as practicable in spring, 4 inches apart and 2 inches deep in drills 4 feet apart

	Per qt.	Pk.
*Sword Long Pod	\$0 30	\$1 50
Long Turkey.		
*Broad Windsor (Taylor's)	30	1 50
Early Mazagan	25	1 25

†POLE, or RUNNING BEANS


Haricot à Rames, *Fr.* Stangen Bohnen, *Ger.*
Frijole Vasfago, *Sp.*

Pole Beans are more tender, and require rather more care in culture than the Bush Beans. They succeed best in a rich, sandy loam.


Plant from the middle of May to July, in hills about 4 feet apart each way.

One quart will plant 150 hills

	Per qt.	Pk.
*Extra-Early Jersey Lima	\$0 35	\$2 00
*Dreer's Improved Lima	35	2 00



Stringless Green Pod Bean



Burpee's Bush Lima (See page 7)

POLE, or RUNNING BEANS, continued		
	Per qt.	Pk.
*Large White Lima	\$0 35	\$2 00
*King of the Garden Lima	35	2 00
Challenger Lima	35	2 00
Early Golden Cluster Wax	40	2 00
*Horticultural	30	1 75
White Dutch Case-Knife	30	1 75
*Mont d'Or, or Golden Butter	40	2 00
Old Homestead	40	2 00
White Dutch Runner	30	1 75
Scarlet Runner	30	1 75
Asparagus, or Yard Long		lb. \$1.25.

†BEETS

Betterave, *Fr.* Runkelrüben, *Ger.*
Remolacha, *Sp.*

Sow during April for early, May and June for winter use, in drills about 2 inches deep and 16 inches apart.

	Per oz.	4 ozs.
*Extra-Early Bassano	\$0 10	\$0 25
*Eclipse Crimson Turnip	10	25
*Egyptian Blood Turnip	10	25
*Early Blood Turnip	10	25
Dewing's Blood Turnip	10	25
*Edmand's Early Blood Turnip	10	25
Columbia	10	25
Long Dark Red	10	25
*Half-Long Dark	15	30
Crimson Globe	10	25
Detroit Dark Red	10	25
Silver Swiss Chard	10	25

For prices per lb., see page 25.

MANGEL-WURZEL AND SUGAR BEETS

Sow in May and June, in rows about 2 feet apart; thin out to 10 inches apart in the rows.

Six to eight pounds to the acre

	Per 4 ozs.	Lb.
*Mammoth Long Red	\$0 15	\$0 40
*Norbiton Giant Red	15	50

	Per 4 ozs.	Lb.
Champion Yellow Globe	\$0 15	\$0 35
*Golden Tankard	15	40
White Imperial Sugar	15	40
White French Sugar	15	40
Denmark Sugar	15	40

†BROCCOLI

Chou Brocolis, *Fr.* Brocoli, Spargel-Kohl, *Ger.* Broculi, *Sp.*

Sow in May or June. This should be transplanted in July, in rows about 2 feet apart each way.

	Per oz.	4 ozs.
*Extra-Early White	\$0 40	\$1 25
*Early Purple Cape	40	1 00
Early Walcheren (true)	50	1 50

Walcheren Cauliflower.

†BRUSSELS SPROUTS

Chou de Bruxelles, *Fr.* Grüner Sprossen, *Ger.* Breton de Bruselas, *Sp.*

Sow in May, transplant in July; cultivate same as cabbage. This is a perfectly hardy winter vegetable, and one of the best that can be grown. When properly cooked, the small, tender heads melt in the mouth like fine cauliflower.

	Per oz.	4 ozs.
*Improved Dwarf	\$0 20	\$0 65

Tree, or Miniature Cabbage.


Improved Half-Dwarf	25	75
-------------------------------	----	----


BURNET

Pimpernelle petite, *Fr.* Pimpernelle, *Ger.* Pimpinela, *Sp.*

Sow in rows early in spring. Useful for salads and soups.

Garden. Oz. 25 cts., 4 ozs. 50 cts.





Succession Cabbage

‡CABBAGE

Chou pommè ou Cabus, *Fr.* Kopftohl, *Ger.* Repello, *Sp.*

Sow the early varieties in protecting frames in September, or in hotbeds early in the spring; sow late kinds about the middle of May; transplant in July, in fresh, rich ground, in rows about 2½ feet apart, and from 1 to 2 feet apart in the row.

	Per oz	4 ozs.
Early York	\$0 20	\$0 50
*Early Oxheart	20	50
*Early Winnigstadt, or Cone	20	50
Early Flat Dutch	25	75
*Early Jersey Wakefield	25	85
*Selected All Seasons	25	75
*Large Late Flat Dutch	25	75
Large Late Drumhead	25	75
*Henderson's Succession	25	85
*Autumn King	30	1 00
*Dwarf Early Ulm Savoy	20	75
*Late Drumhead Savoy	20	75
Red Dutch, or Pickling	20	75
Danish Ball-Head Winter	25	75
Colossal Flat Dutch	30	1 00
Early Spring	30	1 00
Surehead	30	1 00

	Per oz.	4 ozs.
Early Summer	\$0 20	\$0 75
Mammoth Rock Red	25	75
Market-Garden Private Stock		
Large Late Flat Dutch	30	1 00

For prices per lb., see page 25.

CARDOON

Cardon, *Fr.* Cardon, *Ger.*

Sow early in spring, and transplant in trenches of well-manured ground. When full-size, bind the plants together and earth up same as celery.

Large Solid. Oz. 30 cts., 4 ozs. 75 cts.


‡CHERVIL

Cerfeuil, *Fr.* Kerbel, *Ger.* Perifollo, *Sp.*

Sow early in spring, and at short intervals for later use.

	Per oz.	4 ozs.
Curled, or Double Chervil	\$0 20	\$0 50
Tuberous-rooted	20	75

For Specialties in Vegetable and Flower Seeds, see pages 3 and 4, where the best new and choice old strains of seeds are illustrated and fully described.



Half-Long Red Carrots

CARROTS

Carotte, *Fr.* Möhren, *Ger.* Zanahoria, *Sp.*

Sow in April for early, middle of June for winter use, in drills about 15 inches apart.

	Per oz.	4 ozs.
*Extra-Early Forcing	\$0 15	\$0 30
*Early Orange Horn (pointed)	15	30
*Half-Long Red (stump-rooted)	15	30
*Scarlet Carentan (coreless)	15	30
*Oxheart, or Guerande	15	30
*Danvers Orange Intermediate	10	25
*Long Orange	10	25
Long Scarlet, or Surry, Altringham.		
*Long White	10	25
Large White Belgian.		
*Half-Long Red Nantes	15	30

For prices per lb., see page 25.

‡CAULIFLOWER

Choufleur, *Fr.* Blumentohl, *Ger.* Coliflor, *Sp.*

As a rule, early Cauliflower is a very uncertain crop. Seed sown about the middle of May and transplanted early in July is more likely to produce good heads. Sow for early and late, same as cabbage.

	Per pkt.	Oz.
*Erfurt Extra-Early Dwarf	\$0 50	\$6 00
*Early Dwarf Snowball	25	4 00
	Per oz.	4 ozs.
*Extra-Early Paris Fine	\$0 75	\$2 25
Half-Early Paris Nonpareil	60	2 00
*Lenormand's Short-stemmed	75	2 25
Early London, or Dutch	40	1 00
*Large Algiers (fine late)	75	2 25
Italian, or Autumn Giant	50	1 50

CELERY

Céleri, *Fr.* Sellerie, *Ger.* Apio, *Sp.*

Sow very early in spring, in moist, rich ground; when the plants are from 4 to 6 inches high transplant into trenches 4 inches deep and 9 inches wide, and 3 feet from trench to trench. Set the plants 6 inches apart in the rows.

	Per oz.	4 ozs.
*Early White Plume	\$0 30	\$0 85
*Early Dwarf White	25	75
*Golden Heart, Half-Dwarf	25	75
Golden Self-blanching	40	1 25
*Perfection Heartwell	25	75
*Boston Market Dwarf White	25	75
*Giant Pascal	25	75
*Fin de Siecle	25	75
Pink Plume	25	75
*Early Dwarf Red	30	75
London Large Red	30	75
Turnip-rooted Celery	25	75
Early Erfurt Celeriac.		
Celery Seed (for flavoring)		
Lb., 60c.	10	20

COLLARD, or COLEWORT

Chou, *Fr.* Blätter-Kohl, *Ger.*

Sow from May to July for succession, in rows a foot apart, and treat same as cabbage.

Georgia-grown Collards. Oz. 10 cts., 4 ozs. 30 cts.

‡CRESS (PEPPERGRASS)


Cresson, *Fr.* Kresse, *Ger.* Mastuerzo, *Sp.*

Sow at short intervals, spring and fall.

	Per oz.	4 ozs.
*Upland Cress	\$0 25	\$1 00
*Extra Curled	10	25
Australian, or Golden	10	25
True Water Cress	50	1 50



Lenormand's Short-stemmed Cauliflower



Types of Sugar Corn

†SUGAR CORN

Mais, *Fr.* Welschkorn, *Ger.* Maiz, *Sp.*

Plant from the middle of May to July for successional crops, in hills about 3 feet apart.

One quart will plant about 200 hills

EXTRA-EARLY

	Per qt.	Pk.
*Extra-Early Minnesota	\$0 25	\$1 00
*Extra-Early Cory	25	1 00
Perry's Hybrid	25	1 00
Dwarf Champion	25	1 00
*Metropolitan	25	1 00
Long Island Beauty	25	1 00

SECOND-EARLY

*Crosby's Early (fine)	25	1 00
Triumph Early Sugar	25	1 00
Moore's Early Concord	25	1 00
Potter's Excelsior	25	1 00
*Squantum	25	1 00
*Ne Plus Ultra	25	1 00

GENERAL CROP

*Stowell's Evergreen	25	1 00
*Country Gentleman	25	1 00
*Mammoth Sugar (extra fine)	25	1 00
Egyptian	25	1 00
Large Eight-rowed Sugar	25	1 00
Black Mexican Sugar	25	1 25
Hickox	25	1 00

Sweet Fodder (best for soiling) Per bus. \$3 00

For prices per bushel, see page 25.

POP CORN

Pop, or Parching. Qt. 25 cts., 8 qts. \$1.

†FIELD CORN

About* per bus.

Early Yellow Canada	\$1 75
Long White Sanford	1 75
Longfellow (Yellow Flint)	1 75
King Philip. Early deep yellow	1 75
Queen of the Prairie (Dent)	1 75
Golden Beauty (Dent)	1 75

We can furnish, also, other field varieties.

CORN-SALAD, or FETTICUS


Mâche, *Fr.* Ufersalat, *Ger.* Canonigos, *Sp.*

Sow in September, in drills $\frac{1}{4}$ inch deep and 6 inches apart. Manage same as spinach.

	Per oz.	4 ozs.
Small-seeded	\$0 10	\$0 25
Large-seeded	10	25



Corn Salad



Early White Spine Cucumber

†CUCUMBERS

Concombre, *Fr.* Gurken, *Ger.* Pepino, *Sp.*

Sow for early in hotbeds or frames; open ground from the middle of May to August for successional crops.

	Per oz.	4 ozs.
*Extra-Early Russian	\$0 15	\$0 30
*Early White Spine	15	30
Short Green	10	25
*Green Prolific, or Pickling	15	30
Early Green Cluster	15	30
Improved Long Green	15	30
*Everbearing	15	30
Japan Climbing	20	60
Long White Spine	15	30
Improved Early White Spine	15	30
*Tailby's Hybrid	15	30
Long Green Turkey	10	25
W. I. Gherkin, or Burr	20	60
Cool and Crisp	15	30
Nichol's Medium Green	10	25

For prices per lb., see page 26.

ENGLISH FRAME CUCUMBERS

	Per pkt.
General Grant	\$0 25
Telegraph	25
Duke of Edinburgh	25
Giant of Arnstadt	25
Also several other English long varieties for forcing; each	25

†EGGPLANT

Aubergine, *Fr.* Eierpflanze, *Ger.* Berengena, *Sp.*

Sow in hotbed or under glass early in spring; about the end of May transplant to the open ground.

	Per oz.	4 ozs.
Early Long Purple	\$0 30	\$1 00
*Improved New York Purple	40	1 25
*Early Black Pekin	40	1 00
	Per pkt.	
Long White Chinese	\$0 10	
Scarlet Chinese	10	
Striped, or Guadeloupe	10	
White Egg-shaped	10	

†ENDIVE

Chicorée-Endive, *Fr.* Endivie, *Ger.* Endibia, *Sp.*

Sow from April to July for succession; transplant in rich ground; manage same as lettuce.

	Per oz.	4 ozs.
*Green Curled	\$0 20	\$0 50
White Curled	20	50
French, or Moss Curled	20	50
*Broad-leaved	20	50
	Batavian, or Escarolle.	
Brussels Chicory (Witloof)	15	25
Wild (Barbe de Capucin)	15	30

GARLIC

Ail, *Fr.* Knoblauch, *Ger.* Ajo, *Sp.*

Plant early in spring, in rows 10 inches apart and 2 inches deep.

Garlic Sets. Lb. 50 cts.



Improved New York Purple Eggplant

‡KALE, or BORECOLE

Chou-vert, *Fr.* Grüner-Kohl, *Ger.* Breton, *Sp.*

Sow spring sprouts during March and April. Sow Curled Siberian Kale during September and October; manage same as spinach. Sow all other kinds from April to June. Manage same as cabbage.

	Per oz.	4 ozs
*Dwarf Green Curled Scotch . . .	\$0 10	\$0 30
*Dwarf Green Erfurt	15	30
*Brown, or Purple Curled	10	30
*Curled Siberian . . . Lb, 6oc. . .	10	25
Hardy German Greens, or Winter Sprouts.		
*Striped Garnishing	25	75
Sea Kale (<i>Crambe maritima</i>) . . .	25	75
Spring Sprouts (for greens)		10

‡KOHLRABI

Chou-rave, *Fr.* Kohlrabi, *Ger.* Col de Nabo, *Sp.*

Sow from March to June for transplanting in succession.

	Per oz.	4 ozs.
*Early White Vienna	\$0 25	\$1 00
Early Purple Vienna	25	1 00




Green Curled Scotch Kale

‡LETTUCE

Laitue, *Fr.* Lattich, *Ger.* Lechuga, *Sp.*

Sow for early in hotbeds; open ground April to June, for succession; transplant in very rich ground. Sow hardy kinds in September, and plant in protecting frames for winter use.

	Per oz.	4 ozs.
Rickard Bros. New Head Lettuce.		
See page 4.		
*German Early Head	\$0 25	\$0 75
*Grand Rapids Forcing	20	50
*Buttercup. Fine for forcing	15	40
*Big Boston. Fine for forcing	20	50
*Simpson's Curled	15	40
Black-seeded Simpson	15	40
*Early Tennisball	20	50
Early Boston Market.		
*Golden Stonehead	25	75
*Deacon. Solid head	15	40
Mignonette. Russet color	25	75



Simpson's Curled Lettuce


LETTUCE, continued

	Per oz.	4 ozs.
Black-seeded Butter	\$0 20	\$0 50
Mammoth Black-seeded Butter	20	50
*Golden Queen. Forcing	25	75
New York Cabbage	20	50
White Summer Cabbage	20	50
Stone Cabbage, or Winter Butter.		
American Gathering	15	40
*Salamander	20	50
Improved Salamander	20	50
*All-the-Year-Round	20	50
Hanson's Cabbage	20	50
Shotwell's Brownhead	20	50
Market-Gardeners' Private Stock . . .	20	50
Giant Crystal Head	25	75
Maximum	25	75
White Paris, or Ice Cos	20	50
Green Paris Cos (Romaine)	20	50
Trianon Self-closing Cos	20	50

For prices per lb., see page 26.



Deacon Lettuce



Rocky Ford Muskmelon

LEEKS

Poireau, *Fr.* Lauch, *Ger.* Puerro, *Sp.*

Sow very early in the spring in drills 6 inches apart and 1 inch deep. Thin out to 1 inch. When about 6 inches high, transplant them in rows 12 inches apart.

	Per oz.	4 ozs.
*Large American Flag	\$0 25	\$0 75
Large Carentan. Fine	20	60
Large Rouen (Winter)	20	60



Large American Flag Leek

MUSTARD

Sinapis, *Lin.* Moutarde, *Fr.* Senf, *Ger.*

A small, pungent salad used with cress; the seed is also used for flavoring pickles, pepper-sauce, etc. Sow in April in rows 1 foot apart, and thin out to 3 inches apart when 2 inches high.

	Per oz.	4 ozs.
*White, or Yellow	\$0 05	\$0 15
Black, or Brown	05	15
Chinese. For salad	10	30


† **MUSKMELONS**

Melon, *Fr.* Melonen, *Ger.* Melon, *Sp.*

Sow in frames for early; open ground in May and June, in hills 6 feet apart each way.

	Per oz.	4 ozs.
*Rocky Ford. Green flesh	\$0 15	\$0 30
*Early Christina. Orange flesh	15	30
*Emerald Gem. Orange flesh	15	30
*Large Nutmeg. Green flesh	15	30
*Long Island Beauty	15	30
The Banquet. Rich salmon	15	30
*Early Jenny Lind. Green flesh	15	30
Delmonico. Large; orange flesh.	15	30
*Improved Hackensack	15	30
Surprise. Orange flesh	15	30
Excelsior Nutmeg. Green flesh	15	30
*Golden Perfection. Yellow flesh	15	30
*Paul Rose. Rich orange flesh	15	30
*Golden Netted Gem	15	30
*Montreal Market. Green flesh	15	30

Also, English varieties for culture in frames . . . per pkt. 20 cts.



Mammoth Ironclad Watermelon

†WATERMELONS

Melon d'Eau, *Fr.* Wassermelonen, *Ger.*
Sandia, *Sp.*

Sow in frames for early; open ground
May and June, in hills 8 feet apart each way.

	Per oz.	4 ozs.
*Early Mountain Sweet	\$0 10	\$0 25
Kolb's Gem	10	25
Icing, or Ice Rind. Red flesh . . .	10	25
*Black Spanish. Red flesh	10	25
*Cole's Early	10	25
Phinney's Early. Red flesh	10	25
*Jordan's Gray Monarch	15	30
Florida Favorite	10	25
*Hungarian Honey	15	30
Orange. Scarlet flesh	10	25
Mammoth Ironclad	10	25
*Striped Gypsy. Fine late	10	25
Rattlesnake.		
Kleckly Sweets	15	30
Wonderful Sugar	15	30
Citron. For preserves	10	25

MUSHROOMS

Champignon, *Fr.* Champignonbrut, *Ger.*
Seta, *Sp.*

English Spawn. Lb. 15 cts., 8 lbs. \$1.
French, in boxes of 3 lbs. each, \$1.25.

Printed pamphlets on Mushroom culture
sent with all orders for spawn.

†MARTYNIA

Gemsenhorn, *Ger.*

Sow in May in open ground, 3 feet apart
each way.


Craniolaria. For pickles. Oz. 30 cts., 4 ozs.
75 cts.

‡NASTURTIUMS


Capucine grande, *Fr.* Kressen Indianische,
Ger. Maranuela, *Sp.*

Sow in May and June in drills 1 inch deep.

	Per oz.	4 ozs.
Tall (Indian Cress)	\$0 10	\$0 25
Dwarf " "	15	30



Kolb's Gem Watermelon



Yellow Globe Danvers Onion


ONIONS

Oignon, *Fr.* Zwiebeln, *Ger.* Cebollo, *Sp.*

Sow seed in rich ground early in spring, in drills 1 foot apart, and thin to 2 inches apart.

	Per oz.	4 ozs.
*Extra-Early Flat Red	\$0 25	\$0 75
Large Red Wethersfield	25	75
*Large Red Globe (Southport)	25	75
*Large Yellow Globe (Southport)	25	75
*Large White Globe (Southport)	30	85
Yellow Dutch, or Strasburg	20	50
*Yellow Globe Danvers	25	50
Yellow Danvers (flat)	25	75
White Garganus (Silver King)	25	75
*White Portugal	30	85
Queen. New early white	30	85
*Prizetaker	30	85
Giant Rocco. Late	20	50

For prices per lb., see page 26.



Large Red Wethersfield Onion

ONION SETS, ETC.

	About, per qt.	Pk.
Red Globe Onion	\$0 25	\$1 25
*White Globe Onion	30	1 50
Yellow Globe Onion	25	1 25
White Potato Onions	30	1 75
Yellow Potato Onions	30	1 75

OKRA

Gombo, *Fr.* Cŕibarer Hibiscus, *Ger.* Quimbombo, *Sp.*

Sow after the middle of May, or early in June, in rich ground, in drills about an inch deep and 3 feet apart; thin out to 8 inches.

	Per oz.	4 ozs.
*Dwarf White Velvet	\$0 10	\$0 25
*Early Dwarf Green	10	25
Extra Long Green	10	25



White Velvet Okra

PARSNIPS

Panais, *Fr.* Pastinaten, *Ger.* Pastinaca, *Sp.*

Sow from March to June, in deep, rich soil; thin out to 6 inches apart in the rows.

Improved Hollow Crown. Oz. 10 cts., 4 ozs. 25 cts.

PARSLEY

Persil, *Fr.* Petersilie, *Ger.* Perejil, *Sp.*

Sow from March till June, in drills an inch deep and 1 foot apart.

	Per oz.	4 ozs.
*Curled, Extra Double	\$0 10	\$0 25
*Champion Moss Curled	15	30
*Carter's Fern-leaved	10	25
*Hamburg, or Rooted	10	25

†PUMPKINS

Potiron, *Fr.* Kürbisse, *Ger.* Calabaza, *Sp.*

Sow in May or June, in hills 6 by 8 feet apart.

	Per oz.	4 ozs.
*Large Cheese	\$0 10	\$0 25
Mammoth King	25	75
Mammoth, or Large Tours	20	60
Jonathan	10	25
Connecticut Field. Grown for stock	per lb.,	30 cts. .

†PEPPERS

Piment, *Fr.* Spanischer Pfeffer, *Ger.*

Pimiento, *Sp.*


Sow in hotbeds in February and March, in open ground in May and June, transplanting to 18 inches apart each way.

	Per oz.	4 ozs.
Squash, or Tomato	\$0 25	\$0 75
*Large Bell, or Bull Nose	25	75
*Sweet Spanish. For salad	25	75
*Sweet Mountain. For mangoes	25	75
*Celestial	30	1 00
Red Cherry	30	1 00
Small Chili. Red; very hot	30	1 00
Long Red Cayenne	30	1 00
Ruby King. For mangoes	30	1 00
Golden Dawn	25	75

For prices per lb. see page 27.



Long Red Cayenne Peppers



Gradus Peas

PEAS

Pois, *Fr.* Erbsen, *Ger.* Guisante, *Sp.*


Plant for early use as early in spring as practicable, and for succession every two or three weeks until July. Plant in single or double rows 3 to 5 feet apart, according to height, and 4 inches deep.

One quart will plant 100 feet of drill.

Those marked thus (*) are wrinkled varieties.

EXTRA-EARLY SORTS

	Ft.	Per qt.	Pk.
Bridgeman's Extra-Early	2½	\$0 30	\$1 50
Daniel O'Rourke	2½	30	1 50
Philadelphia Extra-Early	2½	30	1 50



Carter's Telephone Peas

SECOND-EARLY PEAS, continued

	Ft.	Per qt.	Pk.
*Dwarf Champion	2	\$.30	\$1.50
*Abundance. Sow thin	1½	.30	1.50
*McLean's Little Gem	1	.35	2.00


MAIN-CROP AND LATE PEAS

	Ft.	Per qt.	Pk.
*Champion of England	5	\$.25	\$1.25
*Yorkshire Hero	3	.25	1.25
*Juno	2	.30	1.50
*Everbearing. Sow thin	2½	.25	1.25
Pride of the Market	2	.30	1.50
*Carter's Telephone	5	.30	1.50
*Carter's Stratagem	2	.30	1.50
*Queen. Finest flavor	2½	.30	1.50
White Marrowfat	3	.25	1.25
Black-eyed Marrow	3	.25	1.25
Peruvian Marrow			
Telegraph, or Long Island			
Mammoth	4	.30	1.50

SUGAR PEAS

	Ft.	Per qt.	Pk.
Melting Sugar. Edible pods. 5	5	\$.30	\$1.75
Wrinkled Sugar. Edible pods. 4	4	.40	2.00

For prices per bushel, see page 27.



Heroine Peas

EXTRA-EARLY PEAS, continued.

	Ft.	Per qt.	Pk.
*Laxton's Alpha. Fine	3	\$.30	\$1.50
*Surprise	2	.40	2.00
Alaska	2½	.30	1.50
*Nott's Excelsior	1½	.35	2.00
*Gradus. Finest quality	3	.50	3.00
*Carter's Premium Gem	1½	.40	2.00
*Duke of York	3	.30	1.50
*American Wonder	1½	.35	2.00
*Gregory's Surprise	2	.40	2.00
*Thomas Laxton	3	.50	3.00
*Exonian	2½	.30	1.50
*Witham Wonder	1	.35	2.00

SECOND-EARLY PEAS

	Ft.	Per qt.	Pk.
*Heroine	2½	\$.30	\$1.50
*McLean's Advancer	2½	.30	1.50
*Shropshire Hero	3	.30	1.50
Laxton Fillbasket	3	.30	1.50
*Horsford's Market-Garden	2½	.30	1.50

Bag


POTATOES

Pomme de Terre, *Fr.* Kartoffeln, *Ger.*

The soil best suited for the Potato is a rich, sandy loam; being a gross feeder, it requires a liberal application of manure. Plant as early in the spring as the ground can be thoroughly worked, in rows 3 feet apart and 1 foot in the rows. Our Potatoes are all specially "northern-grown," for seed purposes.

Prices subject to variation.

	About, per bus.	Bbl.
Early Beauty of Hebron	\$2 00	\$4 25
Early Rose	2 00	4 25
Early Bovee	2 00	4 25
Early Northern	2 00	4 25
Early Ohio	2 00	4 25
Early Puritan	2 25	4 50
Uncle Sam. Very productive	2 25	4 50
Clark's No. 1. Early	2 00	4 25
Carman No. 1. Medium	2 00	4 25
Carman No. 3. Best late	2 00	4 25
White Elephant. Fine late	2 00	4 25
Late Beauty of Hebron	2 00	4 25
Green Mountain. Heavy yielder	2 00	4 25
The Thorburn	2 00	4 25
Irish Cobbler	2 00	4 50




Carman No. 3 Potato

†RADISHES

Radis, Rave, *Fr.* Rettige, *Ger.* Rabanos Rabonitas, *Sp.*

Sow for successional crops at short intervals, from March till September, in drills an inch deep and a foot apart.


	Per oz.	4 ozs.
*Early Scarlet Globe	\$0 10	\$0 30
*Triumph. Globe-shaped	15	30
*French Breakfast. Fine	10	25
*Early Scarlet Turnip. Fine	10	25
*Early Round Dark Red	10	25
White-tipped Scarlet Turnip	10	25
*Golden Olive-shaped	15	30
Early White Olive-shaped	10	25
Early Scarlet Olive-shaped	10	25
*Long Scarlet Short Top	10	25
Chartier White Tip	10	25




Early Scarlet Globe Radishes

	Per oz.	4 ozs.
*Golden Globe. Fine	\$0 10	\$0 25
*Yellow Summer Turnip	10	25
*White Summer Turnip	10	25
*Long White Icicle. For forcing	10	25
*Long Black Spanish	10	25
*Round Black Spanish	10	25
*White Spanish, or Fall	15	30
*Scarlet Chinese Winter	10	25
*White Strasburg	10	25
*Early White Turnip, or Box	10	25

For prices per lb., see page 27.



Long Scarlet Short Top Radishes



Large-leaved Sorrel

RHUBARB

Rhubarbe, *Fr.* Rhabarber, *Ger.*
Ruibarbo, *Sp.*

Sow seed or plant roots in rich ground during April or May.

Myatt's Victoria. Oz. 20 cts., 4 ozs. 50 cts.
Roots. Large. 15 cts. each, \$1.50 per doz.

SALSIFY, or OYSTER PLANT

Salsifis, *Fr.* Bocksbart, *Ger.* OstraVegetal, *Sp.*
Sow from April to June in drills 12 inches apart and thin out to 6 inches apart in rows.

	Per oz.	4 ozs.
Long White	\$0 20	\$0 50
Mammoth Sandwich Island	20	50
Scolymus (Salsify Spinach)		
pkt. 10 cts.	30	85

SCORZONERA

Scorsonère, *Fr.* Sforzonere, *Ger.*
Escorconera, *Sp.*

Sow from April till June. Cultivate the same as salsify.

Black Salsify. Oz. 25 cts., 4 ozs. 75 cts.



New Zealand Spinach

SKIRRET

Chervis, *Fr.* Züfterwurzel, *Ger.* Cherivia, *Sp.*

Sow in drills 1/2 inch deep, a foot apart; thin out to 8 inches in the row. Is eaten like scorzonera or salsify.

Sium Sisarum. Oz. 30 cts., 4 ozs. 75 cts.

SORREL

Oseille, *Fr.* Sauerkampfer, *Ger.* Acedera, *Sp.*

Sow in spring in drills 18 inches apart. Cooked precisely like spinach.

*Large-leaved. Oz. 15 cts., 4 ozs. 40 cts., lb. \$1.25.

SWISS CHARD

Used as greens; the ribs of the leaves are cooked and served same as asparagus. Oz. 10 cts., 4 ozs. 25 cts.




Swiss Chard

SPINACH

Epinard, *Fr.* Spinat, *Ger.* Espinaca, *Sp.*

Sow early in the spring, in very rich ground. Also during September and October for winter use, in drills 12 inches apart and half an inch deep.

	Per 4 ozs	Lb.
✓ Round-leaved	\$0 15	\$0 40
✓ Long-standing	15	40
✓ Victoria. Dark green	15	40
✓ Large Viroflay	15	40
Large, Round, Thick-leaved.		
✓ Savoy-leaved	15	40
Bloomsdale, or Norfolk.		
✓ Prickly-leaved	15	40
✓ New Zealand oz. 15 cts.	30	1 00
✓ Holland, or Orach oz. 20 cts.	50	1 00
French, or Mountain Spinach.		



Hubbard Squash

† SQUASHES

Courge, *Fr.* Kürbiß, *Ger.* Calabozo, Tontanero, *Sp.*

Sow in hills from the middle of April till the last of June. Bush kind about 4 feet apart, other kinds 8 feet apart.

	Per oz.	4 ozs.
*Early White Bush Scallop	\$0 10	\$0 25
Long Island White Bush	10	25
Silver Custard Bush	10	25
Early Golden Bush	10	25
*Summer Crookneck Bush	10	25
Golden Custard Bush	10	25
Early Orange Marrow	10	25
Boston Marrow	15	30
*Hubbard, or Winter	15	30
Marblehead Marrow	10	25
*Essex Hybrid	10	25
*Winter Crookneck	15	30
*Delicata	15	30
Fordhook	10	25
*Perfect Gem	10	25
English Vegetable Marrow	20	50
Mammoth Chili. Extra size	20	50
Bay State. Winter sort	10	25
Giant Yellow Crookneck	10	25
Italian Vegetable Marrow, or Cocozele Bush	15	25
Golden Hubbard	15	35

For prices per lb., see page 27.

THYME

Thym, *Fr.* Thymian, *Ger.*

Sow during the spring.

	Per oz.	4 ozs.
*English	\$0 50	\$1 50
French. Small-leaved	40	1 25

TOBACCO SEED

(*Nicotiana tabacum*)

	Per oz.	4 ozs.
Connecticut Seed-Leaf	\$0 30	\$1 00
Imported Havana	50	1 50

† TOMATOES

(Love-Apples)

Tomate, *Fr.* Liebesäpfel, *Ger.* Tomate, *Sp.*

Sow in hotbeds for early; open ground, April and May; transplant in rows 3 or 4 feet apart.


	Per oz.	4 ozs.
*Ponderosa	\$0 50	\$1 25
*Livingston's Perfection	25	75
*Freedom. Bright scarlet	25	75
The Lorillard	35	1 25
Crimson Cushion. Extra large	50	1 25
*Mikado. Early, large red	30	1 00
*The Trophy. Selected	25	75
*Dwarf Champion	25	75
*Acme. Smooth, dark red	25	75
Livingston's Beauty	25	75
*Livingston's Favorite	25	75
Red Cherry, or Gem	25	75
Large Golden Yellow	30	75
Red Pear-shaped, or Fig	25	75
Yellow Plum	30	75
*Stone. Very large scarlet	25	75
*Table Queen. Rich crimson	25	75
Sutton's Best of All	50	1 25
Strawberry, or Winter	30	75
Earliana	30	85
Early Jewel	30	85

For prices per lb., see page 27.



A. BLANC, PHILA.

Livingston's Beauty Tomatoes



Early Flat Dutch and Red-Top Strap-leaved Turnips

TURNIPS

Navet, *Fr.* Rüben, *Ger.* Nabo commun, *Sp.*

All varieties, 10 cts. per ounce

Sow for early, very early in spring, on freshly broken-up ground. Upon old ground early Turnips are liable to be hot, strong and wormy. For main crop, sow in July and August. Sow Rutabaga in July, in drills 15 inches apart; thin out to 6 inches. For best results, cultivate carefully all through the season.

	Per 4 ozs. Lb.	
✓ Extra-Early White Milan	\$0 25	\$0 75
✓ Early Flat Dutch	20	50
White Strap-leaved,		
✓ Early White Stone, or Snowball	20	60
✓ Early Purple-Top Munich	\$0 20	\$0 50
✓ Red-Top Strap-leaved	20	50
✓ White Egg-shaped. Fine late	20	50
✓ Yellow Stone, or Globe	20	50
✓ Yellow Aberdeen	20	50
Scotch Yellow.		
✓ White French, or Rock	20	50
✓ Long Island Improved Purple-Top. Selected strain	25	75
✓ Purple-Top Milan	25	60
✓ Purple-Top White Globe. Selected		
Long Island strain	35	1 00
✓ Long White, or Cow Horn	20	50
✓ White Rutabaga	20	50

SWEET, POT and MEDICINAL HERBS

Per packet, 5 to 10 cts.

Sow under glass early in spring; about the end of May transplant to open ground.

	Per oz.		Per oz.
Anise (<i>Pimpinella anisum</i>)	\$0 15	Hyssop (<i>Hyssopus officinalis</i>)	\$0 30
Basil, Sweet (<i>Ocimum basilicum</i>)	40	Lavender (<i>Lavandula spica</i>)	30
Borage (<i>Borago officinalis</i>). For bees	20	Marjoram, Sweet (<i>Origanum</i>)	30
Balm (<i>Melissa officinalis</i>)	40	Rue (<i>Ruta graveolens</i>)	20
Bene. For dysentery lb. \$1.25	20	Rosemary (<i>Rosmarinus officinalis</i>)	50
Coriander (<i>Coriandrum sativum</i>)	15	Saffron (<i>Carthamus</i>)	15
Castor Oil Plant (<i>Ricinus</i>) lb. 50 cts.	10	Sage, Common (<i>Salvia officinalis</i>)	25
Caraway (<i>Carum Carui</i>)	15	Savory, Summer (<i>Satureja hortensis</i>)	25
Catnip (<i>Nepeta Cataria</i>)	40	" Winter (<i>Satureja montana</i>)	40
Dandelion (<i>Leontodon Taraxacum</i>)	40	Tansy (<i>Tanacetum vulgare</i>)	50
Dill (<i>Anethum graveolens</i>) lb. \$1	15	Thyme, English (<i>Thymus vulgaris</i>)	50
Fennel, Sweet (<i>Anethum</i>)	15	" French	40
Hop Seed (<i>Humulus</i>)	50	Wormwood (<i>Artemisia Absinthium</i>)	30
Hoarhound (<i>Marrubium</i>)	30		

GRASS SEEDS

The grass seeds herein offered are in every instance of the very highest grade. The prices quoted are those existing at the time of issue of this list, and are subject to variation as the season advances.

	Bus.
Red Top, Choice. 14 lbs. to bus.	\$2 00
Red Top, Extra-re-cleaned. 32 lbs. to bus.	5 00
<i>Agrostis vulgaris.</i>	
Rhode Island Bent. 14 lbs. to bus.	4 50
<i>Agrostis canina.</i>	
Tall Meadow Oat. 13 lbs. to bus.	2 50
<i>Avena elatior.</i>	
Sweet Vernal Grass lb., 75c.	
<i>Anthoxanthum odoratum.</i>	
Meadow Fescue. 22 lbs. to bus.	3 50
<i>Festuca pratensis.</i>	
Sheep's Fescue. 12 lbs. to bus.	3 00
<i>Festuca ovina.</i>	
Creeping Bent. 15 lbs. to bus.	4 50
<i>Agrostis stolonifera.</i>	
Red, or Creeping Fescue. 14 lbs. to bus.	3 50
<i>Festuca rubra.</i>	
Italian Rye. 18 lbs. to bus.	2 00
<i>Lolium italicum.</i>	
English Rye. 24 lbs. to bus.	2 00
<i>Lolium perenne.</i>	
Wood Meadow. 14 lbs. to bus.	5 00
<i>Poa nemoralis.</i>	
Kentucky Blue. 14 lbs. to bus.	2 75
<i>Poa pratensis.</i>	
Timothy. 45 lbs. to bus.	3 75
<i>Phleum pratense.</i>	
Orchard Grass. 14 lbs. to bus.	3 00
<i>Dactylis glomerata.</i>	

CLOVERS

	Lb.	100 lbs.
Red Clover	\$0 20	\$18 00
White Clover	35	30 00
Crimson Clover. 15 lbs. per acre	12	11 00
Yellow, or Trefoil	15	12 00
Alfalfa, or Lucerne	20	18 00
Alsike, or Swedish	20	18 00
Bokhara Clover	30	25 00

CEREALS

	Bus.
BARLEY, Champion. 48 lbs. to bus., 2 bus. to acre	\$1 75
BUCKWHEAT. 48 lbs. to bus., 1 bus. to acre.	
American Silver Hull. Very early; productive	1 50
Japanese. Enormously productive; extra large	1 50
MILLET. 50 lbs. to bus.	
Japan Barnyard. Excellent for fodder. 30 lbs. to acre	
lb., 12c.; 100 lbs., \$6.50	
Hungarian. Valuable soiling plant. 1½ bus. to acre	2 00
German, or Golden. For feeding birds. 1½ bus. to acre	2 00



White Clover

	Bus.
OATS. 32 lbs. to bus., 2 to 3 bus. to acre.	
Clydesdale, American-grown	\$1 00
Clydesdale, Imported. Very heavy. 50 lbs. to bus.	2 50
White State	75
RYE. 56 lbs. to bus., 2 bus. to acre.	
Mammoth White	1 75
Spring Rye	2 00
WHEAT. 60 lbs. to bus., 1½ bus. to acre.	
White Rover. Very productive	2 50
Red Cross. Very fine	2 50
Saskatchewan Fife (Spring)	2 25

MISCELLANEOUS SEEDS

	Lb.	100 lbs.
Flax Seed	\$0 10	
Broom Corn	10	\$7 00
Vetches, Spring Tares	15	6 00
Vetches, Sand, Winter, or Hairy	20	12 00
Dwarf Essex Rape. 10 lbs. to acre.	15	6 00
Yellow Locust	50	
Honey Locust	50	
Osage Orange	50	

BIRD SEED, ETC.

	Per lb.
Canary Sicily	\$0 10
Hemp	10
White Millet	30
Yellow Millet	15
German Rape	10
Sunflower	10
Rough Rice	10
Maw, or Poppy	30
Bird Lettuce	50
Mocking Bird Food bottle, 40c.	
Song Restorer bottle, 25c.	



LAWN GRASS MIXTURES

CENTRAL PARK LAWN GRASS

This mixture is composed of low-growing Grasses, permanent in character, and will produce a rich green sward in three to four weeks from time of sowing. 5 bus. to acre, 15 lbs. to bus. Qt. 25 cts., 2 qts. 40 cts., $\frac{1}{2}$ pk. 65 cts., pk. \$1, bus. \$3.50.

BRIDGEMAN'S SPECIAL LAWN GRASS

This mixture contains a large proportion of the finer and more expensive varieties of Grasses, producing a turf of the closest and finest texture that is possible to attain in a lawn. 4 to 5 bus. to acre, 20 lbs. to bus. \$5 per bus.

SHADY PLACE GRASS

This mixture is especially adapted for growing under trees or any place that is denied the sun's rays. 20 lbs. to bus. Qt. 35 cts., $\frac{1}{2}$ pk. \$1, pk. \$1.75, bus. \$6.

TERRACE SOD GRASS

A mixture adapted for this purpose in particular. The grasses produce spreading roots, thus preventing the rains from washing them out. 20 lbs. to bus. Qt. 35 cts., $\frac{1}{2}$ pk. \$1, pk. \$1.75, bus. \$6.

GOLF-LINK MIXTURES

Putting Greens. 24 lbs. to bus. \$6 per bus. For grounds in general. 20 lbs. to bus. \$2.50 per bus.

PERMANENT PASTURE MIXTURES

For every different kind and condition of soil there are Grasses that are especially suitable. Some varieties do best on high ground, in dry weather; others prefer plenty of moisture. Some mature so early and others so late that there is no time during the season that one or the other is not at its best. 3 bus. to acre. 14 lbs. to bus.

For Hay and Permanent Pasture (light soil, medium soil, heavy soil), for Orchard and Shady Places, for Hay only, for Pasture only. \$2.50 per bus.; 10 bus., \$2.45 per bus.; 20 bus., \$2.40 per bus.; 50 bus., \$2.35 per bus.

Vegetable Seeds, Etc.

BY POUND, BUSHEL OR BARREL

Orders for less than Half-bushels and Half-pounds are liable to somewhat higher rates

Bush Beans

	Per bus.
Ne Plus Ultra	\$6 00
Bountiful	6 00
Black Valentine	7 00
Burpee's Bush Lima	7 00
Dreer's Bush Lima	7 00
Extra-Early Valentine	6 00
Long Yellow Six Weeks	6 00
Early Mohawk	6 00
Early Longfellow	7 00
Refugee, or 1,000-to-1	6 00
Wonder of France	8 00
Green Pod Stringless	7 00
White Marrowfat	4 50
Dwarf Horticultural	6 00
Valentine Wax	6 50
Flageolet Wax	6 50
Black Wax	7 00
Crystal White Wax	7 00
Refugee Wax	6 50
Golden Wax Improved	6 50
Wardwell's Kidney Wax	6 50

Pole, or Running Beans

Early Jersey Lima	7 00
Dreer's Improved Lima	7 00
Large White Lima (extra size)	7 00
King of the Garden Lima	7 00
Challenger Lima	7 00
Early Golden Cluster Wax	7 00
Horticultural	6 50
White Dutch Case-Knife	6 50
Mont d'Or, or Golden Butter	7 00
Giant Red Wax	7 00
White Dutch Runner	6 00
Scarlet Runner	6 50

Beets

	Per lb.
Extra-Early Turnip Bassano	\$0 60
Eclipse Turnip	60
Early Blood Turnip	60
Egyptian Blood Turnip	60
Dewing's Blood Turnip	60
Edmand's Early Blood Turnip	60
Long Dark Red	60
Half-Long Dark	60
Columbia	60
Silver Swiss Chard	75

Cauliflower

Extra-Early Paris	9 00
Half-Early Paris Nonpareil	8 00
Large Late Algiers	9 00
Lenormand's Short-stemmed	8 00
Early London, or Dutch	4 00

Cabbage

	Per lb.
Early York	\$1 25
Large Early Oxheart	1 50
Early Flat Dutch	2 00
Early Jersey Wakefield	3 00
All-Seasons	2 50
Henderson's Succession	3 00
Autumn King	3 00
Early Winnigstadt	1 50
Large Late Drumhead	2 50
Premium Late Flat Dutch	2 25
Dwarf Early Ulm Savoy	1 75
Large Late Drumhead Savoy	2 00
Red Dutch, or Pickling	2 50

Carrots

Half-Long Stump-rooted (Nantes)	1 00
Extra-Early Forcing	1 00
Scarlet Carentan (coreless)	1 00
Oxheart, or Guerande	1 00
Early Orange Horn (pointed)	1 00
Danvers Orange (true)	80
Improved Long Orange	75

Celery

Golden Self-blanching, Finest French stock	5 00
Early Dwarf White	2 50
Early White Plume	2 00
Boston Market Dwarf White	2 00
Perfection Heartwell	2 00
Giant Pascal	1 75
Pink Plume	3 00
Golden Heart Half Dwarf	2 00
Fin de Siècle	3 00
Golden Self-blanching	4 00
Early Dwarf Red	2 50
Turnip-rooted Celery (Erfurt)	2 00

Chervil

Curled, or Double	1 00
-----------------------------	------

Sugar Corn

	Per bus.
Extra-Early Minnesota	\$3 50
Extra-Early Cory (white cob)	3 75
Perry's Hybrid	3 50
Crosby's Early	3 50
Squantum	3 50
Ne Plus Ultra	3 50
Triumph Early	3 50
Country Gentleman	3 50
Large Eight-rowed	3 50
Stowell's Evergreen	3 50
Egyptian	3 50
Mammoth Sugar, Late (extra fine)	3 50
Sweet Fodder (best for soiling)	2 75

Corn Salad, or Feticus

	Per lb.
Round-leaved Small-seeded	\$0 75
Round-leaved Large-seeded	75

Cress, or Pepper Grass

Extra Curled	50
Australian, or Golden	60

Cucumbers

Extra-Early Russian	1 00
Early White Spine Improved	1 00
Early Green Cluster	1 00
Early Short Green	1 00
Improved Long Green	1 00
Green Prolific (pickling)	1 00
Long White Spine	1 00
Everbearing	1 00
Tailby's Hybrid	1 00
Nichol's Medium Green	1 00

Eggplants

Early Long Purple	2 50
Improved New York Purple Spineless.	4 00
Early Black Pekin	4 00

Endive

Green Curled	1 50
White Curled	2 00
French, or Moss Curled	1 50
Broad-leaved, or Escarolle	1 50
Wild. For flavoring coffee	1 00

Kale

Dwarf Green Curled Scotch	75
Brown, or Purple Curled	1 00
Hardy Curled Siberian (Winter Sprouts)	60
Spring Sprouts (English)	25

Kohlrabi

Early White Vienna	2 50
Early Purple Vienna	2 50

Lettuce

Mammoth Black-seeded Butter	1 25
Giant Crystal Head	1 50
Maximum	1 50
Buttercup (fine for forcing)	1 50
Big Boston (fine for forcing)	1 00
German Early Head	2 00
Golden Stone Head (fine)	1 50
Grand Rapids Forcing	1 50
Simpson's Curled Silesia	1 25
Early Tennisball, or Boston Market	1 25
Improved Salamander	1 50
White Summer Cabbage	1 25
Deacon (solid head)	1 50
Golden Queen	1 50
White Paris, or Ice Cos	1 50
Green Paris Cos (Romaine)	1 50

Leeks

	Per lb.
Large Carentan, or Musselburgh	\$2 00
Large Rouen (Winter)	2 50
Large American Flag	2 00
Large Carentan	2 00

Muskmelons

Rocky Ford (green flesh)	1 00
Early Orange Christina (orange flesh).	1 25
Large Nutmeg (green flesh)	1 00
Delmonico (large ; orange flesh)	1 00
Improved Hackensack	1 00
Emerald Gem (orange flesh)	1 25
Montreal Market	1 00
Long Island Beauty	1 50

Watermelons

Early Mountain Sweet	75
Icing, or Ice Rind (white-seeded)	75
Phinney's Early	75
Striped Gipsy, or Jackson	75
Black Spanish	75
Jordan's Gray Monarch	75
Mammoth Ironclad	75
Kolb Gem	75

Mustard

White, or Yellow	40
Black, or Brown	40

Nasturtiums

Tall (Indian Cress)	1 00
Dwarf (Indian Cress)	1 25

Okra

Early Dwarf Green	50
Extra Long Green	50
Dwarf White Velvet	50

Onions

Large Red Globe (Southport strain)	2 50
Large White Globe (Southport strain).	3 00
Large Yellow Globe (Southport strain).	2 50
Extra-Early Flat Red	2 00
Large Red Wethersfield	2 00
White Portugal	3 00
Prizetaker	3 00
Yellow Dutch, or Strasburg	2 00
Yellow Globe Danvers	2 00

Parsley

Extra Double Curled	75
Curled, or Double	75
Champion Moss Curled (extra)	75
Carter's Fern-leaved	75
Hamburg, or Rooted	75

Peppers

Large Squash, or Tomato	2 50
Large Bell, or Bull Nose	2 50
Sweet Spanish (for salad)	2 50
Sweet Mountain (for mangoes)	2 50
Long Red Cayenne	2 50

Parsnips

Improved Hollow Crown	Per lb.	\$0 50
---------------------------------	---------	--------

Peas

	Per bus.	
Bridgeman's Extra-Early	\$5 00	
Extra-Early Daniel O'Rourke	5 00	
Philadelphia Extra-Early	5 00	
Bliss' Everbearing	5 00	
Alaska	4 50	
Premium Gem	6 00	
Fillbasket	5 50	
Horsford's Market-Garden	5 50	
Dwarf Champion	5 00	
Abundance (sow thin)	5 00	
Pride of the Market	6 00	
Yorkshire Hero	4 50	
McLean's Advancer	5 00	
Laxton's Alpha	5 50	
McLean's Little Gem	6 00	
American Wonder	7 00	
Telephone	6 00	
Telegraph, or Long Island Mammoth	5 50	
Stratagem	6 50	
Heroine	5 50	
Queen (finest flavor)	5 50	
Nott's Excelsior	7 00	
Champion of England	4 00	
Black-Eyed Marrowfat	3 00	
White Marrowfat	3 00	

Pumpkins

	Per lb.	
Large Cheese	\$0 60	
Mammoth, or Large Tours	1 00	
Connecticut Field	30	

Potatoes

Prices may vary as the season advances

	About, per bbl.	
Beauty of Hebron	\$4 25	
Early Ohio	4 25	
Early Rose	4 25	
Clark's No. 1	4 25	
Early Bovee	4 25	
Early Puritan	4 50	
Early Norther	4 25	
White Elephant (fine late)	4 25	
Late Beauty of Hebron	4 25	
Carman No. 3	4 25	
Uncle Sam	4 50	
The Thorburn	4 25	

Radishes

	Per lb.	
Early Scarlet Globe	\$1 00	
French Breakfast	75	
Early Scarlet Turnip	75	
Early Round Dark Red	75	
White-tipped Scarlet	75	
Golden Olive-shaped	75	
Early White Olive-shaped	75	
Early Scarlet Olive-shaped	60	
Long Scarlet Short Top	75	
Chartier White Tip	75	
Golden Globe (fine)	50	
Yellow Summer Turnip	60	
White Summer Turnip	75	
Long Black Spanish	75	
Round Black Spanish	75	
White Spanish, or Fall	60	
Scarlet Chinese Winter	75	
White Strasburg	75	

Salsify, or Oyster Plant

Long White	1 50
Mammoth Sandwich Island	1 50
Long Black (Scorzonera)	2 00

Squashes

Early White Bush Scallop	75
Silver Custard Bush	75
Early Golden Bush	75
Summer Crookneck	75
Boston Marrow	75
Hubbard, or Winter	80
Essex Hybrid or Winter	75
Marblehead Marrow	1 00
Perfect Gem	1 00
Winter Crookneck	80
Mammoth Chili (extra size)	1 50
English Vegetable Marrow	75

Tomatoes

Livingston's Perfection	2 25
Crimson Cushion	4 00
Acme (smooth, dark red)	2 25
Ponderosa	4 00
The Lorillard	4 00
The Trophy (selected)	2 25
Mikado	3 00
Livingston's Beauty	2 25
Dwarf Champion	2 25
Livingston's Favorite	2 25
Stone, New	2 25
Large Golden Yellow	2 50
Yellow Plum	2 50

VEGETABLE PLANTS, ETC.

The following plants and roots will be furnished in their season at market rates:

- | | | |
|----------------------------|---------------------|-------------------------|
| Asparagus Roots | Chives and Shallots | Mint and Tarragon Roots |
| Jerusalem Artichoke Tubers | Eggplants | Tomato Plants |
| Cauliflower Plants | Pepper Plants | Rhubarb Roots |
| Cabbage and Celery Plants | Hop Vine Plants | Strawberry Plants |
| Lettuce plants | Horse-radish Sets | Sweet Potato Plants |



Flower Seeds

GENERAL DIRECTIONS FOR THE CULTIVATION OF ANNUAL, BIENNIAL AND PERENNIAL FLOWERS

Plants are known and described generally as Annuals, Biennials and Perennials.

Annuals are those plants that flower and mature their seed within a year after they are sown, and then perish. This definition is in no way changed by the fact that many annuals may be managed as biennials, or, in other words, be sown in autumn for flowering early the following season.

Tender Annuals are those that require heat, and will not germinate in the open ground until settled warm weather.

Half-hardy Annuals are those which will bear a slight frost, and may be sown in the open ground a little earlier than tender annuals.

Hardy Annuals are usually those which require no artificial heat during any period of their growth. Every stage of their existence, from the time of sowing the seed to maturity, is passed in the open ground.

Biennials are those plants that flower the second and sometimes the third year after the seed is sown, and then perish.

Perennials are those plants which live and perpetuate their species throughout many years successively.

The last two classes are again divided in respect to their endurance of low temperature, as *Tender*, *Half-hardy* and *Hardy*.

Tender Biennials and Perennials are greenhouse or dwelling-house plants, requiring artificial heat to protect them from frost.

Half-hardy Biennials and Perennials are those that require a slight covering of straw or litter during cold weather.

Hardy Biennials and Perennials are those that will stand the coldest winter weather without protection.

Soils Most Suitable.—The soil best adapted to a majority of plants is a light, friable loam, containing a moderate quantity of vegetable matter, and enough sand to render it porous; but as it seldom happens that the amateur has a choice of soil, it is fortunate that most of them will succeed in any but such as is of an extremely dry or gravelly nature, or of a stiff, heavy, retentive quality.

Manures.—The use of strong, crude manures should be carefully avoided. In ordinarily good soil, an annual dressing of decomposed stable manure, dug in to the depth of about 10 inches, and thoroughly incorporated with the soil, will be all that is needed.

Time of Sowing.—With regard to the proper time of sowing flower seeds, much necessarily depends on the character of the season. As a general rule (near New York city) *hardy* kinds may be sown in the open ground about the middle of April, *half-hardy* kinds during the first week of May, and *tender* kinds after the middle of May.

The best method to obtain early flowers is to sow seeds of the most desirable tender and half-hardy species in pots early in March. If kept in a warm greenhouse or window, or plunged into a moderate hotbed, they will be ready to transplant to the open ground early in May. The season of blooming will be made fully three weeks earlier thereby.

Mode of Sowing.—Seeds may be sown in patches among the border plants in rows or groups where they are to remain, or in a nursery bed, and afterwards transplanted. As a

general rule, the surface soil should be rather dry than otherwise at the time of sowing; the operation must not be undertaken when the ground is very wet, especially at an early period of spring.

The depth at which seeds should be sown will vary with their size. Large seeds, such as Lupins, Marvel of Peru, or Sweet Peas, should be sown about half an inch deep; medium size seeds, such as Balsams, Convolvulus or Thunbergia, about a quarter of an inch deep; while such as are very small require to be sown on the actual surface, a slight pressure being then sufficient to imbed them to a proper depth. If sown too deep, they are longer in germinating, and the smaller ones are liable to decay through want of strength to open the pores of the earth. In the absence of rain, water the seeds occasionally from a watering-pot with a very fine rose.

Transplanting.—As soon as the seedlings are an inch high, they may be transplanted to different parts of the garden. Remove the plants carefully with a small garden trowel, retaining as much of the soil to the roots as possible. Place the large-growing kinds in the rear, and the small in front; above all things, avoid crowding them. Transplanting should, if possible, be performed in cloudy weather, or towards evening; and, unless the soil is wet, the seedlings should be slightly watered, to settle the soil about the roots, shading them for a day or two afterwards, if necessary.

The risk and trouble of transplanting may be avoided by adopting the following method of sowing the seeds: Take a package of say twenty varieties, and number the bags from 1 to 20; then sow a small circle from each bag in the order in which they are numbered, and insert a short stick in the center of each circle as a mark. By this method the twenty varieties are distributed along the border in succession; and as each bag will be sufficient for about three circles, or three assortments of twenty varieties each, they may be sown in three different aspects of the garden, which will not only give the various flowers the best possible chance with regard to exposure, but show the varieties to the best possible advantage. By preserving the bags, the mere novice, by referring to the name and number on each, will become acquainted with the different varieties from the order in which they stand in the garden. This system may be practiced to advantage either on a large or small scale.

Neatness is indispensable in a flower garden, and neither the variety nor beauty of the plants will compensate for its absence. As the plants advance in growth, frequent weeding and hoeing will be necessary, as well for the sake of neatness as to stimulate their growth. Tie the tall-growing kinds to neat rods or sticks, and train the vines or climbers on trellises, strings or poles.

EXPLANATION OF FLOWER SEED CATALOGUE

The First Column gives the botanical or scientific names.

The dagger (†) indicates Everlasting flowers, which, if cut and dried (before maturity), will retain their color and beauty for several years.

The asterisk (*) denotes climbing plants.

The (") or (—) indicates in all cases a repetition.

The Second Column gives the common names, for *Index of which see page 56.*

The Third Column shows the color of the flower, abbreviated as follows, viz.:

b.—blue.	cr.—crimson.	l.—light.	r.—red.	sul.—sulphur.
blk.—black.	div.—diverse.	li.—lilac.	ro.—rose.	tri.—three colored.
bord.—bordered.	da.—dark.	mar.—marbled.	sal.—salmon.	v.—violet.
br.—brown.	gn.—green.	or.—orange.	s.—scarlet.	va.—variegated.
bu.—buff.	gol.—golden.	pk.—pink.	spot.—spotted.	w.—white.
car.—carmine.	gy.—gray.	pur.—purple.	stri.—striped.	yel.—yellow.

The Fourth Column indicates the usual height in feet, under good cultivation; or the word (tra.) denotes trailing or lying on the ground.

The Fifth Column shows the hardiness and duration of each kind, viz.:

tA.—tender annual.	hB.—hardy biennial.
hhA.—half-hardy annual.	tP.—tender perennial, or greenhouse plant.
hA.—hardy annual.	hhP.—half-hardy perennial.
hhB.—half-hardy biennial.	hP.—hardy perennial.

The Sixth Column gives the price of each paper or packet.

Many kinds marked **annuals** are adapted to pot-culture in winter, and several kinds of biennial and perennial plants will flower the first year from seed, if started early in the season.

☞ All the leading species and varieties of flower seeds may be had by weight, if desired; for prices, see list on page 54.

FLOWER SEEDS

The great interest manifested in the cultivation of flowers, and the increasing demand for new varieties, have induced us to give particular attention to this department. In addition to the many kinds grown here, we import annually from England, France and Germany all the standard kinds and novelties as they appear there; and no expense is spared to make the collection as select and varied as any to be found in this country.

☞ For ornamental Grasses, see page 50; Flower Seeds by Weight, page 52; Index of Common Names, etc., pages 54 and 55.

Flower Seeds forwarded by mail, free of postage, on receipt of prices annexed

BOTANICAL NAMES, ETC.	COMMON NAMES, ETC.	Color	Height in Feet	Duration and Hardiness	Price per Paper
<i>Abronia umbellata</i>	Abronia, Umbel-flowered	rose	½	hhA	\$0 05
—grandiflora	Deep Rose	pink	½	hhA	10
<i>Abutilon</i> in varieties	Chinese Bell-flower	div.	div.	tP	25
Darwini	Crimson Bell-flower	crim.	4	tP	25
<i>Acacia</i> in varieties	Acacia, Fine Mixed	div.	div.	tP	10
<i>Achillea Ptarmica</i> fl. pl.	Double White	white	½	hP	10
<i>Aconitum napellus</i>	Monk's-hood	blue	2	hP	05
<i>Acroclinium roseum</i> †	Everlasting-flower, Rose	rose	1	hhA	05
—album†	White	white	1	hhA	10
—flore pleno†	Double Rose	rose	1	hhA	10
<i>Adlumina cirrhosa</i> *	Mountain-fringe Vine	pink	10	hP	10
<i>Adonis aestivalis</i>	Pheasant's Eye	scarlet	1	hA	05
<i>Ageratum Mexicanum</i>	Ageratum, Blue	blue	2	hA	05
—Little Dorrit	Blue	blue	½	hA	10
—Little Dorrit, White	White	white	½	hA	10
nanum	Imperial Dwarf	blue	½	hA	05
—album	Dwarf White	white	½	hA	05
Lasseauxi	Rose-flowered	rose	1	hP	05
<i>Agrostemma coronaria</i>	Rose Champion	rose	2	hP	05
—alba	White Champion	white	1 ½	hP	05
<i>Alonsoa grandiflora</i>	Alonsoa, Large-flowered	scarlet	1 ½	hhA	05
linifolia	Roetzl's	l. s.	1	hhA	10
<i>Aloysia citriodora</i>	Lemon-scented Verbena	white	2	hhP	10
<i>Alstroemeria hybrida</i>	Finest Hybrid	div.	2	tP	10
<i>Althæa alba</i> fl. pl.	Hollyhock, Double White	white	4	hB	10
coccinea fl. pl.	Double Scarlet	scarlet	4	hB	10
rosea fl. pl.	Double Rose	rose	4	hB	10
lutea fl. pl.	Double Yellow	yellow	4	hB	10
varius fl. pl.	Double Mixed	div.	4	hB	10
Allegheny	Single Fringed	mixed	6	hB	10
COLLECTION	See page 51.				
<i>Alyssum maritimum</i>	Alyssum, Sweet	white	½	hA	05
—compacta	Tom Thumb	white	½	hA	05
procumbens	Dwarf Bouquet		tra.	hA	10
saxatile compactum	Golden	golden	1	hP	05
<i>Amarantus tricolor</i>	Joseph's Coat	tri.	2	tA	05
caudatus†	Love-lies-bleeding	crim.	3	hhA	05
hypochondriacus†	Prince's Feather	crim.	3	hhA	05
Hendri	Amaranthus, variegated	div.	3	hA	05
melancholicus	Blood-Red	red	3	hhA	05
bicolor ruber	Carmine and Yellow	car. & yl.	2	hhA	05
salicifolius	Fountain Plant	br. & s.	3	hhA	10
nobilis pyramidalis	Rose-spiked	rose	5	hhA	10
COLLECTION	See page 51.				
<i>Ammobium alatum</i> †	Ammobium, Winged	white	1 ½	hA	05
<i>Ampelopsis Veitchii</i> *	Japanese Ivy	green	50	hP	10
<i>Anemone coronaria</i>	Wind-flower	div.	1	hP	05
pulsatilla	Pasque-flower	violet	1	hP	05
<i>Angelonia grandiflora</i>	Angelonia, Sweet-scented	blue	1 ½	tP	15
<i>Anoda Dilleniana</i>	Blue Hibiscus	blue	2	hA	05
<i>Antirrhinum nanum album</i>	Snapdragon, Pure White		1 ½	hP	05
hybridum	Fine Mixed	div.	1 ½	hP	05

BOTANICAL NAMES, ETC.	COMMON NAMES, ETC.	Color	Height in Feet	Duration and Hardiness	Price per Paper
Antirrhinum , Tall—					
<i>grandiflorum luteum</i>	Snapdragon, Yellow	yellow	2½	hP	\$0 10
— Firefly	Scarlet and White	s. & w.	2½	hP	10
— <i>Crescia</i>	Deep Scarlet	d. scar.	2½	hP	10
— <i>roseum</i>	Light Rose	l. rose	2½	hP	10
— <i>album</i>	White	white	2½	hP	10
— Coral-Red	New striking color	c. red	2½	hP	10
Aquilegia Sibirica	Columbine, Double Violet	violet	1½	hP	10
<i>chrysantha</i>	Golden-spurred	yellow	2	hP	10
<i>cærulea</i>	Large-flowered	b. & w.	2	hP	10
<i>Skinneri</i>	Scarlet and Yellow	sc. & yl.	1½	hP	10
<i>Stuarti</i>	Rich Blue	blue	1½	hP	25
<i>varius</i>	Vulgaris and Mixed	div.	2	hP	10
COLLECTION	See page 51.				
Arabis alpina	Arabis, Sweet-scented	white	¾	hP	10
Argemone grandiflora	Poppy, White Mexican	white	2	hA	05
<i>speciosa</i>	Yellow	yellow	2½	hA	10
Aristolochia Siphon*	Dutchman's Pipe Vine	yl. & br.	15	hP	10
Arnebia cornuta	Arabian Primrose	yellow	2	hA	25
Asclepias tuberosa	Swallow-wort	orange	2	hP	05
Asparagus plumosus nanus*	Ornamental Asparagus	green	8	hP	10
<i>Sprengeri</i>	Emerald Feather	white	4	tP	15
Asperula azurea setosa	Asperula, Light Blue	blue	1	hA	10
<i>odorata</i> (Woodruff)	Sweet-scented	white	½	hP	10
Aster Chinensis —	Aster, Chinese.				
— Comet Rose	Comet	rose	2	hA	10
— Snow White	White	white	2	hA	10
— Bridesmaid	White, passing to Rose		2	hA	25
— Lady,	Rose and White	ro. & w.	2	hA	25
Queen of the Market—					
— White	White	white	1	hA	10
— Rose	Rose	rose	1	hA	10
— Light Blue	Blue	blue	1	hA	10
— Crimson		crimson	1	hA	10
— Scarlet		scarlet	1	hA	10
— Mixed		mixed	1	hA	05
Truffaut's White	Pure White	white	1½	hA	10
— Blood-Red	Dark Red	red	1½	hA	10
— Deep Mauve		mauve	1½	hA	10
— <i>cæruleus</i>	Black-Blue	blue	1½	hA	10
— Mixed	Peony-flowered	div.	2	hA	10
Victoria White	Dwarf White	white	1½	hA	10
— Rose	Dwarf Rose	rose	1½	hA	10
— Mixed	Mixed Victoria	div.	2	hA	10
Mignon albiflora	Pure White Mignon	white	1½	hA	15
— Mixed	Mignon, Mixed	div.	1½	hA	10
Semple's Branching White	Late-blooming	white	2	hA	10
— Shell-Pink	Late-blooming Pink	pink	2	hA	10
— Lavender-Blue	Late-blooming Blue	blue	2	hA	10
— Crimson	Late-blooming Crimson	crimson	2	hA	10
— Purple	Late-blooming Purple	purple	2	hA	10
— Mixed	Late-blooming Mixed	mixed	2	hA	10
Ball, or Jewell	Apple Blossom		2	hA	10
Snowball, or Princess	Pure White		1½	hA	25
Cocardeau	Crown-flowered	div.	2	hA	10
Washington	Perfection	div.	2	hA	10
Eugenie	Imbricated Pompon	div.	2	hA	10
<i>chrysanthemiflorus</i>	Dwarf Bouquet	div.	1	hA	10
Ried's Mixed	German Quilled	div.	1½	hA	05
<i>varius</i>	Mixed China	div.	2	hA	05
<i>tenellus</i>	Biennial Aster	blue	1½	hhB	10
COLLECTIONS	See page 50.				
Balsamina impatiens rosea	Lady's Slipper, Double Rose	rose	1½	tP	10
— <i>kermesina</i>	Double Scarlet	scarlet	1½	tA	10



Abutilon



Antirrhinum




Balsam



Brachycome



Campanula



Asters



Tuberous-rooted Begonias


BOTANICAL NAMES, ETC.	COMMON NAMES, ETC.	Color	Height in Feet	Duration and Hardiness	Price per Paper
Balsamina <i>impatiens</i> albiflora.	Lady's Slipper, Double White.	white	1½	tA	\$0 10
—violacea	Double Violet	violet	1½	tA	10
—Victoria	Double Striped	striped	1½	tA	10
—Solferino	Double Spotted	spotted	1½	tA	10
—camelliæflora	Mixed Double	div.	2	tA	10
—varius	Mixed Paris	div.	1½	tA	05
COLLECTIONS	See page 50.				
Baptisia australis	(<i>Polydaria australis</i>)	blue	2	hP	05
Bartonia aurea	Golden Bartonia	yellow	1½	hA	05
Begonia hybrida	Begonia, S'gle Tuberos-rooted	div.	2	tP	25
—flore pleno	Double Tuberos-rooted	div.	2	tP	50
Vernon	For borders	red	1	tP	25
Bellis perennis	Daisy, Finest Double	div.	½	hhP	25
—From collection flowers.	Finest Double	assort'd	½	hhP	25
—Longfellow	Double Rose	rose	½	hhP	25
—alba	Double White	white	½	hhP	25
Bidens atrosanguinea	Dahlia Zimpani	blk. bl.	2	hA	10
Pocconia Japonica	Bocconia, Oak-leaved	white	6	hP	10
Brachycome iberidifolia	Daisy, Blue Swan River	blue	¾	hhA	10
In varieties	Mixed	div.	¾	hhA	10
Browallia elata	Amethyst, Blue	blue	1½	tA	10
alba	White	white	1½	tA	10
Bryonopsis erythrocarpa*	Ornamental-fruited Vine	red	8	tA	10
Cacalia coccinea	Tassel-flower, Scarlet	scarlet	1	hA	05
aurantiaca	Orange	orange	1	hA	05
Calandrinia speciosa	Lindley's Calandrinia	red	1	hA	05
—umbellata	Umbel-flowered	crim.	1	hA	10
Calceolaria hybrida grandiflora.	Calceolaria, Mixed	div.	2	tP	25
—punctata superba	Superb Spotted	div.	1½	tP	25
rugosa	Finest Shrubby	div.	2	tP	50
scabiosæfolia	Golden Slipperwort	yellow	1½	hA	10
Calendula pluvialis	Marigold, Cape	white	1½	hA	05
—officinalis	Double Pot	orange	1	hA	05
—Meteor	Double Pot	golden	1	hA	05
—Prince of Orange	New Double Pot	golden	1	hA	05
Calliopsis tinctoria	Coreopsis, Golden	y. & br.	2	hA	05
—coronata	Crowned	spotted	1½	hA	05
—Golden Wave	Golden Yellow	yellow	1	hA	05
—atrosanguinea	Crimson	crim.	2	hA	10
lanceolata	Yellow	yellow	3	hP	10
Callirrhoe pedata	Poppy Mallow	red	2	hhA	10
Campanula Medium	Canterbury Bell, Blue	blue	2½	hhB	05
—alba	White	white	2½	hhB	05
—in varieties	Single Mixed	div.	2½	hhB	05
—alba fl. pl.	Double White	white	2½	hhB	10
—rosea fl. pl.	Double Pink	pink	2	hhB	10
—varius	Double Mixed	div.	2	hhB	10
Calycanthemum , Blue	Cup and Saucer	blue	2	hP	10
—alba	White	white	2	hP	10
—rosea	Pink	pink	2	hP	10
—striata	Striped	striped	2	hP	10
—Mixed	Mixed	mixed	2	hP	10
speculum	Venus' Looking-glass	div.	¾	hA	05
carpatica	Carpathian Bell-flower	div.	½	hP	05
pyramidalis	Pyramidal Bell-flower	blue	4	hhP	05
COLLECTION	See page 51.				
Candytuft	See Iberis.				
Canna indica	Indian Shot, Scarlet	scarlet	2	hhP	05
Nepalensis	Yellow	l. & y.	3	hhP	10
Madam Crozy	Scarlet, Yellow Border		3	hhP	10
In varieties	Crozy's Finest	div.	3½	hhA	10
Canterbury Bells	See Campanula.				
Cardiospermum halicaca'm*	Balloon Vine	white	10	tA	05
Carduus benedictus	Ornamental Thistle	yellow	3	hA	10



Centaurea moschata



Celosia kermesina



Cobæa scandens



Annual Chrysanthemum



Coleus

BOTANICAL NAMES, ETC.	COMMON NAMES, ETC.	Color	Height in Feet	Duration and Hardiness	Price per Paper
Carnation	See <i>Dianthus caryophyllus</i> .				
Castor Oil Plant	See Ricinus.				
Celosia cristata, in varieties†	Cockscomb, Mixed	div.	3	tA	\$0 05
—Japonica†	Japan, Scarlet	scarlet	2	tA	10
—All-aglow	New Dwarf	scarlet	1	tA	15
—Glasgow Prize†	Purple	purple	¾	tA	10
aurea pyramidalis†	Golden	golden	2	tA	10
Triomphe d'Exposition†	Crimson-plumed	crim.	3	tP	10
kermesina†	Crimson-feathered	crim.	2	tA	10
COLLECTION	See page 51.				
Centaurea moschata	Sweet Sultan, Purple	purple	2	hA	05
—alba	White	white	2	hA	05
—suaveolens	Yellow	yellow	1½	hA	05
—in varieties	Mixed	div.	div.	hA	05
Margaritæ	Mammoth White	white	1½	hA	10
odorata	Mammoth Light Blue	l. blue	1½	hA	10
Cyanus	Corn-bottle, or Mixed Blue	div.	2	hA	05
—flore pleno	Double Mixed	div.	2	hA	10
—cæruleus	Blue-bottle	blue	2	hA	05
—rosea	Rose	rose	2	hA	05
Americana	Centaurea, American	lilac	3	hA	05
Clementei	White Cut-leaved	white	1	hhP	10
gymnocarpa	Silver Cut-leaved	purple	1½	hhP	10
candidissima	White-leaved	white	1	hhP	10
Centranthus macrosiphon	Long-tubed Centranthus	pink	1	hA	05
Cheiranthus Cheiri	Wallflower, Bloody	b. & w.	2	hhB	05
—fl. pl.	German Double	div.	div.	hhB	10
Annual Mixed	Single Annual		1½	hA	10
Chelone barbata	Bearded Pentstemon	scarlet	2	hP	10
Chrysanthemum Dunnetti	Chrysanthemum, Golden	yellow	1	hA	05
W. E. Gladstone	Brilliant Crimson	crim.	1	hA	10
Lord Beaconsfield	Crimson-edged	crim.	1	hA	10
The Sultan	Maroon, Gold-Ring	maro'n	1	hA	10
venustum	Crimson	crim.	2	hA	05
tricolor	Single Mixed	div.	1½	hA	05
varius	Double Mixed	div.	div.	hA	05
frutescens	Paris Daisy (Marguerite)	white	1	hA	10
Japonicum	Finest Perennial	div.	3	hP	25
Indicum fl. pl.	Chinese Artemisia	div.	div.	hhP	10
CHOICE COLLECTION	See page 51.				
Cineraria hybrida grandiflora, Prize	Cineraria, Hybrid	div.	2	tP	25
—nana in varieties	Dwarf Hybrid	div.	1	tP	25
flore pleno	New Double	div.	1½	hhP	50
maritima	Dusty Miller	yellow	2	tP	10
Clarkia pulchella	Clarkia, Lilac	lilac	1	hA	05
pulcherrima	Crimson	crim.	1½	hA	10
—alba nana	White	white	¾	hA	10
varius	Mixed	div.	div.	hA	05
Clematis Flammula*	Virgin's Bower	white	10	hP	10
varius*	Mixed Perennial Clematis	div.	10	hhP	25
Cleome speciosa	Spiderwort or Spider-flower	purple	4	hA	10
Clianthus puniceus*	Glory Vine, Crimson	crim.	6	tP	10
Dampieri*	Dampier's	scarlet	6	tP	10
Clintonia pulchella	Clintonia, Blue and White	bl. & w.	½	tA	10
—alba	Pure White	white	½	tA	10
Cobæa scandens*	Cobæa, Climbing	purple	20	tP	10
—alba*	White, Climbing	white	10	tP	15
Coccinea Indica*	Scarlet-fruited Gourd	red	6	tA	10
Cockscomb	See Celosia.				
Coleus, in varieties	Fine Mixed Coleus	div.	div.	tP	25
Collinsia bicolor	Collinsia, Two-colored	p. & w.	1	hA	05
—alba	White	white	1	hA	05
vera	Sky Blue and White	sk-b&w	1	hA	05



Cyclamen



Dianthus plumarius



Cosmos



Dianthus barbatus




Convolvulus



Clarkia

BOTANICAL NAMES, ETC.	COMMON NAMES, ETC.	Color	Height in Feet	Duration and Hardiness	Price per Paper
<i>Collinsia varius</i>	Collinsia, Mixed	div.	1	hA	\$0 05
<i>Collomia coccinea</i>	Scarlet Collomia	scarlet	1	hA	05
<i>Convolvulus majus albus</i> *	Morning-Glory, White	white	10	hA	05
—kermesinus*	Scarlet	scarlet	10	hA	05
—azureus superbus*	New Golden	yellow	8	hA	10
—varius*	Mixed	div.	10	hA	05
Imperial Japanese*	Japanese	div.	30	hA	10
Mauritanicus	Convolvulus, Bright Blue	blue	tra.	hhP	10
unicaulis	Upright	b. & pur.	1	hA	05
minor albus	White Dwarf	white	tra.	hA	05
—monstrosus	Large-flowering	tri.	tra.	hA	05
—varius	Mixed Dwarf	div.	tra.	hA	05
<i>Coreopsis</i>	See Calliopsis.				
<i>Cornflower</i>	See <i>Centaurea Cyanus</i> .				
<i>Cosmidium Burridgeanum</i>	(<i>Cosmidium bicolor</i>)	cr. & br.	2	hA	10
<i>Cosmos bipinnata purpurea</i>	Cosmos, Purple	purple	4	hA	10
—alba	White	white	4	hA	10
—in varieties	Finest Mixed	div.	4	hA	10
Tints of Dawn	Early-flowering	w. & pk.	4	hA	10
<i>Crucianella stylosa</i>	Perennial Rock Plant	pink	1/2	hP	10
<i>Cucumis flexuosus</i> *	Snake Cucumber		10	tA	10
odoratissimus*	Melon Pomegranate	yellow	10	tA	05
perennis*	Cucumber Vine		15	tA	10
<i>Cucurbita aurantiaca</i> *	Gourd, Mock Orange	yellow	10	tA	05
Melopepo*	Apple-shaped	yellow	10	tA	10
massue*	Hercules' Club	white	10	tA	05
lagenaria*	Bottle		10	tA	05
<i>Cuphea platycentra</i>	Cigar Plant	tri.	1 1/2	tP	10
<i>Cyclamen giganteum</i> , Mont Blanc	Cyclamen, White	white	3/4	tP	25
—roseum	Rose	rose	3/4	tP	25
—superbum	White and Red	w. & red	3/4	tP	25
—atropurpureum	Dark Red	d. red	3/4	tP	25
Persicum	Mixed	w. & ro.	1/2	tP	25
—giganteum	Large-flowering	div.	1/2	tP	25
—Finest Mixed	Mixed	div.	3/4	tP	25
—Papilio (12 seeds in pkt.)	Mixed	div.	3/4	tP	50
<i>Cyclanthera pedata</i> *	Climbing Cucumber	yellow	6	hA	10
<i>Cynoglossum linifolium</i>	Venus' Navelwort	white	1/2	hP	05
<i>Dahlia nanus</i> in varieties	Dahlia, Single Dwarf	div.	3	hhP	10
Large Double	Double, Large-flowering	div.	4	tP	10
<i>Datura cornucopia</i>	Datura, Horn of Plenty	w & pu.	3	hhA	10
meteloides	Wright's	y. & li.	2	hA	10
humilis fl. pl.	Double	yellow	2	hhA	10
<i>Delphinium Ajacis</i> in varieties	Larkspur, Mixed Rocket	div.	1	hA	05
consolidia in varieties	Mixed Branching	div.	2	hA	05
imperialis fl. pl.	Annual Double	blue	2	hA	10
Stock-flowered	Rose-scarlet Double	r. scar.	1/2	hA	15
Brunonianum	Musk-scented	l. blue	2	hP	25
Zalil	Sulphur-Yellow	yellow	3	hP	15
Chinese in varieties	Mixed Chinese	div.	2 1/2	hP	05
—formosum	Blue and White	b. & w.	3	hP	10
—celestinum	Celestial Blue	blue	2	hP	10
—album grandiflorum	Pure White	white	2	hP	10
nudicaule	New Scarlet	scarlet	1 1/2	hP	10
elatum	Mixed Bee	div.	3	hP	05
COLLECTIONS	See page 51.				
<i>Dianthus Chinensis alba</i>	Indian Pink, Double White	white	3/4	hA	10
—atrosanguineus	Double Red	red	3/4	hA	10
—varius	Fine Mixed	div.	div.	hA	05
—nanus in varieties	Double Dwarf	div.	1/2	hA	10
imperialis fl. pl.	Pink, Double Imperial	div.	1	hA	10
—Heddewigii	Mixed Single Japan	div.	1	hA	10
—fl. pl.	Double Mixed	div.	1	hA	10



Eschscholtzia



Helichrysum



Digitalis




Gloxinia



Gaillardia



Lantanas



Hollyhocks



Ferns

BOTANICAL NAMES, ETC.	COMMON NAMES, ETC.	Color	Height in Feet	Duration and Hardness	Price per Paper
Dianthus imperialis albo-mar-					
ginatus fl. pl.	Pink, Mourning Cloak	div.	1	hA	\$o 10
—diadematus fl. pl.	Diadem (Splendid)	div.	1	hA	10
—laciniatus	Fringed Japan	div.	1½	hA	10
—Queen of Holland	Pure White Japan		1½	hA	10
deltoides	London Pride, or Maiden.	pink	¾	hP	o5
plumarius	Pheasant's-eye	div.	1	hP	o5
caryophyllus in varieties.	Carnation Pink, Mixed	div.	2	hhP	10
—flore pleno	Marguerite	div.	1	hhP	o
—nanus	Double Dwarf Vienna	div.	1	hhP	10
—Grenadin fl. pl.	Scarlet Compact	scarlet	1½	hhP	25
—perpetual fl. pl.	Tree, or Monthly	div.	2	hhP	25
—punctatus	Mixed Picotee	div.	2	hhP	25
barbatus, White	Sweet William, White	white	1½	hB	o5
—Dark Red	Dark Red	da. red	1½	hB	o5
—oculatus marginatus	Double Bordered	bord.	1½	hB	10
—White fl. pl.	Double White	white	1½	hB	o5
—Mixed	Single Mixed	div.	1½	hB	o5
— fl. pl.	Double Mixed	div.	1½	hB	o5
COLLECTION	See page 50.				
Dictamnus rubra	Fraxinella, or Gas-plant	red	1½	hP	o5
Digitalis alba	Foxglove, White	white	3	hP	o5
purpurea	Purple	purple	3	hP	o5
punctata	Spotted	spotted	3	hP	o5
gloxiniæflora	Gloxinia-flowered	div.	2½	hP	o5
In varieties	Mixed	div.	div.	hP	o5
Dolichos lablab*	Hyacinth Bean, Purple	purple	10	tA	o5
—albus*	White	white	10	tA	o5
—giganteus	White	white	10	hA	o5
Dracæna in varieties	(Cordylina)	div.	div.	tP	25
Dracocephalum Canariense	Balm of Gilead	li. & pur.	2	hhP	10
Echinocystis lobata*	Wild Cucumber	green	15	hhA	10
Eryngium Leavenworthi†	Purple Everlasting-flower	purple	2	hA	10
Erysimum Peroffskianum	Hedge Mustard	orange	1	hA	o5
Erythrina Crista-galli	Coral Plant	scarlet	4	tP	25
Eschscholzia Californica	Chriseis, Californian	yellow	1	hA	o5
—alba	White	white	1	hA	o5
—rosea	Rose	rose	1	hA	o5
crocea	Orange	orange	1	hA	o5
Mandarin	Orange and Scarlet	or. & sc.	1	hA	o5
varius	Fine Mixed	div.	1	hA	o5
Eupatorium Fraseri	White Eupatorium	white	2	hhP	10
Euphorbia marginata	Snow-on-the-Mountain	w. & gr.	3	hhA	o5
heterophylla	Mexican Fire Plant	car.	3	hhA	10
Eutoca Wrangeliana	Eutoca, Wrangel's	l. blue	1	tA	o5
viscida	Dark Blue	blue	1	tA	o5
Ferns in varieties	Fine Mixed Ferns	div.	div.	hhP	25
Forget-me-not	See Myosotis.				
Fuchsia in varieties	Mixed Fuchsia	div.	div.	tP	25
Gaillardia picta	Gaillardia, Painted	cr. & y.	1	hhA	o5
—Lorenziana	Double Mixed	div.	1½	hhP	10
grandiflora	Blanket Flower	div.	2	hP	10
Gentiana acaulis	Blue Gentian	blue	½	hP	10
Geum coccineum fl. pl.	Double Geum	scarlet	1½	hP	o5
Gilia tricolor	Gilia, Three-colored	3-col.	1	hA	o5
nivalis alba	Snow White	white	1	hA	o5
capitata	Azure Blue	blue	1	hA	o5
In varieties	Mixed	div.	1	hA	o5
Glaucium corniculatum	Horned Poppy, White-leaved.	yellow	1	hhP	10
Gloxinia , Emperor Frederick.	Gloxinia, Scarlet	scarlet	1	tP	50
hybrida, Tigered and Spotted	Finest Sorts Mixed	div.	1	tP	50
In varieties	Finest Mixed	div.	1	tP	50
Godetia , Duchess of Albany	Godetia, White	white	1½	hA	10

BOTANICAL NAMES, ETC.	COMMON NAMES, ETC.	Color	Height in Feet	Duration and Hardiness	Price per Paper
Godetia, Lady Satin Rose	Godetia, Brilliant Rose	rose	1 1/2	hA	\$0 10
Lady Albemarle	Dark Crimson	crim.	1 1/2	hA	10
Gomphrena globosa albat	Globe Amaranth, White	white	1	tA	05
—kermesinat	Crimson	crim.	1	tA	05
—aureat	Orange	orange	1	tA	05
—nana compactat	Rich Red	red	1/2	tA	05
In varieties†	Mixed	div.	1	tA	05
Grevillea robusta	Silk Oak	orange	5	tP	10
Gypsophila elegans	Gypsophila, White	white	1	hA	05
muralis	Dwarf Rose	rose	1/2	hA	10
paniculata	Baby's Breath	white	2	hP	05
Hedysarum coronarium	French Honeysuckle	r. & w.	2	hB	05
Helianthus annuus	Sunflower, Double Dwarf	yellow	4	hA	05
—Oscar Wilde	Yellow, Dark Center	gol. y.	4	hA	05
—giganteum	Mammoth Russian	yellow	9	hA	05
—centrochlorus fl. pl.	Green-centered	y. & gr.	4	hA	05
—argophyllus fl. pl.	Silvery foliage	striped	5	hA	05
cucumerifolius	Thousand-flowered	yellow	3	hA	05
Helichrysum bracteatum†	Eternal Flower, Yellow	yellow	2	hA	05
—album†	White	white	2	hA	05
macranthum†	Pink	pink	2	hA	05
monstrosum fl. pl.†	Mixed Double	div.	2	hA	10
Heliotropium Peruvianum	Heliotrope, Lemoine's Giant	div.	div.	tP	10
Finest Mixed	Heliotrope	div.	1	hhP	10
Helipterum Sanfordi†	Everlasting-flower	gol. y.	1 1/2	hhA	10
Hesperis matronalis	Sweet Rocket	pur. & w.	2	hB	05
Heuchera sanguinea	Scarlet Alum	crim.	2	hP	25
—alba	White	white	2	hP	25
Hibiscus Africanus	Bladder Ketmia	bu. & br.	1 1/2	hA	05
Crimson Eye	Marshmallow	wh. & cr.	4	hP	10
militaris	Rose Mallow	rose	4	hP	05
Hollyhock	See Althea.				
Humea elegans	Amaranth, Feathered	red	6	hhP	10
Humulus japonicus*	Japan Hop	green	25	hA	10
Iberis amara	Candytuft, White	white	1	hA	05
coronaria	Little Prince	white	1	hA	10
odorata	Fragrant	white	3/4	hA	05
Dunnettii	Dark Crimson	d. crim.	1	hA	05
lilacina	Rosy Lilac	lilac	3/4	hA	05
Empress	Large White	white	1	hA	10
nana hybrida	Dwarf Mixed	div.	1/2	hA	10
In varieties	Mixed	div.	1	hA	05
sempervirens	White Perennial	white	1	hhP	10
COLLECTION	See page 51.				
Impatiens glanduligera	Touch-me-not	red	2	tA	10
—Sultani	Perennial Balsam	scarlet	2	hhP	25
Ipomœa quamoclit*	Cypress Vine, Scarlet	scarlet	10	tA	05
—alba*	White	white	10	tA	05
coccinea*	Star Ipomœa, Scarlet	scarlet	10	hA	05
grandiflora alba*	Moon-flower	white	10	tA	10
Bona-nox*	Good-night	white	6	tA	05
varius*	Mixed	div.	div.	tA	10
Learii*	Blue and Violet	b. & v.	8	tP	25
Kaulfussia amelloides	Kaulfussia, Blue	blue	1	hA	05
kermesina	Crimson	crim.	3/4	hA	10
Kenilworth Ivy	See Linaria.				
Lantana in varieties	Mixed Lantana	div.	div.	tP	10
Larkspur	See Delphinium.				
Lathyrus	See page 41.				
Lavatera trimestris	Lavatera, Red	red	2	hA	05
Lemon Verbena	See <i>Aloysia citriodora</i> .				
Leptosiphon roseum	Leptosiphon, Rose	rose	1	hA	05
Linaria Maraccana	Rose Linaria	rose	3/4	hhA	05
Cymbalaria	Kenilworth Ivy	lilac	tra.	hP	10


SWEET PEAS (*Lathyrus odoratus*)

Through the skill of specialists the Sweet Pea has become a much larger and lovelier flower than before it became so popular. The plants are more robust, dwarf, branching, and bloom earlier and more freely, some varieties showing three to four blooms on a stem. Many new colors, deep, dark, brilliant and delicately lovely, have appeared in the blossoms, often in indescribable combinations. There are flowers, too, of quite distinct shapes, some of which are a great improvement upon the Sweet Pea of the old type. We have dropped some of the older varieties, to give place to improved new sorts of the same colors. Our present list contains all the best kinds introduced to date. A deep, rich moist soil is best suited to Sweet Peas. They are usually grown in double rows, with a wire trellis, or a row of brush between. For each double row make the drills about 5 inches deep and 9 or 10 inches apart. Sow plentifully, covering about 2 inches deep, and by degrees, as the vines grow up, fill the trenches with soil. Spring sowings should be made just as early as the ground can be prepared; frost does not hurt the little seedlings. The earliest flowers are from seed sown in fall, preferably in a dry situation, and 4 or 5 inches deep, giving them level culture. As fertilizer, a liberal use of bone meal worked into the soil will give excellent results.




BOTANICAL NAMES, ETC.	COMMON NAMES, ETC.	Color	Height in Feet	Duration and Hardiness	Price per Paper
Lathyrus, Apple Blossom	Sweet Peas, Pink and Blush	pk. & bl.	5	hA	\$0 05
Black Knight	Deep Maroon	maroon	5	hA	05
Boreatton	Purple	purple	5	hA	05
Blanche Burpee*	White	white	5	hA	05
Blanche Ferry	Pink and White	p. & w.	5	hA	05
Butterfly	White and Lilac	w. & l.	5	hA	05
Countess of Radnor	Lavender	lav.	5	hA	05
Captain of the Blues	Dark Blue	d. blue	5	hA	05
Countess of Cadogan	Reddish Mauve	mauve	5	hA	05
Crown Jewel	Creamy white, veined rose.		5	hA	05
Duchess of Edinburgh	Scarlet and Rose		5	hA	05
Eliza Eckford	White, shaded with pink		5	hA	05
Emily Eckford	Rosy Mauve		5	hA	05
Earliest of All	Pink and White	p. & w.	5	hA	05
Emily Henderson	White	white	5	hA	05
Firefly	Scarlet, wings crim.-scar.		5	hA	05
Gladys Unwin	Pale Rosy Pink; fine	pink	5	hA	10
Her Majesty	Soft Rosy Pink	pink	5	hA	05
Katherine Tracy	Fine Pink	pink	5	hA	05
King Edward VII	Bright Crimson; large	crimson	5	hA	05
Lady Penzance	Orange-Pink and Rose	orange	5	hA	05
Mars	Fiery Crimson	crimson	5	hA	05
Mont Blanc	Large Pure White	white	5	hA	05
Mrs. Dugdale	Rose, shaded primrose	r. & p.	5	hA	05
Mrs. Eckford	Primrose-Yellow	yellow	5	hA	05
Mrs. Gladstone	Soft Pink	pink	5	hA	05
Navy Blue	Ultramarine-Blue	blue	5	hA	05
Princess of Wales	Bright Rose	rose	5	hA	05
Princess Beatrice	Carmine-Rose	car.-ro.	5	hA	05
Royal Robe	Bright Pink	self	5	hA	05
Sadie Burpee, white seed.	Pearl	white	5	hA	05
Salopian	Fine Scarlet	scarlet	5	hA	05
Stella Morse	Deep Cream, shaded rose.		5	hA	05
Triumph	Light Orange, wings ro.-pur.		5	hA	05
Ordinary Mixed . lb., 75c.		div.	5	hA	05
Eckford Splen. Mix. " 75c.		div.	5	hA	05
Special Mixed . " \$1.	Containing all Named Vars	div.	5	hA	05

Price per lb. of Named Varieties, under separate color, \$1



Mignonette



Marigold



Matthiola (Stocks)



Lobelia



Mimulus



Myosotis



Momordica balsamina


BOTANICAL NAMES, ETC.	COMMON NAMES, ETC.	Color	Height in Feet	Duration and Hardness	Price per Paper
Linum grandiflorum rubrum	Flax, Crimson	crim.	1	hhA	\$c 10
perenne	Perennial	blue	2	hP	10
flavum	Yellow	yellow	3/4	hP	10
Loasa lateritia*	Orange Loasa Vine	orange	6	tA	10
Lobelia gracilis	Lobelia, Slender	l. blue	tra.	hhA	10
—alba	White	white	tra.	hhA	10
Prima Donna	Maroon	maroon	1/2	hhA	10
Erinus marmorata	Paxtoniana	div.	1/2	hhA	10
—Emperor William	Azure-Blue	blue	1/2	hhA	10
—Crystal Palace	Blue		1	hhP	10
—Royal Purple	Deep Blue, White Eye		1	hhP	10
speciosa compacta	Crystal Palace Dwarf	blue	1/2	hhA	25
Queen Victoria	Scarlet Cardinal Flower	scarlet	2	hP	25
Lophospermum in varieties*	Mixed Lophospermum	div.	8	tP	10
Lunaria biennis in varieties	Honesty, or Satin-flower	br. & w.	2	hA	05
Lupinus pilosus	Sun Dial, Large Rose	rose	2	hA	05
luteus	Yellow	yellow	2	hA	05
hirsutus	Large Blue	blue	2	hA	05
albus	White	white	2	hA	05
hybridus insignis	Dark Red	d. red	2	hA	10
Cruikshankii	Dark Blue		3	hA	05
varius	Mixed	div.	div.	hA	05
polyphyllus	Mixed Perennial	div.	div.	hP	05
Lychnis Chalcedonica	Lychnis, Scarlet	scarlet	3	hP	05
—alba	White	white	3	hP	05
Malcolmia maritima	Virginian Stock	red	1/2	hA	05
Malope grandiflora	Large-flowered Malope	red	2	hA	05
Malva zebrina	Striped Mallow	w. & pur.	2	hA	05
Marigold	See Tagetes.				
Matthiola annua in varieties	Stocks, Ten Weeks, English	div.	1	hA	05
—fl. pl. Mixed	German Large-flowering	div.	1	hA	10
—Snowflake	Double White	white	1	hA	25
—Cut-and-Come-Again	White Forcing	white	1	hhA	15
grandiflora White	Dwarf White	white	1	hhA	10
—Yellow	Yellow	yellow	1	hhA	10
—Rose	Rose	rose	1	hhA	10
—Blood-Red	Blood-red	b. red	1	hhA	10
—Purple	Purple	purple	1	hhA	10
Giant Perfection White	Very fine	white	2 1/2	hhA	25
—Mixed	Mixed	div.	2 1/2	hA	10
glabrum albus	Wallflower-leaved	white	1	hA	10
—coccineus	Scarlet	scarlet	1	hA	10
—varius	Mixed	div.	1	hA	10
biennis	Buck's Stock Gilli, Intermediate	scarlet	1 1/4	hhB	10
—simplicicaulis	White Brompton	white	2	hhB	10
—Beauty of Nice	Exquisite Flesh-pink	pink	2	hhB	15
—Empress Elizabeth	Carmine-rose Brompton		1 1/2	hhB	25
CHOICE COLLECTIONS	See page 51.				
Matricaria eximea	Matricaria, Quilled	white	1	hhB	05
—grandiflora	Double White	white	1 1/2	hhB	05
Maurandya Barclayana*	Maurandya, Blue	blue	8	tA	10
—rosea*	Rose	rose	8	tA	10
albiflora*	White	white	8	tA	10
varius*	Mixed	div.	8	tA	10
Mesembryanthemum cordifolium	Ice Plant, Annual	white	1/2	tA	05
—variegatum	Variiegated foliage	ro. & p.	1/2	hhP	10
Mignonette	See Reseda.				
Mimosa pudica	Sensitive Plant	pink	1	tA	05
Mimulus moschatus	Musk Plant	yellow	1/2	tA	10
Roezl's	Monkey Flower, Yellow	yellow	1/2	hP	25
cupreus in varieties	Hybrid	div.	1	hP	10
hybridus tigrinus	Mixed Spotted	spot.	3/4	tP	10
Mina lobata*	Mexican Climbing Vine	wh. & r.	15	tA	10



Enothera



Perilla Nankinensis



Nasturtium



Phlox Drummondii



Poppies



Salvia splendens



Ricinus

BOTANICAL NAMES, ETC.	COMMON NAMES, ETC.	Color	Height in Feet	Duration and Hardiness	Price per Paper
Mirabilis Jalapa in varieties	Marvel of Peru, Mixed	div.	2	hA	\$0 05
—longiflora in varieties	Scented	div.	2	hA	05
—foliis variegatis	Variiegated-leaved	div.	2	hA	05
Momordica balsamina*	Balsam Apple	yellow	10	hhA	05
Charantia*	Balsam Pear	yellow	10	hhA	05
Morning-Glory	See Convolvulus.				
Musa Ensete	Abyssinian Banana	y. & br.	10	tP	25
Myosotis alpestris	Forget-me-not, Alpine	blue	½	hhP	10
—Victoria	Double Blue	blue	½	hhP	25
palustris	Blue and White	b. & w.	¾	hhP	10
dissitiflora	Large Blue	blue	1	hhP	10
Myrsiphyllum asparagoides*	Smilax Vine	green	6	tP	10
Nasturtium	See Tropæolum.				
Nemophila discoidalis	Love-grove, Bordered	blk.&w.	¾	hhA	05
insignis	Bright Blue	blue	½	hhA	05
—alba	White	white	¾	hhA	05
maculata	Spotted	div.	¾	hhA	05
In varieties	Mixed	div.	div.	hhA	05
Nicotiana affinis	Flowering Tobacco, White	white	3	hhA	10
colossea	Crimson	crim.	5	hhA	25
Nierembergia gracilis	Graceful Nierembergia	w. & li.	1	hhP	10
Nigella Damascena	Love-in-a-mist	blue	1	hA	05
Nolana prostrata	Trailing Nolana	b. & bk.	tra.	hA	05
Obeliscaria pulcherrima	Showy Obeliscaria	cr. & y.	3	hhP	05
Oenothera biennis	Evening Primrose, Fragrant	yellow	2	hB	05
bistorta Veitchii	Spotted	y. & cr.	1	hA	05
Lamarckiana	Light Yellow	yellow	3	hB	05
Oxalis rosea	Oxalis, Rose	rose	½	hhP	10
delicata	Rosy Salmon	ro.&sal.	½	hhP	10
Valdiviensis	New Sweet	yellow	¾	hhP	10
tropæoloides	Yellow-brown foliage	yellow	½	hhA	10
Pansy, or Heart's-ease	See <i>Viola tricolor</i> .				
Papaver glaucum	Poppy, Tulip	scarlet	1½	hA	10
album	Double White	white	2	hA	05
coccineum	Double Scarlet	scarlet	2	hA	05
umbrosum	Rich Vermillion, Black Spot.	ver.	1½	hA	05
Fairy Blush	Double White, Rose-tipped.		2	hA	10
The Shirley	Mixed Single	div.	2	hA	10
Dwarf Shirley	Dwarf	div.	1½	hA	10
Mikado	Mixed	div.	2	hA	10
Miss Sherwood	Satiny White and Rose	w. & ro.	2½	hA	05
ranunculiflorum	Mixed French Double	div.	2	hA	05
somniferum fl. pl.	Mixed Carnation	div.	2	hA	05
The Bride	Pure White, Single	white	1½	hA	10
nudicaule	Iceland Poppy	div.	2	hP	10
orientale	Brilliant Scarlet		2	hP	10
bracteatum	Large Orange-scarlet		1½	hP	10
COLLECTION	See page 51.				
Passiflora in varieties*	Mixed Passion Flower	div.	10	tP	10
Pelargonium zonale	Geranium, Mixed	div.	div.	tP	10
odoratissimum	Apple-scented	pink	½	tP	25
Pentstemon gentianoides	Pentstemon, Bicolor	pur.&w.	2	hhP	10
—cæruleus	Hartweg's	blue	2	hhP	10
—In varieties	Mixed	div.	2	hhP	10
Perilla Nankinensis	Ornamental-leaved Perilla	purple	2	hhA	05
Petunia Phœnicea	Petunia, Purple	purple	tra.	hhA	05
nyctaginiflora	White	white	tra.	hhA	05
striata	Striped	striped	tra.	hhA	10
Countess of Ellesmere	Rose	ro. & w.	tra.	hhA	10
varius	Mixed	div.	tra.	hhA	05
hybrida grandiflora	Finest Mixed	div.	tra.	hhA	25
— —inimitable	Mixed Blotched	div.	tra.	hhA	25
— —nana compacta	Dwarf Striped	striped	½	hhA	10
— —aurea	Yellow-throated	yellow	tra.	hhA	25

BOTANICAL NAMES, ETC.	COMMON NAMES, ETC.	Color	Height in Feet	Duration and Hardiness	Price per Paper
<i>Petunia hybrida grandiflora</i>	Petunia, Mixed Double	div.	tra.	hhA	\$0 20
<i>flore pleno</i>	Fringed Double	div.	tra.	hhA	55
— — <i>fimbriata fl. pl.</i>	See page 51.				
COLLECTIONS	See page 51.				
<i>Phlox Drummondii alba</i>	Phlox Drummondii, White	white	1	hA	10
— — <i>fl. pl.</i>	Double White	white	1	hA	10
— <i>oculata</i>	White, Purple-eyed	white	1	hA	10
— <i>Leopoldiana</i>	Pink, White-eyed	pink	1	hA	10
— <i>nana com., Snowball</i>	Dwarf White	white	1	10	10
— — <i>Fireball</i>	Dwarf Scarlet	scarlet	1	10	10
— <i>coccinea</i>	Deep Scarlet	scarlet	1	hA	10
— <i>Isabellina</i>	Pale Yellow	yellow	1	hA	10
— <i>Chamois Rose</i>	Light Rose	rose	1	hA	10
— <i>Black Warrior</i>	Dark Red	1	1	hA	10
— <i>Princess Royal</i>	Lilac, White-edged	1	1	hA	10
— <i>compacta</i>	Dwarf Blood-red	red	1/2	hA	10
— <i>cuspidata</i>	Star of Quedlinburg	div.	1	hA	10
— <i>Heynholdi</i>	Brilliant Scarlet	scarlet	1	hA	10
— <i>varius</i>	Fine Mixed	div.	1	hA	05
— <i>grandiflora</i>	Large Mixed	div.	1	hA	10
— <i>decussata</i>	Mixed Perennial	div.	div.	hP	10
COLLECTION	See page 51.				
Pinks	See Dianthus.				
<i>Platystemon Californicum</i>	California Poppy	yellow	1	hA	05
<i>Polemonium caeruleum</i>	Jacob's Ladder, Blue	blue	1/2	hP	05
<i>album</i>	White	white	1/2	hP	05
Poppies	See Papaver.				
<i>Portulaca splendens aurea</i>	Sun Plant, Yellow	yellow	1/2	hA	05
— <i>purpureus</i>	Purple	purple	1/2	hA	05
— <i>albiflora</i>	White	white	1/2	hA	05
— <i>Thellusoni</i>	Scarlet	scarlet	1/2	hA	05
— <i>aurantiaca</i>	Orange	orange	1/2	hA	05
— <i>rosea</i>	Rose	rose	1/2	hA	05
— <i>varius</i>	Mixed Single	div.	1/2	hA	05
— <i>flore pleno</i>	Mixed Double	div.	1/2	hhA	10
COLLECTIONS	See page 51.				
<i>Potentilla</i> , in varieties	Mixed Potentilla	div.	1	hP	10
<i>Primula elatior</i>	Mixed Polyanthus	div.	1/2	hhP	10
<i>auricula</i>	Fine Mixed Auricula	div.	1/2	hhP	25
<i>Japanica</i>	Primrose, Purple	purple	1	hhP	10
<i>Forbesi</i>	Baby	lilac	1	hP	25
<i>obconica</i>	Everblooming	white	1/2	tP	25
<i>vulgaris</i>	English Yellow	yellow	1	hP	10
<i>fimbriata alba</i>	Chinese Primrose, Fringed	white	3/4	tP	25
— <i>kermesina splendens</i>	Fringed Crimson	crim.	1/2	hP	25
— <i>rosea</i>	Fringed Rose	rose	3/4	tP	25
— <i>flore pleno</i>	Fringed Double	div.	div.	tP	50
— <i>varius</i>	Fringed Single	div.	div.	tP	25
COLLECTION	See page 51.				
<i>Pyrethrum parthenium</i>	Feverfew, Double	white	1 1/2	hhP	10
<i>auratum</i>	Golden-leaved	yellow	2	hhP	10
<i>roseum</i>	Rose-flowered Pyrethrum	rose	2	hP	10
<i>Roseda odorata</i>	Mignonette, Sweet	buff	1	hA	05
— <i>grandiflora</i>	Large Sweet	buff	1	hA	05
— <i>ameliorata</i>	Pyramidal	rose	1 1/2	hA	05
— <i>grandiflora aurea</i>	Golden Queen	gol. y.	1	hA	10
— <i>Defiance</i>	Allen's	r. & w.	1	hA	10
— <i>Machet</i>	Dwarf Pot	red	1	hA	10
— <i>Gabrielle</i>	Robust, large spike	red	3/4	hA	10
— <i>gigantea</i>	Crimson Giant	crim.	2	hA	05
— <i>Miles, Hybrid</i>	Spiral	buff	1 1/2	hA	05
— <i>eximia</i>	Parsons' White	white	1	hA	05
<i>Rhodanthe Manglesii</i> †	Everlasting-flower, Rose	rose	1	tA	10
<i>maculata</i> †	Three-colored	y.r.&bk.	2	tA	10

BOTANICAL NAMES, ETC.	COMMON NAMES, ETC.	Color	Height in Feet	Duration and Hardiness	Price per Paper
<i>Rhodanthe albat</i>	Everlasting-flower, White	white	1 1/2	tA	\$0 10
<i>variust</i>	Mixed	div.	div.	tA	10
<i>Ricinus sanguineus</i>	Castor Bean, Red		10	tA	05
<i>Borboniensis</i>	Large Green	vio.	15	tA	05
<i>Cambodgensis</i>	Ebony Black		6	tA	10
<i>Zanzibariensis</i>	Giant		10	tA	10
<i>Gibsoni</i>	Dark Red	d. red	4	tA	10
<i>varius</i>	Mixed	div.	div.	tA	05
<i>Rosa multiflora nana</i>	Rose, Dwarf Perpetual	div.	div.	hP	25
<i>Salpiglossis hybrida</i>	(<i>Salpiglossis grandiflora</i>)	div.	1 1/2	hhA	10
<i>Salvia patens</i>	Salvia, Light Blue	blue	1	tP	25
<i>splendens</i>	Brilliant Scarlet	scarlet	3	tP	10
— <i>compacta erecta</i>	Bonfire	d. scar.	3	tP	15
— <i>Lord Fauntleroy</i>	Dwarf, flaming scarlet	scarlet	1/2	tP	25
<i>horminum</i>	Purple Clary	purple	1	hA	05
<i>Sanvitalia procumbens</i>	Sanvitalia, Yellow and Brown.		tra.	hA	05
— <i>flore pleno</i>	Double	yellow	tra.	hA	05
<i>Saponaria calabrica</i>	Bouncing Bet	pink	1	hA	05
<i>Saxifraga</i> in varieties	Mixed Saxifraga	div.	tra.	hhP	10
<i>Scabiosa candidissima</i>	Mourning Bride, White	white	1 1/2	hA	05
<i>coccinea nana</i>	Carmine	car.	1 1/2	hA	05
<i>Caucasica</i>	Lilac	lilac	2	hP	10
<i>varius</i>	Dwarf Mixed	div.	1	hA	05
COLLECTION	See page 51.				
<i>Schizanthus Grahami</i>	Schizanthus, Red and Orange.	r. & o.	2	hA	05
<i>Priesti</i>	Pure White	white	2	hA	05
In varieties	Fine Mixed	div.	2	hA	05
<i>Sedum azureum</i>	Stoncrop	yellow	1/2	hP	10
<i>Maximowiczii</i>	Golden	yellow	1/2	hP	10
<i>Senecio elegans alba</i>	Jacobæa, White	white	1	tA	05
— <i>purpurea</i>	Purple	purple	1	tA	05
Sensitive Plant	See <i>Mimosa pudica</i> .				
<i>Silene armeria</i>	Catchfly, Lobel's	pink	1 1/2	hA	05
— <i>compacta</i>	Rose-purple	l. pur.	1/2	hA	05
<i>Solanum melongena</i>	Eggplant, White	white	1	tA	05
— <i>coccineum</i>	Scarlet		3	tA	05
<i>Statice Bonduelli</i>	Statice, Golden	yellow	1	hhP	10
<i>Suworowi</i>	Rose	rose	1	hhP	10
<i>incana hybrida</i>	Hybrid Mixed	div.	1 1/2	hP	10
<i>Stevia serrata</i>	Vanilla-scented Stevia	white	3	tP	10
Stocks	See Mathiola.				
Sweet Peas	See Lathyrus.				
Sweet Sultan	See Centaurea.				
<i>Tacsonia ignea*</i>	Passion Flower-like	div.	10	tP	25
<i>Tagetes patula aurea fl. pl.</i>	Marigold, Double Golden	yellow	1	hA	05
— <i>striata fl. pl.</i>	Double Striped	y. & br.	1 1/2	hA	05
<i>striata</i>	Cloth of Gold	striped	1 1/2	hA	05
<i>pumila</i>	Golden Ring	orange	1	hA	05
<i>Little Brownie</i>	Single-flowering Yellow	y. & cr.	1/2	hA	05
<i>varius fl. pl.</i>	French Double Mixed	div.	1	hA	05
<i>erecta citrina fl. pl.</i>	Lemon African	yellow	2	hA	05
— <i>aurantiaca fl. pl.</i>	Orange African	orange	2	hA	05
— <i>Nugget of Gold</i>	Golden Yellow African	yellow	1 1/2	hA	10
— <i>El Dorado</i>	Double African	div.	2	hA	10
<i>signati pumila</i>	Yellow Striped (for edg'g)	y. & br.	1	hA	05
COLLECTION	See page 51.				
<i>Thunbergia Bakeri*</i>	Thunbergia, Pure White	white	4	hhA	05
<i>aurantiaca*</i>	Orange, Dark-eyed	orange	4	hhA	05
<i>alata*</i>	Buff, Dark-eyed	buff	4	hhA	05
In varieties*	Suberb Mixed	div.	4	hhA	05
<i>Torenia edentula</i>	Fournier's New Torenia	w. & pur.	1/2	tP	25
White Wings		white	1	tP	25
<i>Trifolium odoratum</i>	Sweet-scented Clover	white	3	hA	05




Wallflower



Violets



Whitlavia



Pansies



Vinca



Zinnias

BOTANICAL NAMES, ETC.	COMMON NAMES, ETC.	Color	Height in Feet	Duration and Hardiness	Price per Paper
Tropæolum , Tom Thumb King	Nasturtium, Dwarf Carmine	car.	1	hA	\$0 05
— sulphureum	Dwarf Yellow	yellow	1	hA	05
— Bronze color	Dwarf Bronze	bronze	1	hA	05
— Pearl	Dwarf Blush	cream	1	hA	05
— Rose	Dwarf Rose		1	hA	05
— White	Dwarf White	white	1	hA	05
— Ruby King	Dwarf Ruby	red	1	hA	05
— Golden King	Dwarf Golden	golden	1	hA	05
— King Theodore	Dwarf Purple	d. pur.	1	hA	05
— Empress of India	Dwarf Crimson		1	hA	05
— Lilliput	Dwarf Lilliput	div.	½	hA	10
— varius	Mixed Tom Thumb (finest)	div.	1	hA	05
majus Schillingi*	Light Yellow	li. yel.	6	hA	05
— The Pearl*	Cream-White		6	hA	05
— Rose*	Brilliant Rose		6	hA	05
— Dunnetti*	Bright Orange	orange	6	hA	05
— King Theodore*	Dark Crimson	d. cr.	6	hA	05
— atrosanguineum*	Crimson	crim.	6	hA	05
— Mad. Gunter Hybrids*		div.	6	hA	10
— Lobbianum*	Mixed Perennial	div.	6	tP	10
— varius*	Mixed Tall (finest)	div.	6	hA	05
— peregrinum*	Canary-bird Flower	yellow	8	hA	10
CHOICE COLLECTIONS	See page 51.				
Valeriana in varieties	Mixed Garden Valerian	div.	2	hP	05
Venidium calendulaceum	Orange, Brown Center		1	hhA	10
Verbena hybrida alba	Verbena, Pure White	white	tra.	hhP	10
— striata	Italian, Striped	striped	tra.	hhP	10
— coccinea	Bright Scarlet	scarlet	tra.	hhP	10
— Defiance	Dark Scarlet	d. s.	tra.	hhP	10
— cœrulea	Bright Blue	blue	tra.	hhP	10
— Mammoth	Mammoth Mixed	div.	tra.	hhP	10
— In varieties	Finest Mixed	div.	tra.	hhP	10
— varius	Fine Mixed	div.	tra.	hhP	05
teucrioides	White, Sweet	white	tra.	hA	10
CHOICE COLLECTION	See page 51.				
Veronica Syriaca	Dwarf Blue Veronica	blue	½	hhA	10
Vinca alba rosea	Periwinkle, Madagascar	w. & ro.	1	tA	10
— nova	Pure White	white	1	tA	10
— rosea	Rose, Dark-eyed	rose	1	tA	10
— varius	Mixed	div.	1	tA	10
Viola tricolor cœrulea	Pansy, or Heartsease, Blue	l. b.	½	hhP	10
— Bugnot's	Superb strains	div.	½	hhP	25
— Faust	King of the Blacks	black	½	hhP	10
— alba	White	white	½	hhP	10
— Prince	Yellow	yellow	½	hhP	10
— striata	Belgian, or Fancy	div.	½	hhP	25
— Emperor William	Dark Purple	b.&pur.	½	hhP	10
— Odier	Five-blotched, extra	div.	½	hhP	25
— Lord Beaconsfield	Violet and Lavender		½	hhP	10
— Mahogany-colored	Reddish Brown		½	hhP	10
— Trimardeau	Extra Large Mixed	div.	½	hhP	25
— maxima, in varieties	Finest Mixed English	div.	½	hhP	25
— varius	Fine Mixed	div.	½	hhP	10
CHOICE COLLECTION	See page 51.				
Violets , in varieties	Mixed Sweet Violet	div.	½	hhP	10
Viscaria oculata	Rose of Heaven, Pink	pk. & s.	1	hA	05
— elegans picta	Painted	cr. & w.	1	hA	05
— varius	Mixed	div.	div.	hA	05
Wahlenbergia grandiflora	Blue Bellflower	blue	1	hhP	10
Whitlavia grandiflora	Whitlavia, Violet-Blue	blue	1	hA	05
— gloxinoides	Gloxinia-like	w. & b.	1	hA	10
Wigandia Vigieri	Ornamental-leaved		4	tP	15
Xeranthemum annuum†	Everlasting Flower, Purple	purple	2	hA	05
— album†	White	white	2	hA	05

BOTANICAL NAMES, ETC.	COMMON NAMES, ETC.	Color	Height in Feet	Duration and Hardness	Price per Paper
<i>Xeranthemum imperialis</i> fl. pl. †	Everlasting Flower, Dark . . .	pur.&v.	2	hA	\$0 10
varium †	Mixed	div.	2	hA	05
<i>Zauschneria Californica</i>	Scarlet Tubular-flowered . . .	scarlet	1	hhP	25
<i>Zea Japonica</i>	Striped-leaved Japanese Maize.	w. & gr.	5	hhA	05
<i>Zinnia elegans alba</i>	Zinnia, Double White	white	2	hA	10
—coccinea	Double Scarlet	scarlet	2	hA	10
—aurea	Double Yellow	yellow	2	hA	10
—purpurea	Double Purple	purple	2	hA	10
—violacea	Double Violet	violet	2	hA	10
—rosea	Double Rose	rose	2	hA	10
—grandiflora robusta	Double Large-flowering	div.	2	hA	10
—zebra	Double Carnation, Striped.	striped	2	hA	10
—in varieties	Double Mixed	div.	2	hA	10
—Tom Thumb	Dwarf Double Mixed	div.	1	hA	10
—New Pompon	Double Cone-shaped	div.	1	hA	10
Haageana fl. pl.	Mexican Double	golden	1 ¼	hA	10
COLLECTIONS	See page 51.				

ORNAMENTAL GRASSES

	Per pkt.		Per pkt.
<i>Agrostis pulchella</i> . hA	\$0 10	<i>Coix lachrymæ</i> (Job's Tears). hA . . .	\$0 05
<i>Agrostis nebulosa</i> . hA. Fine	10	<i>Eragrostis elegans</i> (Love Grass). hA . .	05
<i>Anthoxanthum gracilis</i> . hhP	10	<i>Erianthus Ravennæ</i> . hP	10
<i>Arundo Donax</i> . hhP	10	<i>Eulalia Japonica</i> . hP	10
<i>Avena sensitiva</i> (Animated Oats). hA.	05	<i>Festuca rigida</i> . hP	10
<i>Bromus brizaeformis</i> . hA	05	<i>Gynerium</i> sp. (Pampas Grass). hhP . .	10
<i>Briza maxima</i> (Quaking Grass). hA . .	05	<i>Hordeum jubatum</i> . hA	05
<i>Briza gracilis</i> . hA	05	<i>Lagurus ovatus</i> (Hare's-tail). hA . . .	05
<i>Brizopyrum siculum</i> . hA	05	<i>Setaria macrochaeta</i> . hA	10
<i>Chrysurus aureus</i> (Lamarckia). hA . .	05	<i>Stipa pennata</i> (Feather Grass). hP . .	10

COLLECTIONS OF FLOWER SEEDS

German and French Flower Seeds

☞ Raised and put up by celebrated cultivators in Europe, and sold in the original packets as received.

ASTERS

Truffaut's French Peony-flowered Perfection, 12 distinct varieties	\$0 75	Rose-flowered German, extra fine, 8 varieties	\$0 75
Truffaut's Imbricated Pompon French, 12 varieties	75	Cocardeau, or Crown (white center), 6 varieties	50
Quilled Double German, 12 varieties	75	Giant Comet Asters, 6 distinct varieties	75
New Dwarf Bouquet German (<i>Boltz</i>), 10 varieties	75	Betteridge's Prize, 12 varieties	75
Globe, or Uhland German, 10 varieties.	75	New Victoria German, 8 distinct varieties	50
Dwarf Chrysanthemum-flowered German, 6 varieties	50		

BALSAMS

Miniature, or Dwarf German, 10 varieties	\$0 75	Carnation-striped, double, 8 fine varieties	\$0 75
Camellia-flowered, extra double, spotted, 12 varieties	1 00	Double Dwarf Camellia-flowered, 6 varieties	75

STOCKS

Dwarf German Ten-Weeks, 12 varieties.	\$0 75	Wallflower-leaved Ten-Weeks, 10 superb varieties	\$0 75
New Large-flowering Dwarf Ten-Weeks, 12 varieties	75	Winter Large-flowering German, 8 varieties	75
Perpetual Emperor, 12 varieties	75		

MISCELLANEOUS COLLECTIONS

Amarantus , Ornamental Sorts, 8 varieties	\$0 50	Ornamental Grasses , 12 varieties	\$0 75
Antirrhinum (Snap-dragon), 12 varieties	75	Pansy , or Heartsease , 12 distinct varieties	1 00
Aquilegia (Columbine), 12 varieties	50	Papaver (Double Poppy), 12 varieties	1 50
Begonia , Tuberous-rooted, 6 varieties	1 00	Petunia fimbriata fl. pl. , 6 varieties	1 50
Canna , Dwarf French, 6 varieties	50	“ Double, 6 distinct varieties	75
Calliopsis (Coreopsis), 8 varieties	35	“ Single, 6 distinct varieties	75
Campanula (Canterbury Bell), 6 varieties	50	Phlox Drummondii , 12 named varieties.	75
Celosia cristata (Cockscomb), 6 varieties	50	Pinks , Carnation , 12 fine varieties	1 00
Chrysanthemums , Annual, 12 varieties.	50	“ Perpetual, or Tree , 6 fine varieties	1 50
Coleus , Superb Mixed, 12 varieties	1 50	Portulaca , Double, 8 varieties	75
Delphinium (Larkspur), 10 varieties	75	“ Single, 10 varieties	50
“ Candelabra-formed , 6 varieties	60	Primrose , Fringed Chinese, 6 varieties	75
Dianthus Chinensis (Annual Pinks), 12 varieties	1 00	Salpiglossis hybrida , 12 varieties	75
Everlasting , or Eternal-Flower , 12 varieties	1 00	Scabiosa (Sweet Scabious), 10 varieties	75
Ferns , Fine Mixed, 12 varieties	1 50	Tagetes (French and African Marigold), 8 varieties	40
Fuchsia , 12 varieties	1 25	Tropæolum (Nasturtium), Tom Thumb , 12 varieties	75
Herbaceous Hardy Plants , 12 varieties	1 00	“ (Nasturtium), Tall , or Climbing , 12 varieties	75
Hollyhocks , German Double, 12 varieties	1 00	“ Lobbianum , 8 varieties	50
Iberis (Candytuft), 8 varieties	40	Verbena hybrida , 6 varieties	75
Lathyrus (Sweet Peas), 16 varieties	75	Wallflower , German Double, 6 varieties.	50
Lupinus (Lupins), 8 varieties	40	Zinnia elegans , Tall Double, 8 varieties.	75
		“ “ Dwarf Double, 8 varieties	50

OUR OWN SELECTION

100 packets of Annuals , Biennials and Perennials , best assorted	\$8 00
100 “ “ “ “ good assorted	4 00
50 “ “ “ “ best assorted	4 00
50 “ “ “ “ good assorted	2 00
25 “ “ best assorted	2 00
20 “ “ good assorted	1 00
12 “ “ best assorted	1 00
10 “ “ good assorted	50
12 “ “ new and favorite kinds	1 50



FLOWER SEEDS BY WEIGHT

For other varieties, see pages 30 to 50

	Per oz.		Per oz.
<i>Ageratum Mexicanum</i> , Blue	\$0 50	<i>Ipomœa</i> (Cypress Vine), Scarlet	\$0 40
<i>Althæa</i> (Hollyhock), Double Mixed	75	" White	30
" " Double White	1 00	" Star	25
<i>Alyssum</i> , Sweet, White	40	<i>Lathyrus</i> (Sweet Peas), Named varieties, see page 41 . . lb., \$1. .	
" <i>compacta</i>	50	" Special Mixed . . lb., \$1. .	
<i>Amarantus tricolor</i>	30	" Eckford's Mixed . . lb., 75c. .	
<i>Aquilegia</i> (Columbine), Mixed	50	" Ordinary Mixed . . lb., 75c. .	
<i>Aster Chinensis</i> , Fine Mixed	50	<i>Lobelia gracilis</i> , Blue	75
" German Quilled, Mixed	50	" <i>speciosa</i> , Crystal Palace	1 50
" Truffaut's White	2 00	" " <i>compacta</i>	2 50
" Blood-Red	2 00	<i>Lupinus</i> (Lupins), Mixed Annual	25
" <i>cæruleus</i>	1 75	<i>Malcolmia</i> (Virginia Stocks), Lilac	30
" Perfection, Mixed	1 75	<i>Matthiola</i> (Stocks, Ten-Weeks), English Mixed	75
<i>Balsamina</i> (Balsam) Paris, Mixed	50	" Finest Mixed	3 00
" <i>Camellia-flowered</i> , Mixed	1 00	" Cut-and-Come-Again, White	2 50
" Double White	1 00	<i>Mimosa</i> (Sensitive Plant)	75
<i>Cacalia</i> (Scarlet Tassel Flower)	30	<i>Mirabilis</i> (Marvel of Peru)	25
<i>Calendula officinalis</i> , Meteor	25	<i>Myosotis</i> (Alpine Forget-me-not), Blue	75
" Prince of Orange	25	<i>Myrsiphyllum</i> (Smilax Vine)	75
<i>Calliopsis</i> (Coreopsis), Golden Wave	30	<i>Nemophila insignis</i> , Blue	30
<i>Canna</i> (Indian Shot), Crozy's Mixed	50	" Fine Mixed	25
<i>Cardiospermum</i> (Balloon Vine)	25	<i>Papaver</i> (Poppy), French Mixed	30
<i>Centaurea gymnocarpa</i>	75	" (The Shirley)	75
" <i>candidissima</i>	1 75	<i>Perilla Nankinensis</i> , Purple-leaved	25
" (Sweet Sultan), Yellow	50	<i>Petunia</i> , Purple	50
<i>Cheiranthus</i> (Wallflower), Double	3 00	" White	50
<i>Cobœa scandens</i> , Purple	75	" Mixed	75
<i>Coix lachryma</i> (Job's Tears)	25	" " Extra	4 00
<i>Cosmos</i> , in varieties	50	<i>Phlox Drummondii</i> , White	1 00
<i>Convolvulus major</i> (Morning-Glory)	20	" " Scarlet	1 00
" <i>minor</i> , Fine Mixed	25	" " Fine Mixed	50
<i>Dahlia</i> , Single Dwarf	50	<i>Portulaca</i> (Sun Plant), White	50
<i>Delphinium</i> (Larkspur), Tall Branching	20	" Scarlet	50
" Dwarf Rocket	30	" Mixed	50
<i>Dianthus Chinensis</i> (Indian Pink), Mixed	50	" " Double, extra	5 00
" <i>barbatus</i> (Sweet William), Mixed	50	<i>Pyrethrum aureum</i> (Golden Feather)	75
" Carnation Pink, Common Mixed	75	<i>Reseda</i> (Mignonette, Sw't) . lb., 75c. .	15
<i>Digitalis</i> (Foxglove), Mixed	40	" Large lb., \$1. .	20
<i>Dolichos</i> (Hyacinth Bean)	25	" Giant Pyramidal lb., \$1. .	20
<i>Eschscholzia Californica</i> , Orange	40	" Machet	60
<i>Euphorbia</i> , Variegated-leaved	40	<i>Ricinus</i> (Castor Bean), Fine Mixed	15
<i>Gaillardia picta</i>	25	" <i>sanguineus</i> , Red	25
<i>Gilia</i> , Fine Mixed	30	<i>Salvia splendens</i> (Scarlet Sage)	1 50
<i>Gomphrena</i> (Globe Amaranth), White	40	<i>Scabiosa</i> (Mourning Bride), Mixed	50
" Crimson	40	<i>Tagetes</i> (Marigold), French Mixed	50
<i>Helianthus</i> (Sunflower), Double Dwarf	25	" African Mixed	50
<i>Hibiscus Africanus</i> (Bladder Ketmia)	25	<i>Thunbergia Vine</i> , Fine Mixed	50
<i>Iberis</i> (Candytuft), White	25	<i>Trifolium</i> (Sweet-scented Clover)	50
" Crimson	30	<i>Tropæolum</i> (Canary-Bird Vine)	50
" Empress, Large White	60	" Nasturtium, Tall, Mixed	20
" Mixed	25	" Tom Thumb, Mixed	20
		<i>Verbena</i> , Fine Mixed	75
		" Extra Fine Mixed	1 50
		<i>Viola</i> (Pansy), Fine Mixed	2 00
		" Extra Fine Mixed	4 00
		<i>Zinnia elegans</i> , Double Mixed	40

SEEDS ADAPTED TO GREENHOUSE CULTURE

The annexed are adapted to culture in the dwelling house or greenhouse, though many varieties will answer for the border during the summer months. The kinds mentioned will be found under their scientific names in the descriptions of Flower Seeds.

Abutilon , in varieties.	Heliotropium (Heliotrope).
Acacia , in varieties.	Humea elegans .
Alstroemeria hybrida .	Impatiens Sultani .
Angelonia grandiflora .	Ipomœa Learii .
Asparagus plumosus nanus .	Kaulfussia , in varieties.
“ Sprengeri .	Kennedyia , in varieties.
Azalea Indica .	Lantana , in varieties.
Begonia hybrida .	Lophospermum , in varieties.
Calceolaria , in varieties.	Matthiola (Stock Gilli).
Campanula pyramidalis .	Maurandia , in varieties.
Centaurea Clementei .	Mimulus (Monkey-Flower).
“ gymnocarpa .	Myrsiphyllum (Smilax).
Chorizema , in varieties.	Myrtus (Myrtle).
Cineraria hybrida .	Nierembergia gracilis .
Convolvulus Mauritanicus .	Oxalis , in varieties.
Coronilla , in varieties.	Passiflora (Passion-Flower).
Cuphea platycentra .	Pelargonium (Geranium).
Cyclamen Persicum giganteum .	Petunia , in varieties.
Dianthus caryophyllus (Carnation).	Polygala , in varieties.
Dracœna , in varieties.	Primula Sinensis (Chinese Primrose).
Dracocephalum (Balm of Gilead).	Reseda (Mignonette).
Epacris hybrida .	Salvia splendens .
Eupatorium , in varieties.	Senecio (Jacobœa), in varieties.
Euphorbia pandurata .	Stevia serrata .
Ferns , in varieties.	Tacsonia ignea .
Fuchsia , in varieties.	Torenia edentata .
Glaucium corniculatum .	Tropœolum Lobbianum , in varieties.
Gloxinia , in varieties.	Vinca (Madagascar Periwinkle).
Grevillea robusta .	

Useful Ornamental Foliage Plants

Suitable for Borders and Subtropical Gardening

Amaranthus salicifolius .	Helianthus (Russian Sunflower).
“ bicolor ruber .	“ argophyllum .
“ tricolor .	“ centrochlorus fl. pl.
“ Henderi .	Humea elegans .
Aquilegia (Columbine).	Liatris (Gay-Feather).
Bocconia Japonica .	Martynia fragrans .
Canna (Indian Shot).	Nicotiana affinis (Tobacco).
Cannabis gigantea (Giant Hemp).	Ornamental Grasses .
Carduus benedictus .	Perilla Nankinensis .
Celosia cristata (Cockscomb).	Pyrethrum aureum .
Centaurea candidissima .	Musa Ensete .
Cineraria maritima .	Ricinus (Castor-Oil Plant).
Datura meteloides .	Salvia argentea .
Erythrina (Coral Plant).	Solanum coccineum .
Eryngium Leavenworthi .	Statice incana .
Euphorbia marginata .	Trifolium odoratum .
“ pandurata .	Wigandia Vigieri .
Glaucium (Horned Poppy).	Zea Japonica .

Annuals, Etc., for Vases and Hanging Baskets

Ageratum , in varieties.	Cineraria maritima .
Alonsoa , in varieties.	Clintonia elegans .
Alyssum maritimum .	Convolvulus minor .
Asparagus Sprengeri .	“ Mauritanicus .
Aubrietia deltoidea .	Eschscholzia mandarin .
Brachycome (Swan River Daisy).	Fenzlia dianthiflora .
Calandrinia umbellata .	Gilia tricolor , in varieties.
Callirrhœ pedata .	Iberis odorata , in varieties.
Centaurea candidissima .	Leptosiphon , in varieties.

ANNUALS, ETC., FOR VASES AND HANGING BASKETS. *continued*

<i>Linum</i> (Flax).	<i>Portulaca</i> , in varieties.
<i>Loasa lateritia</i> .	<i>Reseda odorata</i> (Mignonette).
<i>Lobelia gracilis</i> , in varieties.	<i>Sanvitalia procumbens</i> .
<i>Lophospermum</i> , in varieties.	<i>Saponaria</i> (Soapwort).
<i>Malcolmia</i> (Virginian Stock).	<i>Saxifraga</i> , in varieties.
<i>Maurandia</i> , in varieties.	<i>Sedum</i> (Stonecrop).
<i>Mimulus</i> (Musk Plant).	<i>Thunbergia</i> , in varieties.
“ (Monkey-Flower).	<i>Tropæolum</i> (Nasturtium).
<i>Nemophila</i> (Love-Grove).	<i>Verbena</i> , in varieties.
<i>Nierembergia gracilis</i> .	<i>Vinca</i> (Madagascar Periwinkle).
<i>Nolana prostrata</i> .	<i>Viola tricolor</i> (Pansy).
<i>Pelargonium</i> , <i>Zonale</i> (Geranium).	<i>Viscaria</i> (Rose of Heaven).
<i>Petunia</i> , in varieties.	<i>Zinnia Haageana</i> .

Annuals, Etc., for Bouquets and Nosegays

<i>Abronia umbellata</i> .	<i>Gaillardia</i> .
<i>Ageratum</i> , in varieties.	<i>Gilia</i> , in varieties.
<i>Alyssum</i> (Sweet Alyssum).	<i>Gomphrena</i> (Globe Amaranth).
<i>Antirrhinum</i> (Snapdragon).	<i>Gypsophila</i> , in varieties.
<i>Aquilegia</i> (Columbine).	<i>Heliotropium</i> (Heliotrope).
<i>Asperula azurea</i> .	<i>Hesperis</i> (Sweet Rocket).
<i>Aster Chinensis</i> , and varieties.	<i>Iberis odorata</i> , in varieties.
<i>Balsamina camelliæflora</i> .	<i>Lathyrus</i> (Sweet Peas).
<i>Cacalia</i> (Tassel-Flower).	<i>Leptosiphon</i> , in varieties.
<i>Celosia kermesina</i> .	<i>Lychnis Chalcedonica</i> .
<i>Centaurea</i> (Sweet Sultan).	<i>Matthiola</i> (Ten-Weeks Stock).
“ <i>Cyanus</i> (Bluebottle).	<i>Myosotis</i> (Forget-me-not).
<i>Centranthus</i> , in varieties.	<i>Nigella</i> (Love-in-a-Mist).
<i>Chrysanthemum</i> , in varieties.	<i>Phlox Drummondii</i> , in varieties.
<i>Clintonia pulchella</i> .	<i>Reseda</i> (Mignonette).
<i>Collinsia</i> , in varieties.	<i>Salpiglossis hybrida</i> .
<i>Cosmos</i> .	<i>Scabiosa</i> (Mourning Bride).
<i>Cuphea</i> .	<i>Senecio</i> (Jacobæa).
<i>Cynoglossum</i> (Venus' Navelwort.)	<i>Silene Armeria</i> (Catchfly).
<i>Dianthus Chinensis</i> (Pinks.)	<i>Smilax asparagoides</i> .
“ <i>barbatus</i> (Sweet William).	<i>Tropæolum</i> (Nasturtium).
“ <i>caryophyllus</i> (Carnation).	<i>Verbena</i> , in varieties.
<i>Delphinium</i> (Larkspur).	<i>Viola tricolor</i> (Pansy).
<i>Didiscus cæruleus</i> .	<i>Viscaria</i> , in varieties.
<i>Erysimum</i> (Hedge Mustard).	<i>Zinnia elegans fl. pl.</i>

Index to Common Names

<i>Common Name</i>	<i>Botanical Name</i>	<i>Common Name</i>	<i>Botanical Name</i>
African Marigold	<i>Tagetes</i> .	Bell-Flower	<i>Campanula</i> .
African Daisy	<i>Athanasia</i> .	Bouncing Bet	<i>Saponaria</i> .
Allegheny Vine	<i>Adlumia</i> .	Blue Hibiscus	<i>Anoda</i> .
Amethyst	<i>Browallia</i> .	Californian Poppy	<i>Platystemon</i> .
Animated Oats	<i>Avena</i> .	Calomaria	<i>Humea</i> .
Arabian Primrose	<i>Arnebia</i> .	Candytuft	<i>Iberis</i> .
Armeria	<i>Statice</i> .	Canary-Bird Flower	<i>Tropæolum</i> .
Aster	<i>Aster</i> .	Canterbury Bells	<i>Campanula</i> .
Auricula	<i>Primula</i> .	Cape Marigold	<i>Calendula</i> .
Baby's Breath	<i>Gypsophila</i> .	Carnation Pink	<i>Dianthus</i> .
Balsams	<i>Balsamina</i> .	Cardinal-Flower	<i>Lobelia</i> .
Balsam Apple	<i>Momordica</i> .	Castor Bean	<i>Ricinus</i> .
Balsam Pear	<i>Momordica</i> .	Catchfly	<i>Silene</i> .
Balm of Gilead	<i>Dracocephalum</i> .	China Pink	<i>Dianthus</i> .
Balloon Vine	<i>Cardiospermum</i> .	Chinese Bell-Flower	<i>Abutilon</i> .
Banana	<i>Musa</i> .	Chinese Primrose	<i>Primula</i> .
Bachelor's Buttons	<i>Globe Amaranth</i> .	Chinese Larkspur	<i>Delphinium</i> .
Beans	<i>Phaseolus</i> .	Chinese Lantern Plant	<i>Physalis</i> .
Bearded Pentstemon	<i>Chelone</i> .	Cigar Plant	<i>Cuphea</i> . [num.]
Bee Larkspur	<i>Delphinium</i> .	Clary	<i>Salvia Hormi-</i>
Bladder Ketmia	<i>Hibiscus</i> .	Climbing Cucumber	<i>Cyclanthera</i> .
Bluebottle	<i>Centaurea</i> .	Clove Pink	<i>Dianthus</i> .
Boston Ivy	<i>Ampelopsis</i> .	Cockscomb	<i>Celosia</i> .

INDEX TO COMMON NAMES continued

<i>Common Name</i>	<i>Botanical Name</i>	<i>Common Name</i>	<i>Botanical Name</i>
Columbine	Aquilegia.	Marvel of Peru	Mirabilis.
Coral Plant	Erythrina.	Mexican Poppy	Argemone.
Cordylone	Dracena.	Mignonette	Reseda.
Coreopsis	Calliopsis.	Mock Orange	Cucurbita.
Cosmos	Cosmos.	Monkey-Flower	Mimulus.
Cowslip	Primula veris.	Monk's-Hood	Aconitum.
Cucumber Vine	Cucumis.	Morning-Glory	Convolvulus.
Cypress Vine	Ipomœa.	Mountain Fringe	Adlumia.
Dahlia	Dahlia.	Mourning Bride	Scabiosa.
Daisy	Bellis.	Musk Plant	Mimulus.
Dame's Violet	Hesperis. [mum.	Myrtle	Myrtus.
Dew Plant	Mesembryanthe-	Nasturtium	Tropœolum.
Dusty Miller	Cineraria.	Old Maid	Vinca.
Dutchman's Pipe	Aristolochia.	Pansy	Viola.
Ecchremocarpus	Calampelis.	Passion-Flower	Passiflora.
Eggplant	Solanum.	Pasque-Flower	Anemone.
Eternal-Flower	Helichrysum.	Petunia	Petunia.
Evening Primrose	Cenothera.	Pheasant's-Eye	Adonis.
Everlasting Peas	Lathyrus.	Pheasant's-Eye Pink	Dianthus.
Fever-and-Agüe Plant	Eucalyptus.	Phlox	Phlox.
Feverfew	Pyrethrum.	Pinks	Dianthus.
Feather Grass	Stipa.	Polyanthus	Primula.
Flax	Linum.	Poppy	Papaver.
Forget-me-not	Myosotis.	Pot Marigold	Calendula.
Foxglove	Digitalis.	Primrose	Primula.
Four-O'clock	Mirabilis.	Prince's Feather	Amarantus.
French Marigold	Tagetes.	Quaking Grass	Briza.
Gas Plant	Dictamnus.	Rock Plant	Aubretia.
Gay-Feather	Liatris.	Rose, African	Papaver Rhœa.
Geranium	Pelargonium.	Rose-of-Heaven	Viscaria.
Gilliflower	Matthiola.	Rose Campion	Agrostemma.
Globe Amaranth	Gomphrena.	Sage	Salvia.
Glory Vine	Cianthus.	Satin-Flower	Lunaria.
Gourds	Cucurbita.	Scotch Broom	Cytisus.
Heartsease	Viola.	Sensitive Plant	Mimosa.
Heath	Erica.	Silk Oak	Grevillea.
Hedge Mustard	Erysimum.	Slipperwort	Calceolaria.
Hedgehog	Hedysarum.	Smilax	Myrsiphyllum.
Heliotrope	Heliotropium.	Snake Cucumber	Cucumis.
Hollyhock	Althœa.	Snapdragon	Antirrhinum.
Honesty	Lunaria.	Spider-Flower	Cleome.
Honeysuckle	Lonicera.	Stock Gilli	Matthiola.
Horn-of-Plenty	Datura.	Stonecrop	Sedum.
Horned Poppy	Glaucium.	Sun Dial	Lupins.
Hyacinth Bean	Dolichos. [mum.	Sunflower	Helianthus.
Ice Plant	Mesembryanthe-	Sun Plant	Portulaca.
Immortal-Flower	Xeranthemum.	Snow-on-the-Mountain	Euphorbia.
Imperial Pink	Dianthus.	Swallowwort	Asclepias.
Indian Shot	Canna.	Swan River Daisy	Brachycome.
Jacob's Ladder	Polemonium.	Sweet Clover	Trifolium.
Japan Hop	Humilis.	Sweet Peas	Lathyrus.
Japanese Maize	Zea.	Sweet Rocket	Hesperis.
Japan Pink	Dianthus.	Sweet Sultan	Centaurea.
Job's Tears	Coix (grass).	Sweet William	Dianthus.
Joseph's Coat	Amarantus.	Tassel-Flower	Cacalia.
Lady's-Slipper	Balsamina.	Tobacco	Nicotiana.
Larkspur	Delphinium.	Touch-me-not	Impatiens.
Lemon Verbena	Aloysia.	Variogated Spurge	Euphorbia.
Lobelia	Lobelia.	Venus' Looking-Glass	Campanula.
London Pride	Dianthus.	Venus' Navelwort	Cynoglossum.
Love-Grove	Nemophila.	Verbena	Verbena.
Love-Grass	Eragrostis.	Virginian Stock	Malcolmia.
Love-in a-Mist	Nigella.	Virgin's Bowler	Clematis.
Love-in-a-Puff	Cardiospermum.	Wallflower	Cheiranthus.
Love-lies-bleeding	Amarantus.	Wild Cucumber	Echinocystis.
Maiden Pink	Dianthus.	Windflower	Anemone.
Marigold	Tagetes.	Youth-and-Old-Age	Zinnia.



Aquilegia



Coreopsis



Silene

Hardy Perennial Plants

FOR PERMANENT PLANTING IN OPEN BORDERS


Prices for any of the following, 25 cts. each, \$2.25 per doz.

Varieties	Height	Color	Time of Bloom
<i>Aconitum Napellus</i> (Monk's-hood)	3 ft.	Blue	June
<i>Achillea</i> , "The Pearl"	1½ "	White	All Summer
" <i>tomentosa</i> (Downy Yarrow)	1 "	Yellow	Summer
<i>Adonis vernalis</i> (Spring Adonis)	1 "	Yellow	May
<i>Ajuga reptans rubra</i> (Dark Foliage)	6 in.	Blue	Summer
<i>Alstromeria aurantiaca</i> (Peruvian Lily)	2 to 3 ft.	Orange	All Season
<i>Alyssum saxatile</i> (Golden Tuft)	1 ft.	Yellow	Early Spring
<i>Anemone Japonica alba</i>	2 "	White	Fall
" " <i>rubra</i>	2 "	Red	Fall
" " <i>Pennsylvanica</i>	1 "	White	Spring
<i>Anthemis tinctoria</i> (Yellow Chamomile)	1 "	Yellow	July to Nov.
<i>Anthericum</i> (St. Bruno's Lily)	3 "	White	Summer
<i>Aquilegia</i> (Columbine)	1½ "	Assorted	Early Summer
<i>Arabis albida</i> (Rock Cress)	6 in.	White	May
<i>Armeria maritima</i> (Sea Pink)	7 in.	Rose	Spring
<i>Artemisia Abrotanum</i> (Southernwood)	2 "	Yellow	Fragrant fol.
<i>Asclepias tuberosa</i> (Butterfly-Flower)	2 "	Orange	June
<i>Asperula odorata</i> (Woodruff)	1 "	White	Summer
<i>Asphodelus luteus</i> (Asphodel)	3 "	Yellow	May to July
<i>Aster Novæ-Anglæ</i> (New England Aster)	3 "	Purple	Fall
<i>Astilbe Japonica</i> (Japan Astilbe)	1½ "	White	Early Summer
<i>Baptisia australis</i> (Blue False Indigo)	3 to 5 ft.	Blue	Early Summer
<i>Bocconia cordata</i> (Tree Celandine)	6 ft.	Cream	Summer
<i>Boltonia asteroides</i> (False Chamomile)	4 "	White	All Summer
<i>Callirrhoe involucrata</i> (Creeping Mallow)	4 in.	Crimson	All Summer
<i>Campanula</i> (Canterbury Bells)	2 ft.	Assorted	Early Summer
<i>Cassia Marilandica</i> (American Senna)	4 "	Yellow	July
<i>Centranthus ruber</i> (Red Valerian)	2 "	Red	All Summer
<i>Clematis Davidiana</i> (Hyacinth Clematis)	2 "	Blue	Summer
<i>Coreopsis lanceolata</i>	1½ "	Yellow	All Season
" " <i>rosea</i> (Rosy Coreopsis)	1 "	Rose	All Season
<i>Delphinium album</i> (White Larkspur)	3 "	White	June to Nov.
" " <i>formosum</i> (Blue Larkspur)	3 "	Blue	All Summer
<i>Desmodium penduliflorum</i> (Pea Shrub)	4 "	Carmine	All Season
<i>Dianthus barbatus</i> (Sweet William)	1½ "	Assorted	Summer
<i>Dicentra</i>	1 "	Rose	Summer
" " <i>spectabilis</i> (Bleeding-Heart)	2 "	Pink	May, June
<i>Dictamnus Fraxinella</i> (Gas Plant)	2 "	Red	Summer
" " " <i>alba</i>	2 "	White	Summer
<i>Digitalis</i> (Foxglove)	3 to 5 ft.	Assorted	July and Aug.
<i>Dodecatheon Meadia</i> (Shooting Star)	1 ft.	Rose	May and June
<i>Doronicum Caucasicum</i> (Leopard's Bane)	1 "	Yellow	Early Spring
" " " <i>plantagineum excelsum</i>	1 "	Yellow	May to Sept.
<i>Eryngium amethystinum</i> (Sea Holly)	2 "	Blue	July, Aug.
<i>Eupatorium ageratoides</i> (Snakeroot)	3 "	White	Summer

Varieties	Height	Color	Time of Bloom
<i>Euphorbia corollata</i> (Flowering Spurge)	1 ft.	White	Summer
<i>Funkia Sieboldii</i> , var. (Variegated Lily)	2 "	Variegated	Foliage
" <i>subcordata</i> (White Plantain Lily)	2 "	White	Summer
<i>Gaillardia grandiflora</i> (Aurora-Flower)	1 1/2 "	Orange	June to Nov.
<i>Glechoma</i> (Variegated Ground Ivy)	6 in.	Blue	Summer
<i>Gypsophila paniculata</i> (Baby's Breath)	1 ft.	White	Summer
<i>Helenium autumnale</i>	5 "	Yellow	Fall
<i>Helianthus Maximiliani</i> (Sunflower)	6 "	Yellow	November
" <i>multiflorus</i> (Sunflower)	4 "	Yellow	All Season
<i>Heliopsis Pitcherianus</i> (Sunflower)	3 "	Yellow	All Season
<i>Helleborus niger</i> (Christmas Rose)	1 "	White	Spring
<i>Hemerocallis Dumortieri</i> (Day Lily)	2 "	Orange	Summer
" <i>flava</i> (Yellow Day Lily)	2 "	Yellow	Summer
<i>Heuchera sanguinea</i> (Alum Root)	1 "	Red	All Summer
<i>Hibiscus, Crimson Eye</i> (Mallow)	4 to 6 ft.	Wh. & crim.	Aug. to Oct.
<i>Iberis Gibraltarica</i> (Candytuft)	1 ft.	White	Spring
<i>Iris, Japanese</i> . See page 62.			
<i>Liatriis pycnostachya</i> (Gay-Feather)	4 "	Carmine	Aug. to Sept.
<i>Lobelia cardinalis</i> (Cardinal-Flower)	3 "	Red	Aug. to Oct.
" <i>syphilitica</i> (Great Blue Lobelia)	3 "	Blue	September
<i>Lupinus polyphyllus</i> (Lupins)	3 "	Blue	June
<i>Lychnis</i> (Double Rose, Ragged Robin)	1 "	Rose	All Season
" <i>Chalcedonica</i> (Maltese Cross)	2 to 3 ft.	Scarlet	June and July
<i>Lysimachia</i> (Moneywort)	2 in.	Yellow	Summer
<i>Malva moschata alba</i> (Musk Mallow)	5 ft.	White	Summer
<i>Mertensia Virginica</i> (Lungwort)	2 "	Blue	May and June
<i>Monarda didyma</i> (Oswego Tea)	1 1/2 "	Red	Summer
<i>Myosotis palustris</i> (Forget-me-not)	1 "	Blue	Summer
<i>Oenothera Fraseri</i> (Dwarf Day Primrose)	1 "	Yellow	All Season
" <i>Missouriensis</i> (Evening Primrose)	4 "	Yellow	Summer
<i>Peonies, Herbaceous</i> . See page 62.			
<i>Papaver bracteatum</i> (Oriental Poppy)	3 "	Blood-red	Summer
" <i>orientale</i> (Oriental Poppy)	3 "	Scarlet	Summer
<i>Pardanthus</i> (Blackberry Lily)	3 "	Orange	Aug., Sept.
<i>Pentstemon barbatus</i> , var. <i>Torreyi</i>	4 "	Scarlet	All Summer
<i>Phlox amœna</i> (Lovely Phlox)	1 "	Light rose	Spring
" <i>subulata</i> (Moss Pink)	6 in.	Pink	Spring
" <i>alba</i>	6 "	White	Spring
<i>Phloxes, Assorted</i> .			
<i>Platycodon grandiflorum</i> (Bellflower)	2 to 3 ft.	Assorted	June to Aug.
<i>Plumbago Larpentæ</i> (Blue Leadwort)	1 ft.	Purple	All Summer
<i>Polemonium cœruleum</i> (Jacob's Ladder)	1 "	Blue	Spring
<i>Polygonum</i> (Mountain Fleece)	4 to 5 ft.	White	Summer
<i>Primula elatior</i> (Cowslip)	1 ft.	Assorted	Spring
<i>Pyrethrum hybridum</i> (Persian Daisy)	1 1/2 "	Assorted	Summer
<i>Rhexia Virginica</i> (Meadow Beauty)	1 "	Rosy purple	Late Summer
<i>Rudbeckia</i> (Golden Glow)	3 "	Yellow	September
<i>Salvia pratensis</i> (Meadow Sage)	1 "	Blue	All Summer
<i>Scabiosa Caucasica</i> (Blue Scabiosa)	1 "	Lilac	All Summer
<i>Silene Pennsylvanica</i> (Catchfly)	1/2 "	Pink	May and June
<i>Spiræa Filipendula</i> (Dropwort)	2 "	White	Summer
" <i>palmata</i> (Palmate Spirea)	3 "	Rose	Summer
" <i>Ulmaria</i> (Meadow Sweet)	2 "	White	Summer
<i>Stachys lanata</i> (White Foliage)	1 "	Purple	Summer
<i>Thalictrum aquilegifolium</i> (Columbine Meadow Rue)	2 "	Purplish	Summer
<i>Tradescantia Virginica</i> (Spiderwort)	2 "	Purple	Summer
<i>Tricyrtis hirta nigra</i> (Toad Lily)	1 "	Spotted	Fall
<i>Tritoma</i> (Red-Hot-Poker Plant)	3 to 4 ft.	Scarlet	Fall
<i>Valeriana officinalis</i> (Garden Heliotrope)	3 ft.	Lavender	Summer
<i>Verbascum nigrum</i> (Dark Mullein)	3 "	Yellow	July to Fall
<i>Veronica subsessilis</i> (Speedwell)	2 "	Blue	August
" <i>spicata</i>	3 "	Blue	All Summer
" <i>alba</i>	3 "	White	All Summer
<i>Vinca</i> (Creeping Myrtle)	1/2 "	Blue	Spring
" (Creeping Myrtle)	1/2 "	White	Spring
<i>Yucca filamentosa</i> (Adam's Needle)	5 to 8 ft.	White	July, Aug.

Bulbs and Tuberos Roots

The following are kept in stock or supplied to order



Tuberous-rooted Begonias

TUBEROUS-ROOTED BEGONIAS

The tuberous-rooted Begonias are among the handsomest of our summer-flowering bulbs.

Single Finest Mixed. 10 cts. each, \$1 per doz., \$5 per 100.

Double Finest Mixed. 20 cts. each, \$2 per doz., \$10 per 100.

AMARYLLIS

Splendid greenhouse bulbs, and also well suited for house culture.

Belladonna. Violet and white. 20 cts. each, \$2 per doz.

Formosissima. 30 cts. each, \$3 per doz.

Johnsonii. 75 cts. each.

Vittata rubra. 50 cts. each.

CONVALLARIA MAJALIS

(Lily-of-the-Valley)

The most charming of spring-flowering plants. Large clumps, 30 cts. each.

CALADIUMS, FANCY

Leaves spotted with various colors in the richest manner; superb for summer decorations.

Distinct Sorts. For pot culture. 25 cts. each, \$2.50 per doz.

CALADIUM ESCULENTUM

One of the most attractive ornamental foliage plants in cultivation. 10 cts. each, \$1 per doz.; extra-large bulbs, 25 cts. each, \$2.25 per doz.; mammoth bulbs, 35 cts. each, \$3.50 per doz.

DAHLIAS

Well-known summer- and fall-blooming plants, affording grand flowers of the brightest colors.

Single, Pompon, Large-flowering and Cactus Varieties. 20 cts. each, \$2 per doz.

DIELYTRA SPECTABILIS

(Bleeding-Heart)

A good companion to *Astilbe Japonica*; has lovely pink and white flowers in June, gracefully borne. 30 cts. each, \$3 per doz.

DOUBLE TUBEROSES

One of the most fragrant and beautiful of summer-flowering bulbs.

Pearl. Flowers very large, imbricated like a rose; dwarf habit. 5 cts. each, 50 cts. per doz., \$3.50 per 100.

FUNKIA (Hemerocallis)

(Day Lily)

Handsome perennial plants. They are quite hardy and require a moist soil and shady situation. 30 cts. each, \$3 per doz.

CANNAS

Cannas should not be planted until all danger of frost is past. To secure early start, the bulbs should be placed in sand in warm situation and given plenty of moisture; by May they will be far enough advanced to make a fair showing in two weeks after planting out.

	Each.	Doz.		Each.	Doz.
Alphonse Bouvier. Crimson. 6 ft.	\$0 05	\$0 50	President Cleveland. Orange-scarlet. 5 ft.	\$0 10	\$1 00
Austria. Yellow, spotted crimson. 6 ft.	05	50	DARK FOLIAGE CANNAS		
Charles Henderson. Crimson. 4 ft.	05	50	Black Beauty. Crimson. 3½ ft.	15	1 50
Crimson Bedder. Crimson. 2 ft.	10	1 00	Egandale. Rose. 5 ft.	10	1 00
Flamingo. Scarlet. 4 ft.	10	75	King Humbert. Orange-scarlet. 3½ ft.	25	2 50
Florence Vaughan. Yellow, spotted crimson. 6 ft.	05	50	Musafolia. Red. 8 ft.	10	1 00
Italia. Red, gilt edge. 3 ft.	05	50	Robusta. Red. 5 ft.	05	50
Mme. Crozy. Red, gilt edge. 3 ft.	05	50	Shenandoah. Rose. 3 ft.	05	50

DAHLIAS

NEW AND RARE DAHLIAS

Red Giant. Very large, rich red, edged yellow. Plants \$1 each.

Rose Century. Very large, light rose with deep rose blotch. Plants 50 cts. each.

Gorgeous. Dazzling scarlet; fine for cut-flowers. Plants 75 cts. each.

NEW CACTUS DAHLIAS

Amos Perry. Bright scarlet; dwarf habit; blooms profusely. Plants 40 cts. each.

Alpha. White, spotted and flushed pink and crimson. Plants 40 cts. each.

Etna. Lilac, tinged violet, shaded yellow at base. Plants 25 cts. each.

Lord Roberts. Fine; pure white. Plants 25 cts. each.

Uncle Tom. Best black in this class. Plants 25 cts. each.

Aunt Chloe. Dark maroon, shaded black. Roots 25 cts. each, \$2.50 per doz.

Brunhilde. Deep rich plum. Large-sized flowers; profuse bloomer. Roots 25 cts. each \$2.50 per doz

Flamingo. Bright scarlet; very large. Plants 20 cts. each, \$2 per doz.

General Butler. Deep rich velvety maroon, tipped white. Roots 25c. each, \$2.50 per doz.

J. Weir Fife. Bluish purple, maroon shades. Roots 25 cts. each, \$2.50 per doz.

Kriemhilde. Delicate pink, shading to white. Roots 20 cts. each, \$2 per doz.

Mars. Dazzling scarlet; good size. Plants 25 cts. each, \$2.50 per doz.

Purity. Pure white; medium size. Plants 20 cts. each, \$2 per doz.

Winsome. Very fine white. Very large. Plants 25 cts. each, \$2.50 per doz.

DECORATIVE DAHLIAS

Gettysburg. New variety; bright, rich, pure scarlet; very early. Plants 40 cts., \$4 per doz

Cuban Giant. Immense size, dark glowing crimson, shaded maroon. Plants 30 cts. each, \$3 per doz.

Mad. Van den Dael. Grand variety; shell-pink. Plants 40 cts. each, \$4 per doz.

Mrs. Roosevelt. Very double, large, grand flowers of exquisite pink. Roots 30 cts. each, \$3 per doz.

Catherine Duer. Large, strong-flowering; bright crimson-scarlet.

Black Beauty. Dark velvety maroon.


Bronze Beauty. Golden yellow and bronze.

Clifford W. Bruton. The best yellow. Immense size, perfect form; finest canary-yellow. The standard cut-flower variety.

Claribel. Very large, bright purple, with long stems; fine for cutting.

Grand Duke Alexis. Very large white, tinted pale lavender. Quilled petals.

Henry Patrick. Large, white; long stems.



William Agnew

John Elitch. Very large, perfectly formed, with long stems; color deep crimson, richly shaded.

Nymphæa. Color clear, light, shrimp-pink; tinting lighter toward the center. Valuable for all purposes.

Oban. Very large; rosy lavender, overlaid delicate silvery lawn.

Perle d'Or. Best white decorative Dahlia to date, being of exquisite chrysanthemum form; early and profuse bloomer.

Wilhelm Miller. Brilliant purple; very large and distinct.

William Agnew. Best red ever introduced, of intense glistening scarlet-crimson. Immense size, perfect form, and always a mass of color. Very effective for all purposes.

Zulu (the Black Dahlia). Jet-black, changing to black-maroon as the flower fully expands.

Strong roots of all of above, 20 cts. each, \$2 per doz., except where noted

VERY CHOICE SHOW DAHLIAS

A. D. Livoni. Beautiful soft pink, with quilled petals. The standard pink for cutting.

Alice Emily. Fine shape, pure, rich yellow.

Aleta. Delicate blush-pink, tipped darker. Fine form; extremely profuse bloomer.

Arabella. Very fine form. Color pale primrose, tipped and shaded old-rose and lavender.


Armorer. Deep red, dwarf, and a profuse bloomer.

Beauty. Snow-white; perfect form; fine.

Burgundy. Deep plum, with white and carmine markings at the base of the petal. Large and showy.

SHOW DAHLIAS, continued

- Camellia alba.** Dwarf; pure white; fine form.
- Camellia flora.** A fine white Show Dahlia.
- Carol.** Pure white, delicately tinted soft pink.
- Client.** Large, deep, velvety crimson. Very fine.
- Diadem.** Dark, rich crimson; fine form.
- Duchess of Cambridge.** White, suffused pink, edged and tipped shades of purple.
- Ethel Britton.** Large, soft blush-pink.
- Emily Edwards.** White, suffused pink.
- Emily.** Shades of lavender and white. Very large, beautiful and striking.
- Eclipse.** Brilliant scarlet.
- Electric.** Soft, rosy magenta.
- Flora Nova.** Rich purple; petals quilled. Fine.
- George Smith.** Fine large crimson; perfect form.
- Hercules.** Very large, rich crimson-scarlet.
- Hero.** Deep crimson-maroon, shaded purple.
- Hon. Mrs. P. Wyndham.** Light yellow, tipped crimson-pink, shaded darker.
- Jamaica.** Deep rich purple, shaded maroon.
- James Vick.** Rich plum; profuse bloomer.
- James Stephens.** Very large, orange-scarlet.
- John Bennett.** Large yellow, tipped red.
- John Sladden.** Darkest velvety maroon.
- Japan Pink.** Deep pink, quilled petals.
- J. T. West.** Beautiful variety. White, suffused pink, tipped crimson-maroon.
- John Thorpe.** Very large; soft, rich pink. Very fine form.
- John Walker.** The best pure white Show Dahlia for exhibition purposes. Beautiful full round form with high center.
- Kaiser Wilhelm.** Very large, fine form; quilled petals; yellow, lightly tipped carmine.
- Lady Maude Herbert.** Pale yellow, shaded peach, tipped crimson.
- Lady G. Herbert.** White, tipped deep purple.
- La France.** Large, soft, delicate pink.



- Le Phare.** Fine bright red; long stems.
- Mad. Moreau.** Very large, with long stems; deep rosy pink.
- Magnificent.** Pure light yellow, lightly shaded. Dwarf and profuse.
- Mary D. Hallock.** A fine yellow-quilled variety.
- Margaret Bruant.** Dwarf and free; pure white.
- Margaret Bell.** Very large; soft carmine-rose.
- Miss Cannell.** White, suffused and heavily tipped crimson-purple. Large, with long, graceful stems.
- Miss May Lomas.** Delicate pure white, suffused soft pink.
- Miss Dodd.** Very large, pure yellow.
- Mrs. Dexter.** Very large; a rich shade of salmon.
- Mrs. Gladstone.** One of the finest exhibition varieties. Delicate shell-pink. Fine texture.
- Mrs. N. Halls.** Very large, deep crimson-purple, full, high center. One of the best.
- Mrs. Langtry.** Very fine; cream, peach and purple.
- Madge Wildfire.** Bright flaming scarlet, shaded red.
- Mrs. David Saunders.** Rosy lake and white; fine form.
- Nero.** Dark crimson-maroon.
- Oriole.** Rich yellow, edged and tipped red.
- Paul's Scarlet.** Brightest scarlet.
- Princess Bonnie.** A fine large white.
- Prince Bismarck.** Rich plum; large and fine.
- Purity.** A beautiful new white.
- Queen of the Belgians.** Very delicate blush-pink; round form; full high center; early and profuse bloomer.
- Queen of Yellows.** A beautiful clear yellow.
- Queen Victoria.** Deep yellow, finely quilled.
- Red Hussar.** Intense scarlet-crimson; the best of its color.
- Ronald.** A fine deep rich orange.
- Royal Queen.** Yellow, heavily tipped red.
- Ruby Queen.** Ruby red, richly shaded; fine large flowers and long stems. Profuse flowering.
- Ruth.** Pure white, sometimes edged blush.
- Sport.** A pure lavender sport of Penelope.
- Sir Charles Mills.** Large, pure golden yellow; full round form, full to the center. One of the best.
- Snow.** White; profuse bloomer.
- Stanley.** Bright golden yellow, heavily tipped red.
- Thomas White.** Darkest velvety maroon.
- Triomphe de Solferino.** Dwarf; bright solferino; very large; a good bedder.
- Verdiflora (Green Dahlia).** Absolutely green flowers, and valuable as a curiosity.
- White Dove.** Pure white, fringed petals; long stems.
- White Swan.** Snow-white, of beautiful form, with long stems.
- Willie Garrett.** Richest crimson-scarlet; perfect form; profuse bloomer. A good companion to Storm King.

GLADIOLI

Superb fall-flowering bulbs of easy growth; any good soil suits them. Plant as soon as all danger from frost is past, about 3 inches deep and 7 or 8 inches apart.

Groff's New Hybrids. A magnificent strain of rich colors.	Per 100.	1,000.
	\$2 00	\$15 00
Meadowvale Mixture. First size; very fine collection . . .	1 50	12 00
Childsii. A superb mixture of large-flowering varieties . . .	3 00	25 00
Orange and Yellow Shades . . .	5 00	50 00
Scarlet and Red Shades . . .	1 50	12 00

White and Light Shades. Extra fine	Per 100	1,000
	\$3 00	\$25 00
America. New. Beautiful soft flesh-pink. Grandest of its color yet introduced	Per doz.	100
	25 cts. each .	\$2 50 \$15 00
Augusta. Lovely pure white. Blue anthers	10 cts. each .	1 00 6 00
Brenchleyensis. Fine scarlet	25	1 50
May. Fine forcer. Pure white, flaked rosy crimson	50	3 00
Madame Monneret. Delicate rose	35	2 50
Shakespeare. White, slightly suffused with carmine-rose	1 00	7 00
Wm. Falconer. Enormous spike, with clear pink flowers	75	4 00



Gladioli

Gladiolus hybridus Princeps.

Hybrid between the rare African *Gladiolus cruentus* and a selected Childsii seedling. Grows 4 feet high, with broad, healthy foliage. Spike erect and often 18 inches long, bearing 16 to 22 immense, broad-petaled, circular flowers, opening flat and perfect, 5 to 7 inches across. Color true salvia-scarlet, with cream-white feathering on lower petals. Endures the sun and wind well, and opens perfectly to the last bud in water. Blooms normally in August, but may be had late in October by delaying planting. Forces splendidly. 25 cts. each, \$3 per doz.

Gladiolus, Mrs. Francis King.

While exhibited in our store the past summer, cut-blooms of this variety excited great comment and admiration, both for size of flower and beauty. The color of the flower is a light scarlet of a very pleasing shade, which attracts attention at once. The flowers are very large, usually measuring from 3½ to 4 inches in diameter, and are borne on long stems with from four to six flowers open at one time. 10 cts. each, \$1 per doz., \$7 per 100.

For Specialties in Vegetable and Flower Seeds, see pages 3 and 4, where the best new and choice old strains of seeds are illustrated and fully described.

GLOXINIAS

A charming class of summer-flowering bulbs; plants of dwarf habit, with very handsome flowers, which are borne in great abundance. 15 cts. each, \$1.50 per doz.

HYACINTHUS CANDICANS

A magnificent hardy plant, producing in July and August a flower-stem about 4 feet high, surmounted by a spike of numerous pendent, bell-shaped, snow-white flowers. 5 cts. each, 50 cts. per doz.

LILIUM

(Lily)

These magnificent bulbs are favorites everywhere.

Auratum (Golden-banded Lily). 15 cts. each, \$1.50 per doz.; extra size, 25 cts. each, \$2.50 per doz.

Lancifolium album. 20c. ea., \$2 per doz.

“ **rubrum.** 15c. ea., \$1.50 per doz.

“ **roseum.** 15c. ea., \$1.50 per doz.

Candidum (Madonna Lily). 12 cts. each, \$1.25 per doz.

Tigrinum fl. pl. (Tiger Lily). 15 cts. each, \$1.50 per doz.

Tigrinum splendens. 15 cts. each, \$1.50 per doz.



German Iris

JAPANESE AND GERMAN IRIS

Iris are among the most beautiful of our summer-flowering plants, and are destined to become more popular every season. Extra-choice varieties. 25 cts. each, \$2.50 per doz., \$15 per 100.

MADEIRA, or MIGNONETTE VINE

A beautiful climbing vine of rapid growth. 5 cts. each, 50 cts. per doz., \$3.50 per 100.

MANETTIA VINE

(Manettia bicolor)

A rapid-growing plant, with scarlet and yellow flowers. An excellent pot-plant. 15 cts. each, \$1.50 per doz.

MONTBRETIAS

The Montbretias are among the brightest and best of summer-flowering bulbs. The bulbs should be planted from April to June in groups of three to a dozen or more. They are perfectly hardy, and, once planted, can be left to care for themselves.

Finest Mixed. 15 cts. each, \$1.50 per doz.

PEONIES

Our collections of these handsome flowers comprise the very finest that come to this country and are well worth a place in every garden.

Tree Varieties, Assorted. \$1 each, \$10 per doz.

Herbaceous Varieties, Assorted. 50 cts. each, \$5 per doz.

Pink Shades. 25 cts. each, \$2.50 per doz.

White Shades. 25 cts. each, \$2.50 per doz.

Red Shades. 25 cts. each, \$2.50 per doz.

RICHARDIA ALBA MACULATA

(Summer Calla)

Has white-spotted leaves and purplish flowers; very ornamental. 15 cts. each, \$1.50 per doz.

TIGRIDIA

(Tiger-Flower)

Extremely handsome, producing many magnificent flowers in the open ground.

Conchiflora. Yellow. 5 cts. each, 50 cts. per doz., \$3.50 per 100.

Pavonia. Red. 5 cts. each, 50 cts. per doz., \$3.50 per 100.

Grandiflora alba. 10 cts. each, 75 cts. per doz.

TRITOMA UVARIA GRANDIFLORA


(Red-Hot Poker Plant)

Very showy; produces long spikes of bright scarlet flowers—hence its common name. Large roots, 30 cts. each, \$3 per doz.

Small Fruits

FOREIGN GRAPE-VINES FOR VINERIES

1-year-old Vines, \$1; 2-year-old Vines, \$2

- Alicante, or Black Tokay.** H. C. A large showy black Grape; fine late variety.
- Black Barbarossa.** H. C. Berries round, very large; a late variety.
- Buckland Sweetwater.** H. C. Berries round, large; when ripe, of a pale amber; habit vigorous, and vine a good bearer.
- Canon Hall Muscat.** H. White seedling of Muscat of Alexandria, but liable to crack.
- Chasselas de Fontainebleau.** H. C. Berries round and large, juicy and sweet.
- Charlesworth White Tokay.** H. C. Berries oval and large; bunch very large, juicy and rich.
- Frontignac, White.** H. Berries round, medium size; very rich; a good bearer.
- Gros Colman.** H. Handsome; berries and bunches enormous; hangs very late.
- Hamburg, Black.** H. C. Large, sweet and juicy; a well-known and leading variety.
- Lady Downs' Seedling.** H. C. Berries large, oval, firm, sweet and richly flavored. One of the best late black Grapes.
- Madrasfield Court.** H. Black. Bunches and berries large; very handsome; flavor vinous and true Muscat; a superb Grape of the greatest merit.
- Muscat of Alexandria.** H. C. Berries large, oval, sometimes varying in size; pale amber when ripe; firm and rich.
- Muscat Hamburg.** H. Black. An excellent Grape, with the berry and flesh of Black Hamburg, and a fine Muscat flavor; requires heat.
- Trentham Black.** H. C. Berries oval; large, juicy and rich. A great bearer.
- West's St. Peter's.** H. C. A late black Grape; keeps well.
-  P. S.—Those marked H. are suitable for Hot Graperies. Those marked H. C. will grow well in either Hot or Cold Graperies.

HARDY AMERICAN GRAPE-VINES

- Agawam.** One of the most reliable hybrid Grapes; bunches and berries large, dark red ripens with or soon after Concord; is of peculiar aromatic flavor. 50 cts. each.
- Brighton.** Very early, large red; equal to Delaware in flavor and richness. 75 cts. each.
- Catawba.** Late, red; somewhat pulpy, very sweet and rich, of an aromatic, musky flavor. Best in sandy soils. 30 cts. each.
- Concord.** Early, large, black; tender, pulpy, with a sweet, foxy flavor. Does well everywhere, and is always reliable. 50 cts. each.
- Delaware.** Early, small, light red; juicy, with a very soft pulp; very productive, and requires a rich soil. 50 cts. each.
- Diana.** Late; reddish lilac, juicy and sweet; very vigorous and very good. 35 cts. each.
- Duchess.** Whitish green; berries and bunch of medium size; fine flavor. 50 cts. each.
- Eldorado.** A very beautiful Grape, clear golden yellow and of best flavor; ripens 10 days before Concord. 50 cts. each.
- Elvira.** Medium-early; pale green, juicy and sweet. 40 cts. each.
- Hartford Prolific.** Extra-early, large and very productive. 50 cts. each.
- Iona.** Deep reddish bronze; one of the best where it succeeds. 50 cts. each.
- Niagara.** Large, white, tender and sweet; bunches very compact; a popular early white sort. 50 cts. each.
- Isabella.** Medium-early; large purplish black, with little pulp. 30 cts. each.
- Lady Washington.** White; bunches and berries quite large and of good flavor, 75c. each.
- Lindley (Rogers' No. 9).** Light bronze, berries medium size; of rich aromatic flavor. 50 cts. each.
- Martha.** Very early, large pale yellow; pulpy and very sweet. 35 cts. each.
- Merrimac (Rogers No. 19).** Early, large, black; one of the most vigorous and productive. 40 cts. each.
- Moore's Early.** Berries large, black; bunches large and very compact. 50 cts. each.
- Prentiss.** Bunches large; berries of medium size, yellowish green, sometimes tinted rose-color. 75 cts. each.



Miller Red Raspberries

RASPBERRIES

	Per doz.	100
Golden Queen. Large fruit of a beautiful buff or amber color. One of the richest flavored berries	\$1 00	\$6 00
Brandywine. Fruit bright red, very firm and fine-flavored ; hardy and very productive	1 00	6 00
Cuthbert. Fruit red, large and sweet ; very hardy	1 00	6 00
Gregg. A new black-cap of the largest size ; very productive, and of excellent quality	1 00	6 00
Loudon. Fruit very large and firm, of fine rich color and flavor ; quite hardy	1 00	6 00
Miller Red. Berry as large as Cuthbert ; color bright red, and ripening very early ; very productive	1 00	6 00

BLACKBERRIES

	Per doz.	100
Erie. Fruit large, firm, sweet and high-flavored ; a vigorous grower ; perfectly hardy	\$1 00	\$6 00
Kittatinny. A stout, erect and vigorous-growing kind ; fruit large and delicious	1 00	6 00
New Rochelle, or Lawton. Fruit very sweet and delicious when well ripened	1 00	6 00
Wilson's Early. Very good ; large, firm and sweet ; hardy and productive, and one of the earliest in fruit	1 00	6 00

CURRANTS

	Per doz.	100
Cherry. A strong-growing variety ; fruit of the largest size, deep red . . .	\$1 00	\$6 00
Fay's Prolific. Very large and exceedingly productive ; bunches of immense size ; a popular red Currant	1 00	6 00
Red Dutch. The most prolific and best flavored of the old red varieties . .	1 00	6 00
Versailles. Foreign ; vigorous grower ; fruit of the largest size, dark red . .	1 00	6 00
White Grape. Best white variety ; berry large, beautiful ; best quality . . .	1 00	6 00
Victoria. Late red ; of good quality	1 00	6 00

GOOSEBERRIES

	Per doz.	100
Downing. Pale green ; large, prolific and good. Best for both home and market use	\$1 00	\$6 00
Houghton's Seedling. Small to medium ; fruit oval, pale red ; very productive, and free from rust	1 00	6 00
Red Jacket. The most prolific and most valuable Gooseberry in America ; as large as the largest ; berry smooth. Very hardy. Quality best, and foliage best of any Gooseberry known	1 50	12 00

Ornamental Shrubs and Vines

HARDY VINES AND CREEPERS

- AMPELOPSIS** *quinquefolia* (Virginia, or Strawberry Creeper). Leaves crimson in autumn; very strong grower. 30 cts.
Veitchii (Japanese Ivy). Leaves smaller than the preceding, and of regular size; a superb vine, and perfectly hardy; foliage is richly colored in autumn. 50 cts.
- AKEBIA** *quinata*. Small sub-evergreen leaves; brownish flowers. 50 cts.
- ARISTOLOCHIA** *Sipho* (Dutchman's Pipe). Large, heart-shaped leaves; very ornamental flowers. \$1.
- BIGNONIA** *radicans* (Trumpet Creeper). Scarlet flowers in August; handsome. 40 cts.
grandiflora. Very large flowers, of a splendid orange color. 50 cts.
- CLEMATIS** *coccinea*. Flowers scarlet; very choice. 50 cts.
Flammula (Virgin's Bower). White; very fragrant. 50 cts.
Jackmani. Large purple flowers; a great favorite. 75 cts.
paniculata (Japanese Virgin's Bower). This handsome hardy climber is one of the choicest and most satisfactory climbing flowering plants we know. The plant is of strong, rapid growth, with small, dense, cheerful green foliage, giving it a grace and elegance possessed by no other hardy climber. The flowers appear in the greatest profusion during August and continue until late in the fall, are of a white color and most deliciously fragrant. Strong roots 50 cts.
- DOLICHOS** *Japonicus*. A strong-growing large-leaved vine, which for rapidity of growth has no equal. Strong plants will run 50 feet in a season. 75 cts.
- HEDERA** *Helix* (Evergreen Ivy). Leaves large and luxuriant; a standard vine. 25c. to 75c.
Helix tricolor (Tricolor-leaved Ivy). Leaves green, white and rose; very pretty. 50 cts.
- HUMULUS** *lupulus* (Hop Vine). A rapid grower; very ornamental. 30 cts.
- LONICERA** *Belgica* (Honeysuckle). Flowers all summer; very fragrant. 50 cts.
Sinensis (Chinese Honeysuckle). Dark green foliage. One of the best. 50 cts.
reticulata aurea (Golden-leaved Japan Honeysuckle). Remarkably ornamental, with leaves of a distinct yellow effect. 50 cts.
- MENISPERMUM** *Canadense* (Moon Seed). A slender-growing vine, producing berries; ornamental in fall. 50 cts.
- PERIPLUCA** *Græca* (Virginia Silk Vine). Foliage long, narrow and shining. 50 cts.
- WISTARIA** *Sinensis* (Chinese Blue Wistaria). Flowers pale blue, in June; a superb climber for any place. 75 cts.
Sinensia alba. The best white variety. \$1.

DECIDUOUS HARDY SHRUBS, ETC.

- AMYGDALUS** *fl. pl. alba* (Double White-flowering Almond). A beautiful early-flowering shrub. 75 cts.
fl. pl. rubro. A variety or the preceding with rose-colored flowers. 60 cts.
- ANDROMEDA** *Mariana*. A native shrub, blooming about the last of May, bearing beautiful white flowers tinged with red. 50 cts.
- BERBERIS** *vulgaris* (European Barberry). A handsome shrub; yellow flowers, followed in fall with scarlet fruit. 50 cts.
atropurpurea. A purple-leaved variety of the above. 50 cts.
Thunbergi (Japan Barberry). Of close, compact growth; the flowers come in May, and the fruit becomes ornamental in July, continuing up to winter time. 50 cts.
- CLETHRA** *alnifolia*. Leaves light green; flowers white and very fragrant. 40 cts.
- CALYCANTHUS** *floridus* (Sweet-scented Shrub). Flowers chocolate-color; fragrant, like strawberries. 50 cts.
- CHIONANTHUS** *Virginica* (White Fringe). Leaves large, pointed and shining; flowers pure white, feathery or fringe-like. A useful lawn tree. 75 cts.
- COLUTEA** *Halepica*. A rapid-growing and attractive shrub, producing reddish bladder-like pods. Very ornamental. 50 cts.
- CORNUS** *florida flore-rubro* (Red-flowering Dogwood). A variety of white Dogwood, but having a deep rosy pink-colored flower; the leaves also are of a darker green than the old variety; it makes a good, upright, bushy growth. \$1 to \$2.
var. pendula (Weeping Dogwood). Its pendulous habit, large white flowers, scarlet fruit and foliage in the fall, place it in the foremost rank. \$1 to \$2.

DECIDUOUS HARDY SHRUBS, ETC., continued

- Cornus alba sanguinea.** Remarkable in winter for the red color of its branches. 50 cts.
sanguinea variegata. Having very ornamental green foliage, striped with white during the whole season. 50 cts.
- CORYLUS** (Hazel). A distinct, very ornamental shrub; the leaves are of a deep dark red color, almost black. 75 cts.
- CRATÆGUS alba plena** (White-flowering Hawthorn). Foliage and flowers very ornamental. 75 cts.
coccinea fl. pl. Flowers double, red, very large. 75 cts.
- COTONEASTER rotundifolia.** Low-spreading shrub, bearing white flowers. 60 cts.
- CYDONIA Japonica carnea fl. pl.** (Japan Quince). Flesh-colored double flowers, produced early in spring. 75 cts.
Japonica rubra grandiflora (Red Japan Quince). Large red flowers; very showy. 50 cts.
- CYTISUS Laburnum** (Golden Chain). Drooping yellow flowers; a handsome small tree. \$1.
- DAPHNE Cneorum.** A choice, low-growing bush, bearing its sweet-scented rosy white flowers for several weeks of midsummer. 75 cts.
- DEUTZIA crenata fl. pl. alba.** Flowers double white, tinged with pink. One of the best shrubs in cultivation. 50 cts.
gracilis. Dwarf, compact; pure white. 35 cts.
scabra (Rough-leaved Deutzia). Bearing beautiful white spiral flowers. 50 cts.
- EUONYMUS Americanus.** Shining green foliage, scarlet berries; fine in fall. 50 cts.
latifolius (Burning Bush). Vigorous grower; scarlet berries, larger than the preceding. 50 cts.
- FAGUS cuprea** (Copper Beech). Leaves purple, early in the season. \$1.50 to \$5.
laciniata (Cut-leaved Beech). Cone-shaped and compact; leaves showy. \$1.50 to \$3.
- FORSYTHIA viridissima** (Golden Bell). The best early-flowering shrub. 75 cts.
- GENISTA scoparia** (Scotch Broom). Yellow; flowers in May. 40 cts.
- HIBISCUS Syriacus atrorubens** (Althæa, or Rose of Sharon). Showy purple flowers. 35c.
foliis variegatis. Variegated foliage; highly ornamental. 60 cts.
- HYDRANGEA paniculata grandiflora.** Immense white flowers; one of the finest shrubs in cultivation. 75 cts. to \$2.
hortensis. Changeable rose-colored flowers; very popular. 50 cts.
- ITEA Virginica.** A very pretty shrub, bearing large, erect spikes of white flowers, making a fine appearance for a long time. 50 cts.
- LIGUSTRUM tricolor** (Privet). Stands the sun well, and forms a good bush; the leaves are golden yellow, changing to white and green as it develops. 50 cts.
- LONICERA Tatarica** (Upright Honeysuckle). Pink flowers in May; handsome. 40 cts.
Tatarica alba. A pretty upright shrub; white flowers in spring. 50 cts.
- MAGNOLIA conspicua.** A Chinese tree producing large white flowers in spring. \$2 to \$5.
Soulangeana. Like above, but flowers are purple and white. \$1.50 to \$5.
- PHILADELPHUS coronarius** (Mock Orange, or Syringa). Strong-growing; pure white fragrant flowers in June. 50 cts.
- PRUNUS Sinensis** (Double White-flowering Plum). Very pretty. 75 cts.
Myrobolana (Pissardii). A purple-leaved Plum; there is always a rich purple foliage till autumn. 50 cts.
- RIBES aureum** (Missouri Currant). Shining glabrous leaves; early yellow flowers 35 cts.
- RHUS Cotinus** (Purple Fringe, or Smoke Tree). A beautiful low-growing tree, covered with dark seed-vessels like a purple mist; very showy. 75 cts.
glabra laciniata (Cut-leaved Sumac). Leaves of large size, deeply cut and drooping gracefully. Foliage scarlet in autumn. 50 cts.
- SALISBURIA adiantifolia** (Maidenhair Tree). A Chinese tree of slow growth and distinct leaves. One of the most beautiful trees in cultivation. \$1.
- SPIRÆA Billardii.** Pink-flowered; a late-blooming species. 50 cts.
prunifolia fl. pl. (Plum-leaved Spirea). Double white flowers. 40 cts.
Reevesiana fl. pl. Clusters of double white flowers, early in the spring. 50 cts.
- SYMPHORICARPUS racemosus.** (Snowberry). White waxy berries in autumn; very ornamental. 50 cts.
- SYRINGA vulgaris** (Common Lilac). Purple, sweet-scented flowers. 50 cts.
vulgaris alba. White, sweet-scented; very delicate. 50 cts.
vulgaris Persica (Persian Lilac). Small-leaved; purple flowers of a different shade. 50c.
- TAMARIX Africana.** Beautiful feathery foliage; makes a fine small tree. 50 cts.

DECIDUOUS HARDY SHRUBS. ETC., continued

- VIBURNUM plicatum** (Double Japan Snowball). Distinct and good; of upright growth, with plaited leaves, and many heads of pure white flowers. 50 to 75 cts.
- WEIGELA amabilis**. Pink flowers; free bloomer. 50 cts.
amabilis alba. White; very showy. 50 cts.
variegata. Beautiful variegated foliage. 50 cts.
floribunda. The flowers are crimson, with projecting white stamens; quite distinct and valuable. 50 cts.
- VITEX Agnus-Castus**. A handsome-leaved shrub, bearing panicles of lilac-blue flowers, and the foliage is nicely scented. 50 cts.

☞ Also supplied to order, all the leading varieties of standard and dwarf Roses, Hardy Perennials, Bedding and Flowering Plants, Fruit, Shade and Ornamental Trees.

CARNATION PLANTS

The varieties herein listed include some of the newer and best sorts that can be grown, either for profit or pleasure.

Winsor. This variety is clear pink in color, shade between Enchantress and Mrs. Thos. W. Lawson, but is better than either of these varieties. A good grower and producer. 2½-in. pots, \$3 per doz., \$20 per 100.

White Enchantress. Pure white sport of Enchantress. 2½-in. pots, \$3 per doz., \$20 per 100.

Helen M. Gould. 2½-in. pots, \$3 per doz., \$20 per 100.

Melody. Daybreak shade; good grower. 2½-in. pots, \$3 per doz., \$20 per 100.

Victory. Grand scarlet; great producer. 2½-in. pots, \$2 per doz., \$15 per 100.

Robert Craig. Finest scarlet and greatest producer yet introduced. 2½-in. pots, \$2 per doz., \$15 per 100.

Variegated Lawson. 2½-in. pots, \$2 per doz., \$15 per 100.

Lady Bountiful. Grand white. \$1.25 per doz., \$8 per 100.

Nelson Fisher. A good white. \$1.25 per doz., \$8 per 100.

Enchantress. Beautiful shell-pink. \$1.25 per doz., \$8 per 100.

Harlowarden. Very deep maroon, good color. \$1 per doz., \$6 per 100.

CHRYSANTHEMUM NOVELTIES, 1907

The varieties herein listed are all grown by the well-known expert, Chas. H. Totty, Madison, N. J., and are pleased to inform our customers that we shall be ready to ship in February, 1907.

A. H. Lee. Crimson.

A. L. Stevens. Yellow.

A. H. Prior. Chestnut.

Buttercup. Yellow.

George Laurence. Orange.

Lady Lennard. Golden amber.

Miss Mary Godfrey. Yellow.

Miss Miriam Hankey. Pink.

Mrs. A. T. Miller. White.

Mrs. Henry Barnes. Old-rose.

Mary West. Yellow.

Money-Maker. White.

Reginald Vallis. Amaranth.

White Duckham.

Price of any of the above varieties, 50 cts. each, \$5 per doz. We will also carry a full line of all the standard varieties, 25 cts. each, \$2 per doz.



Fertilizers

BRIDGEMAN'S LAWN ENRICHER

This is just the fertilizer to give your lawn that dark green velvety appearance which is so much admired, but, owing to improper treatment, very hard to get. 5 lbs., 25 cts.; 10 lbs., 40 cts.; 100 lbs., \$2.25; ton, \$35. Quantity required, 1,000 lbs. to 1,500 lbs. per acre.

BONE MEAL

For General Use. 5 lbs., 25 cts.; 10 lbs., 40 cts.; 100 lbs., \$2.50; ton, \$40.

For Lawns. This grade of bone is very desirable for use as a top-dressing for lawns in the fall or early spring. Ton, \$32.

CLAY'S FERTILIZER

14 lbs., \$1.25; 28 lbs., \$2.25; 56 lbs., \$4; 112 lbs., \$7.

THOMPSON'S VINE MANURE

28 lbs., \$2; 56 lbs., \$3.75; 112 lbs., \$7.

ASHES, CANADA HARD-WOOD

(Unleached)

Excellent for lawns. In barrels, 200 lbs., \$3; ton, \$20. Larger quantity prices upon application.

SHEEP MANURE (Pulverized)

Excellent top-dressing for lawns. Can be mixed with soil for greenhouse plants; also a very fine liquid manure. Quantity to acre, 1 to 2 tons. 5 lbs., 25 cts.; 10 lbs., 40 cts.; 100 lbs., \$2; ton, \$30.

ICHTHEMIC GUANO

Valuable manure for chrysanthemums and greenhouse plants. 28 lbs., \$2.50; 56 lbs., \$4; 112 lbs., \$7.

SOOT, IMPORTED SCOTCH

An excellent fertilizer for stimulating growth and giving a rich dark foliage; also an excellent remedy against slugs, grubs and cutworms when mixed in the surface of the soil. 100 lbs., \$5.

BON ARBOR

This is a soluble fertilizer containing all the elements necessary for plant-life.

Dry Bon Arbor, in cans—

5-lb. cans, making 150 gallons . . . can,	\$1 50
1-lb. " " 30 " . . . "	35
7-oz. " " 15 " . . . "	15
250-lb. to 300-lb. barrels lb.,	18
100-lb. boxes "	20
50-lb. " "	25

Liquid Bon Arbor—

50-gal. bbls., making 5,000 gals. . . gal.,	\$1 25
25-gal. 1/2 bbls., " 2,500 " . . . "	1 50
10-gal. kegs, " 1,000 " . . . "	1 75
5-gal. " " 500 " . . . "	1 85
2-gal. " " 200 " . . . "	2 00
1-gal. " " 100 " . . . "	2 00

BOWKER'S FOOD FOR FLOWERS

An excellent fertilizer for house plants. Easily applied by dissolving in water. Clean to handle, without odor; produces rich green growth and profusion of flowers. Small pkg., 15 cts.; large pkg., 25 cts. By mail, 20 cts. and 30 cts.

NITRATE OF SODA

It is valuable for grain, corn, beets, potatoes, grasses, peas, beans, clover, etc. Being extremely soluble, it should not be applied until the plants are above ground, using 100 to 500 pounds per acre, mixed with wood ashes or land-plaster. 5 lbs., 30 cts.; 10 lbs., 50 cts.; 25 lbs., \$1.25; 50 lbs., \$2.25; 100 lbs., \$4.

MAPES' CELEBRATED FERTILIZERS

The highest grade commercial fertilizers, their basis being bone, no rock being used in their composition. All fertilizing constituents, nitrogen, potash and phosphoric acid are strictly high-grade and soluble. Mapes' Catalogue, giving analysis and telling how to use these fertilizers, we mail free on application.

	Per 100 lbs.	Per bag, 200 lbs.	Per 2,000 lbs.
Potato Manure	\$2 50	\$4 50	\$42 00
Corn Manure	2 50	4 50	40 00
Cabbage and Cauliflower Manure	2 50	4 50	40 00
Vegetable Manure, for all soils	2 75	5 00	44 00
Fruit and Vine Manure	2 75	5 00	44 00
Orange and Fruit-Tree Manure	2 75	5 00	40 00
Grass and Grain Spring Top-dressing	2 75	5 00	44 00
Complete Manure, "A" Brand	2 50	4 50	40 00
Complete Manure, for general use	2 50	4 50	40 00
Complete Manure, for heavy soils	2 75	5 00	44 00
Complete Manure, for average soils	2 25	4 50	40 00
Complete Manure, for light soils	2 75	4 50	44 00
"Cereal" Brand, for farm crops	2 00	3 50	32 00

INSECTICIDES

Ant Destroyer. Will destroy or drive away black ants from lawns, trees, plants, houses or other affected locality. $\frac{1}{4}$ lb. 30c., $\frac{1}{2}$ lb. 40c.

Aphis Punk. Is composed of nicotine, wood pulp and chemicals. Light with a match at lower end and allow it to burn without flaming. 60 cts. per box of one dozen rolls. Per case of 12 boxes \$7.

Bordeaux Mixture. For all fungoid diseases, such as mildew and various rots of grapes, etc. Qt. 50c., gal. \$1.25, 5 gals. \$5.

Bug Death. Is a non-poisonous powder, extensively used for cabbage and tomato worms, potato and cucumber bug, etc. Lb. 15 cts., 3 lbs. 35 cts., 5 lbs. 50 cts., $12\frac{1}{2}$ lbs. \$1, 100 lbs. \$7.

Bug Death Duster. For applying above, 25c.

Cattle Comfort. Protects cattle, dogs, etc., from flies, gnats and mosquitoes and other insects. Qt. 45 cts., gal. \$1.25, 5 gals. \$5.

Copper Solution. A remedy for grape anthrax and mildew, pear and apple scab, carnation and violet rust. Per qt. tin, 65 cts., gal. \$1.50.

Dalmatian, or Persian Insect Powder. One of the safest insecticides for all insects. $\frac{1}{4}$ lb. 15 cts., lb. 40 cts.

Fir-Tree Oil. For destroying all insects that infest fruit trees and plants, such as mealy bugs, red spider, greenfly, etc. $\frac{1}{2}$ pt. 40 cts., pt. 75 cts., qt. \$1.40, $\frac{1}{2}$ gal. \$2.50, gal. \$4.25.

Fir-Tree Oil Soap. A formula of the above fir-tree oil, prepared in soap form. $\frac{1}{2}$ -lb. tin 25 cts., 2 lbs. 75 cts., 5 lbs. \$1.75.

Flour of Sulphur. A preventive and cure for mildew on grape-vines, rose bushes, etc., in or outdoors. Lb. 10 cts., 10-lb. lots 60 cts.

Gishurst Compound. A preparation for preventing and destroying red spider, mealy bug, greenfly, etc. Per box 50 cts.

Hammond's Grape Dust. A powder especially prepared to kill rot and mildew on grapes, etc. 5-lb. package 35 cts., 100-lb. keg \$5.50.

Hammond's Slug-Shot. Lb. 10 cts., 5-lb. pkg. 30 cts., 10-lb. pkg. 50 cts., 100 lbs. \$4.50.

Kerosene Emulsion. For plant lice of any kind, cabbage worm, scale insects on apple, pear and other trees. Qt. 50 cts., gal. \$1.25, 5 gals. \$5.50.

Lemon Oil. For destroying mealy bugs, scale, thrip, red spider, etc. Directions on cans. $\frac{1}{2}$ pt. 25 cts., pt. 40 cts., qt. 75 cts., $\frac{1}{2}$ gal. \$1.25, gal. \$2.25, 5 gals. \$10.

Little's Antipest. A sure destroyer of all insect pests. Qt. 75 cts., $\frac{1}{2}$ -gal. can \$1, gal. can \$2.

Kil-O-Scale. For destroying San José scale on trees, shrubs, etc. Gal. \$1.50, 5 gals. at \$1.35 per gal., 10 gals. at \$1.25 per gal., 45-gal. barrel at \$1 per gal. One gal. makes 40 gallons for use.

"Nico-Fume" Tobacco-Paper Insecticide. "Nico-Fume" is worthy of the attention of

all growers. It is packed in special friction top tin-cans; thus preventing loss of nicotine by evaporation. Quart can (24 sheets) 75 cts., gross can (144 sheets) \$3.50.

Nicoticide. Fumigating compound. A certain destroyer of all greenhouse bugs. Directions on packages. Pt., sufficient for 32,000 cubic feet, \$2.50.

Fumigators for above, 50 cts.

Nikoteen Kills the Bugs. A thorough exterminator of mealy bug, thrip, lice and all injurious insects affecting plant life. Per bottle, pint, \$1.50.

Paris Green. Unexcelled for the destruction of potato bugs and other insects that eat foliage. Lb. 25 cts.

Read's Electric "Worm" Eradicator. This preparation is especially valuable to gardeners. Bottles, 50 cts., \$1 and \$3.

Read's "Herbicide" (or Weed Exterminator). This is the most effectual weed-killer known. In quart jugs sufficient to make 5 gallons of liquid, 75 cts.; in half-gallon jugs, sufficient to make 10 gallons of liquid, \$1.25; in one-gallon kegs, sufficient to make 20 gallons of liquid, \$2.25; in five-gallon kegs, sufficient to make 100 gallons of liquid, \$7.50.

Rose Leaf Insecticide. A positive remedy for insects in greenhouses. A strong nicotine solution. Directions on packages. Pt. can 35 cts., qt. can 60 cts., gal. can \$1.75.

Sulpho-Tobacco Soap. A positive exterminator for all insect life on plants in the greenhouse. 3-oz. box 10 cts., 8-oz. box 20 cts., 10-lb. box \$3.

Tobacco Dust. Made from tobacco stems. Lb. 10 cts., 10-lb. pkg. 65 cts., 100 lbs. \$3.

Tobacco Dust. Coarse, for fumigating purposes. 100 lbs. \$3.

Whale Oil Soap. Very effective for scab, green and black fly, mealy bug, etc. Lb. 15c.

Tobacco Stems. For fumigating plants and destroying insects in hothouses, etc. In bales of 100 lbs. \$1.50.

White Hellebore Powder. For destroying the currant worm, rose slug, etc. $\frac{1}{4}$ lb. 10 cts., $\frac{1}{2}$ lb. 15 cts., lb. 25 cts.


Wilson's Plant Oil. Sure death to scale; dries immediately after application and is harmless to plant life. Pt. can 40 cts., qt. can 75 cts., gal. can \$2.

X. L. All Vaporizing Compound. The most effectual method of fumigating greenhouses. Sufficient for 10,000 cubic ft. \$2.25 per bottle; 20,000 cubic ft. \$4.50 per bottle. Vaporizing Lamp and Stand, complete, \$1.50.

X. L. All Liquid Insecticide. For spraying. English preparation; purely nicotine; harmless to very delicate plants; kills mealy bug, red spider and all insect pests. Pt. 65 cts., qt. \$1, $\frac{1}{2}$ gal. \$1.75, gal. \$3.50.

Horticultural Implements

Asparagus Knife, English	Each	\$1 50	Garden Reels, English. 10-in.	Each	\$1 00
Ax, Handled	\$1 to	1 75	" Lines. Best braided, 100 ft.		75
Bill Hooks, Socket Switching		2 00	" Pencils, English		15
" " Yorkshire Strapped		2 00	Gardeners' Gloves pair,	\$1 .	
" " Dunse Switching		1 25	Glazing Points, Van Reyper's	box of 1,000,	75c. .
Bellows, Powder		1 25	Grafting Wax lb.,	40c. .	
" Liquid		2 00	Grubber, Daisy, English	I 25	
" Woodason's, Small Powder		1 00	Hatchets	\$1 to	I 50
" " Large Powder		2 00	Hoes, Draw	50c. to	75
" " Double Cone		3 00	" Dutch (English). 4- to 10-in.	40c. to	90
" " Powder		3 00	" Warren		75
" " Small Liquid		1 25	" Potato or Prong		75
" " Large Liquid		2 00	Horse Boots set of four,	\$9 .	
Carnation Supports, 2 rings			Hose. The Hose which we offer is of		
doz., 50c.; 100, \$3			the very best grade of rubber and		
3 rings doz., 60c., 100, \$3.50			guaranteed by us in every respect.		
Dibble, Garden		50	If same should prove unsatisfactory,		
Flower Gatherers, English. In 4 sizes		75 cts. to	through fault of manufacturer, we		
		I 75	will gladly replace the same, within		
Flower Pot Brackets		40 cts. to	a reasonable period.		
Forks, Spading, Short-handled		I 25	<R> Best grade foot,	16c. .	
" " Long-handled		I 25	Tip-Top.	foot, 10c. .	
" Manure, Short-handled		75	Electric.	foot, 18c. .	
" Hay		75	Hose Menders, Hudson's		
" Ladies' Weeding, English . 50c. to		I 00	Box of 6 tubes, 20 bands, 1 pr. pliers.		75
Fruit Pickers, French		60	Hose Menders, Jones' doz.,	50c. .	
Fumigators—			" " Cooper's. ¾-in.	doz., 75c. .	
Eureka No. 1, house, 10 x 12		1 50	Knives, Budding, English	75c. to	I 25
" No. 2, " 12 x 40		2 00	" Pruning, English	\$1 to	2 00
" No. 3, " 15 x 100		2 50	" Grass, Edging, English. 10-in.		2 00
Garden Barrows No. 1 (boys')		3.50	Lawn Mowers, Imperial High-Wheel:		
" " No. 2		4 00	14-in. cut	net, 8 00	
" " No. 3		4 25	16-in. cut	net, 9 00	
" " No. 4		5 00	18-in. cut	net, 10 00	
Garden and Lawn Rollers. Prices net:			20-in. cut	net, 11 00	
Face Diam. Lbs.			Lawn Mower, Horse, Coldwell's Imp'd:		
2-sec. . . 7½-in. 15-in. about 125		8 00	30-in. cut, complete	net, 60 00	
1-sec. . . 20-in. 20-in. " 220		13 00	35-in. cut, complete	net, 75 00	
2-sec. . . 12-in. 20-in. " 300		14 50	40-in. cut, complete	net, 90 00	
3-sec. . . 12-in. 20-in. " 450		23 00	Lawn Mowers, Victory. 14-in.		9 00
2-sec. . . 12-in. 24-in. " 400		20 00	16-in.		10 00
Dunham Hand Lawn Roller—			18-in.		11 00
No. Diam. Sections Lbs.			20-in.		12 00
1 . . . 15-in. . . 2 . . . 125		9 00	22-in.		13 00
2 . . . 15-in. . . 3 . . . 180		12 00	24-in.		13 50
6 . . . 20-in. . . 1 . . . 210		13 50			
9 . . . 20-in. . . 3 . . . 275		17 00			
20 . . 24-in. . . 4 . . . 425		27 00			



Dunham's Hand Lawn Rollers

HORTICULTURAL IMPLEMENTS. continued

	Each	Each
Lawn Mower Sharpener, Acme	\$0 50	Sickles, English 50 cts. to \$0 75
" Weeder, Cleveland	50	Scythes, Best English \$1.50 to 2 00
Mole Traps, Olmsted's Improved	1 50	Scythe Snaths 80
" " English. For frames	50	Scythe Stones, English 15
Moss, Sphagnum bbl., \$2.		Scythe Rifles 15
" Peat bbl., \$2.		Spud, Garden 50
Picks, Mattocks and Grub Mattocks	1 75	" with Weeding Hook 50
Pruner, Gooseberry, English	1 25	" Thistle 60
" " Blackberry, English	1 25	Spades, Ames' Short-handled 1 25
Pumps, Spraying	1 75	" " Long-handled 1 25
" Acme, Hand Force	5 00	Shovels, " Short-handled 1 25
" Myers' Bucket Spray	4 00	" " Long-handled, pointed. 1 25
" Hydropult Force, with 3 ft. of		Sets, Ladies' Garden, English. 27-in. 2 25
" 1/2-in. discharge hose and		" " " " 36-in. 3 00
" Lilly nozzle	9 00	" " " " 45-in. 4 00
" Superior Rumsey's Double		Sprinklers, Rubber 1 00
" Acting Spray, with me-		" " Angle-Neck 1 00
"chanical agitator, with 3-ft.		" " Lawn 75 cts. to 3 75
" suction pipe strainer	11 50	Syringes, English. 12 1/2-in. barrel 4 00
" With suction pipe strainer		" " 16 1/2-in. " 6 00
" 5 ft., 1/2-in. hose and Lilly		" " 18 1/2-in. " 7 50
" nozzle	13 00	" " 18-in. " 7 00
" Auto-Spray, Brass	6 00	" " Reid's Patent 8 00
" " Galvanized	4 50	" " Knuckle-Joint 10 00
" " With Auto-Pop, \$1 extra.		" " Amer. No. 0, 12 1/2-in. barrel. 2 50
Putty Bulbs. Elastic	1 00	" " No. 00, 14-in. " 3 00
	Per 100	" " No. 2, 14 1/2-in. " 3 75
Plant Labels, Wooden, Pot and Garden:		" " No. 3, 18-in. " 6 00
4 in., painted 1,000, 90c.	\$0 15	" " No. 5, 18-in. " 6 50
5 in., painted 1,000, \$1.25	20	Thermometers, Tin Case 40
6-in., painted 1,000, \$1.50	25	" " Self-registering 2 50
8-in., painted 1,000, \$1.	50	" " Hotbed, Brass-tipped 1 50
12-in., painted 1,000, \$5.	65	Tree Pruners, 6-ft. 1 00
Plant Stakes, Round Green Tapering:		" " 8-ft. 1 25
1 1/2 feet	1 00	" " 10-ft. 1 50
2 feet	2 00	
2 1/2 feet	2 50	
3 feet	3 50	
3 1/2 feet	4 00	
4 feet	5 00	
5 feet	6 00	
Plant Stakes, Heavy or Dahlia:		
3 feet	5 00	
4 feet	6 50	
5 feet	8 50	
6 feet	10 00	
Bamboo Canes 1,000, \$9.	1 25	
Raffia. For tying plants . . . lb., 20c.	Each	
Rakes, Cast Steel 50c. to \$1 00		
" " Wooden Lawn	50	
Saws, English, Pruning 75 cts. to 2 00		
" " Socket or Pole	1 00	
" " Double Edge	75	
Scissors, Bow Pruning, English . 75c. to 1 25		
" " Grape or Thinning . . . \$1 to 1 50		
Shears, Hedge, Pruning Notch, fly nut:		
7 1/2-in., English	2 25	
8-in.	2 50	
9-in.	2 75	
" Grass Border, English. 9-in. 2 75		
" " 10-in.	3 50	
" Lawn Surface Cutting 3 25		
" Branch or Lopping . . . \$2.25 to 3 50		
" Slide Pruning, Wood Handle \$3.50 to 3 75		
" Hand Pruning 2.25 to 3 50		
" Ladies' Garden	1 75	
" Sheep	1 00	



Rumsey's Superior Double Acting Spray Pump

HORTICULTURAL IMPLEMENTS, continued

Tree Scrapers	Each	\$0 50
Trellis, Fan-shaped	10 cts. to	1 00
Trowels, English Garden	50 cts. to	1 25
" " Transplanting		1 00
" Cleves' Angle	20 cts. to	35
Turfing Iron, or Sod Cutter		4 50
Watering Pots, French, with long spout and brass bow handle.		
6-qt.		2 50
8-qt.		2 75
Watering Pots, Philadelphia Pattern, with two copper-faced roses.		
4-qt.		2 25
6-qt.		2 35
8-qt.		2 50
10-qt.		2 75
12-qt.		3 00
Watering Pots, Ordinary Green.		
10-qt.		85
12-qt.		1 00
16-qt.		1 50
20-qt.		2 00
Weeders, Excelsior Hand		15
" Noyes'		25
" Cleveland's Lawn		50
Flower Pots, Standard—	Doz.	100
2-in.	\$0 10	\$0 60
2½-in.	12	80
3-in.	15	1 10
4-in.	35	2 00
5-in.	45	2 75
6-in.	75	4 25
7-in.	1 25	7 50
8-in.	1 50	10 00
9-in.	2 00	15 00
10-in.	2 75	20 00
12-in.	6 00	40 00
Lily Pans, Round—	Doz.	
5 x 8 in.		\$1 00
5 x 10 in.		1 50
6 x 12 in.		2 00
7 x 14 in.		4 00
8 x 16 in.		8 00
9 x 18 in.		12 00

UNION FLOWER TUBS

Made of cypress, painted green, with iron hoops and feet and handles; perforated bottom; very strong.

UNION FLOWER TUBS, continued

No.	Diameter	Height	Price
1	11 inches	13 inches	\$0 90
2	13 "	14½ "	1 10
3	15 "	16 "	1 50
4	18 "	20 "	2 25
5	21 "	34 "	2 75

CEDAR TREE TUBS

No.	Outside diam.	Stave length	Price
0	27 inches	24 inches	\$6 00
1	25 "	22 "	5 00
2	23 "	20 "	4 50
3	21 "	18 "	4 00
4	18 "	16 "	3 50
5	16 "	14 "	3 00
6	14 "	12 "	2 50
7	13 "	11 "	2 25
8	12 "	10 "	2 00

ROLLING STANDS

Outside diam. about	Will take pot of diam. at bottom	Per doz. Plain	Per doz. Enameled green or white
12 inches	10 inches	\$6 00	\$7 80
14 "	11 "	7 20	9 00
16 "	13 "	9 00	10 80
18 "	15 "	10 00	12 00
20 "	17 "	12 00	15 00
22 "	20 "	15 00	18 00

FIBER WARE SAUCERS

In.	Per 100	Crates contain	Enameled green	Enameled white
4	\$7 50	100	\$11 00	\$13 00
5	7 75	100	11 50	13 50
6	8 00	100	12 00	14 00
7	8 80	100	13 00	15 00
8	9 40	100	14 00	16 00
9	10 40	50	15 60	18 00
10	11 00	50	16 60	20 00
12	13 00	25	20 00	24 00
14	17 00	12	27 00	32 00
16	30 00	12	40 00	48 00
18	35 00	12	48 00	54 00

Shallow—

11	12 00	24	18 00	24 00
12	12 50	24	18 50	24 50
13	13 50	24	20 00	26 00
14	17 00	24	24 00	30 00

FIBER WARE VASES FOR CUT-FLOWERS

No.	Diameter inside	Depth inside	Plain. Doz.	Enameled green. Doz.	Enameled white. Doz.
0	8 inches	13 inches	\$4 80	\$7 20	\$8 60
1	5½ "	10 "	4 20	5 40	6 00
2	4½ "	9 "	3 60	4 60	4 60
3	4 "	6 "	3 00	3 60	3 60
4	3 "	4½ "	2 40	3 00	3 00
00	9 "	22 "	9 00	12 00	15 00
11	5½ "	18 "	4 80	6 60	7 20
22	4½ "	15 "	4 20	5 40	6 00
33	4 "	12 "	3 60	4 80	4 80
44	3 "	9 "	3 00	4 20	4 20
000	9 "	29 "	18 00	24 00	27 00

Order by number only. ½ dozen in crate. No. 00 and 000 one each in crate.

1907

BRIDGEMAN
HIGH-GRADE

EXPOSURE

NO.